## 2026

# **Global Quality P4P**

(For IPAs)

Pay for Performance Program Technical Guide



# TABLE OF CONTENTS

Program Overview	1
Program Terms and Conditions	5
Performance Measures	8
Scoring Methodology	11
Payment Methodology	12
Reporting Timeline	14
Quality Incentive Payout Timeline	15
2026 IPA Global Quality P4P Program Measures- Appendix 1	16
Measures Overview- Appendix 2	
• Population: Adult	
- Adult Hepatitis B Vaccine (AISH)	19
- Adult Influenza Vaccine (AIV)	
- Adult Pneumococcal Vaccine (AISP)	
- Adult Td/Tdap Vaccine (AIST)	
- Adult Zoster Vaccine (AISZ)	
- Colorectal Cancer Screening (COL-E)	
- Controlling High Blood Pressure (CBP)	
- Diabetes Care- Blood Pressure Control <140/90 (BPD)	
- Diabetes Care- Kidney Health Evaluation (KED)	
- Glycemic Status Assessment for Patients with Diabetes (GSD)	
- Post Discharge Follow-Up (PDFU)	
- Statin Therapy Received for Patients with Cardiovascular Disease (SPC-E)	
- Statin Therapy Received for Patients with Diabetes (SPD-E)	
Population: Adult and Adolescent	
- Screening for Clinical Depression in Primary Care (SCD)	56
- Social Determinants of Health Identification Rate (SDHR)	62
- Social Determinants of Health Screening Rate (SDHS)	68
- Social Need Screening and Intervention (SNS-E)	70
- Substance Use Assessment in Primary Care (SAP)	74
• Population: Women	
- Breast Cancer Screening (BCS-E)	76
- Cervical Cancer Screening (CCS-E)	
- Chlamydia Screening (CHL)	
- Postpartum Care (PPC)	
- Timeliness of Prenatal Care (PPC)	

# TABLE OF CONTENTS (CONTINUED)

• Population: Child	
- Child and Adolescent Well-Care Visits (WCV)	86
- Childhood Immunizations (CIS-E) - Combo 10	89
- Developmental Screening (DEV)	93
- Immunizations for Adolescents (IMA-E) - Combo 2	94
- Lead Screening for Children (LSC)	
- Substance Use Assessment in Primary Care for Adolescents (SAPA)	97
- Weight Assessment and Counseling for Nutrition and Physical Activity	
for Children and Adolescents - BMI (WCC)	
- Well-Child Visits in the First 15 Months of Life (W30)	
- Well-Child Visits in the First 30 Months of Life (W30)	102
• <u>Population: All</u>	
- Initial Health Appointment (IHA)	
- Potentially Avoidable Emergency Department (ED) Visits (LANE)	
- Access to Care Needed Right Away (MSS)	
- Coordination of Care (MSS)	
- Rating of Access to Routine Care (MSS)	111
2026 IPA Global Quality Process Measures - Appendix 3	113
Process Measure Overview - Appendix 4	
Electronic Medical Record Connections	114
• Quality Improvement Activity #1: Improving Health Outcomes	114
<ul> <li>Quality Improvement Activity #2: Potentially Avoidable ED Visits or</li> </ul>	
Potentially Preventable Admissions	115
2026 IPA Global Quality P4P Program Penalty Measures - Appendix 5	118
Penalty Measure Overview - Appendix 6	
Customer Service Grievance	
Medi-Cal Managed Care Accountability Set (MCAS) Performance	120
PCP Encounter Data Rate	121
Historical Data Form- Appendix 7	122
Member Satisfaction Survey (MSS)- Appendix 8	123
2026 IPA Global Quality P4P IPA Work Plan- Appendix 9	131
Supplemental Claim File Data Dictionary- Appendix 10	134
2026 Provider Quality Resource - Appendix 11	137



## **PROGRAM OVERVIEW**

This program guide provides an overview of the 2026 Global Quality Pay for Performance (GQ P4P) Program for Independent Physician Associations (IPAs). In this eleventh year of the program, IEHP has made program enhancements based on feedback from Providers in an effort to continually improve effectiveness. The IEHP GQ P4P Program for IPAs is designed to reward IPAs for high performance and year-over-year improvement in key quality performance measures. This program guide is designed as an easy reference for IPAs and their staff to understand the GQ P4P Program.

This year's GQ P4P Program continues to provide financial rewards to Providers for improving health care quality across multiple domains and measures. The 2026 Global Quality P4P Program includes core measures, process measures and penalty "risk" measures.

To further prioritize the medical needs of IEHP Medi-Cal members, especially within preventive care and primary care services, IEHP will be aligning the 2026 GQ P4P IPA Program performance goals with Medi-Cal Managed Care Accountability Set (MCAS) goals established by the Department of Health Care Services (DHCS). MCAS is a set of performance measures that DHCS has chosen to be reported by Medi-Cal managed care Health Plans (MCPs). Achieving the minimum performance level (MPL), at the 50th percentile, or more, will assist in IEHPs commitment to ensuring IEHP Members achieve optimal care and vibrant health.

IEHP also encourages all IPAs to attend IEHP P4P meetings that are held throughout the year to support your efforts to maximize earnings in this program.

If you would like to get more information about IEHP's GQ P4P Program or best practices to help improve quality scores and outcomes, visit our secure Provider Portal at *www.iehp.org*, email the Quality Team at *QualityPrograms@iehp.org* or call the IEHP Provider Relations Team at (909) 890-2054.

## **✓ What's New?**

## Six (6) measures were Added

#### **Core Measures**

- 1. Screening for Clinical Depression in Primary Care
- 2. Social Determinants of Health Identification Rate
- 3. Social Determinants of Health Screening Rate Monitor Only
- 4. Social Need Screening and Intervention Monitor Only
- 5. Substance Use Assessment in Primary Care
- 6. Substance Use Assessment in Primary Care for Adolescents

## Two (2) measures were Retired

#### **Core Measures**

- 1. Asthma Medication Ratio
- 2. Use of Imaging Studies for Low Back Pain (LBP)

## **▼ Eligibility and Participation**

To be eligible for incentive payments in the 2026 GQ P4P Program, IPAs must meet the following criteria:

- Must be active and contracted with IEHP for Medi-Cal and have active assigned Medi-Cal Members at the time of payment.
- Independent Physician Associations (IPAs) must have a signed Incentive Program contract amendment prior to the start of the 2026 Global Quality P4P IPA program performance period, in order to be eligible to receive incentive dollars.
- Have at least 5,000 IEHP Medi-Cal Members assigned as of January 2026.
- Have at least 30 Members in the denominator as of December 2026 for each quality measure to qualify.
- Quality Score must be 1.0 or higher in order to qualify for incentive payments.
- Submit a GQ P4P Quality Work Plan to IEHP by April 28, 2026, in order to enroll in the program (see Work Plan details in <u>Appendix 9</u>).
- Meet minimum Encounter Data Gates in order to qualify for incentive payments.
- IPA must designate a Quality Team of two to four staff dedicated to quality improvement work for the IPA. Quality Team framework will require an attestation and submission of staffing plan by 7/1/2026.

## Minimum Data Requirements

#### Lab Results

Data from lab results is also foundational to Program performance scoring. Providers should ensure they submit complete lab results data for services rendered to IEHP Members. IPAs should work with their network Providers to ensure they are using the appropriate lab vendors for IEHP Members and submitting complete lab results data to IEHP.

Lab results that are performed in the office (e.g., point of care HbA1c testing, urine tests, etc.) should be coded and submitted through Providers' encounter data.

## **Immunizations**

To maximize performance in immunization-based measures, **IEHP requires all Providers to report all immunizations via the California Immunization Registry (CAIR2)**. For more information on how to register for CAIR2, please visit *http://cairweb.org/*. IEHP works closely with CAIR to ensure data sharing to support the GQ P4P program.

## Provider P4P Research Inquiries

All Provider research inquiries, related to the data collected to measure P4P metrics, must be submitted in an excel worksheet. The following information must be included in the research inquiry to support the description of the dispute: Provider Name, Provider NPI, Member Name, Member ID, Measure Name, DOS, Procedure Code/ICD-10 code, and any other information that would be helpful to research the inquiry.

## **Supplemental Data**

#### What is Supplemental Data?

When services are not captured in traditional encounter data systems, other Supplemental Data sources may be used to collect information about services rendered to Members to support Quality Reporting.

### When Supplemental Data may be needed

- For services that were provided prior to eligibility with IEHP
- When a Provider has "proof-of-service" for a noted gap in care (e.g., cervical cancer screening, immunizations rendered by another provider)
- When a Provider has "proof-of-service" for an eligible-population exclusion (e.g., total hysterectomy, bilateral mastectomy)

## How to use Supplemental Data to support Global Quality P4P

Create an electronic log that includes the minimum required data elements. See <u>Appendix 10</u> for file layout requirements. Below is a list of minimum data elements needed in a supplemental data log.

- Member ID
- Date of Service
- Provider Identification
- Provider Specialty
- Diagnosis Code(s) if applicable
- Procedure Code(s)
- Lab Results if applicable

### Requirements for using Supplemental Data in Global Quality P4P Reporting

- The IPA must have clearly defined policies and procedures (in writing) that describe how Supplemental Data is collected, validated and used for P4P reporting
- Policies/procedures must be shared with IEHP and must be in place to validate quality / accuracy of Supplemental Data
- The IPA must collect "proof-of-service" documentation to confirm all services that are reported in the Supplemental Data log

- The IPA must receive approval from IEHP's Quality Team to use Supplemental Data in Global Quality Reporting (deadline for approval is July 31, 2026)
- The IPA must complete IPA data validation activities prior to submitting Supplemental Data to IEHP no later than October 31, 2026
- The IPA must submit an audit-ready Supplement Data log to IEHP via SFTP no later than December 20, 2026
- The IPA must complete a P4P Roadmap no later than October 31, 2026
- Final data refreshes for pre-validated supplemental data (for remaining dates of service in December 2026) are due by January 31, 2027

### Data Validation Requirements for Supplemental Data in Global Quality P4P Reporting

- To be counted in the final IPA Global Quality P4P rates, the Supplemental Data file must pass IEHP's independent HEDIS® audit process
- The IPA must present "proof-of-service" documents within required timeframes when requested by IEHP's auditors
- An auditor review will compare "proof-of-service" documents to submitted data
- Supplemental Data records must pass 100 percent validation to be included in the final P4P reporting

## Program Terms and Conditions

- Good Standing: A Provider currently contracted with Plan for the delivery of services, not pursuing any litigation or arbitration or has a pending claim pursuant to the California Government Tort Claim Act (Cal. Gov. Code sections 810, et seq.) filed against Plan at the time of program application or at the time additional funds may be payable, and has demonstrated the intent, in Plan's sole determination, to continue to work together with Plan on addressing community and member issues. Additionally, at the direction of the CEO or their designee, Plan may determine that a provider is not in good standing based on relevant quality, payment, or other business concerns.
- Participation in IEHP's GQ P4P Program, as well as acceptance of incentive payments, does not in any way modify or supersede any terms or conditions of any agreement between IEHP and Providers or IPAs, whether that agreement is entered into prior to or subsequent to the date of this communication.
- There is no guarantee of future funding for, or payment under, any IEHP Provider incentive program. The IEHP GQ P4P Program and/or its terms and conditions may be modified or terminated at any time, with or without notice, at IEHP's sole discretion.
- Criteria for calculating incentive payments are subject to change at any time, with or without notice, at IEHP's sole discretion.
- In consideration of IEHP's offering of the IEHP GQ P4P Program, participants agree to fully and forever release and discharge IEHP from any and all claims, demands, causes of action, and suits, of any nature, pertaining to or arising from the offering by IEHP of the IEHP GQ P4P Program.

- The determination of IEHP regarding performance scoring and payments under the IEHP GQ P4P Program is final.
- As a condition of receiving payment under the IEHP GQ P4P Program, Providers and IPAs must be active and contracted with IEHP and have active assigned Members at the time of payment.
- Providers will not charge IEHP for medical records for HEDIS, Risk Adjustment, and other health plan operational activities.

## **▼ Financial Overview**

Providers are eligible to receive financial rewards for performance excellence and for performance improvement. Financial rewards are based on a tiered system, providing increasing financial rewards as IPAs reach each level of higher performance. The 2026 GQ P4P Program incentive pool is \$37.5 million for the IPA Program. Incentive dollars for the 2026 performance period will be distributed via a monthly Per Member Per Month (PMPM) Quality Payment beginning in July 2027 and continuing through June 2028. Based on IPA performance, payment methodologies may be adjusted to ensure that the 2026 program year costs do not exceed this \$37.5 million pool for the IPA Program.

#### IPA Encounter Data Gates

IPA encounter data submissions must meet minimum adequacy requirements in order to receive GQ P4P Program incentive dollars. IPA encounter data performance is based on all professional encounters submitted by the IPA for services rendered during the measurement year (e.g., 2026 dates of service). IPA encounter data volume will be compared to established encounter data benchmarks for Seniors and Persons with Disabilities (SPD) and Non-SPD Members. IPA performance will be calculated against each IPA's proportion of SPD and Non-SPD Members.

Encounter data benchmarks have been established and correspond to an Encounter Data Gate, reflecting higher encounter data volumes. As IPAs reach higher levels of encounter data performance, they become eligible for a larger percentage of the total possible GQ P4P incentive. Encounter rates are expressed as the number of encounters per Member per year (PMPY). An encounter is defined as a unique visit per Member per Provider per day. The table below describes the Encounter Data Gates, performance levels, and their impact on IPA GQ P4P Program incentive payments.

PERCENT OF POSSIBLE INCENTIVE PAYMENT	ENCOUNTER DATA GATE	NON-SPD PMPY	SPD PMPY
50%	Gate 1	3.0	9.0
75%	Gate 2	4.0	11.0
100%	Gate 3	5.0	13.0

Encounter data must be submitted to IEHP in a timely way and must adhere to the reporting timeframes delineated in IEHP's Provider Policy and Procedure Manual - Policy MC\_21A.



# CORE MEASURES

## **✓ Performance Measures**

<u>Appendix 1</u> provides a list of the 36 measures in the 2026 GQ P4P Core Program and includes the thresholds and benchmarks associated with respective tier goals. These measures are categorized into four domains: *Access, Clinical Quality, Behavioral Health Integration, and Patient Experience.* 

Most measures included in the *Clinical Quality Domain* primarily use standard Healthcare Effectiveness Data and Information Set (HEDIS\*) process and outcomes measures that are based on the specifications published by the National Committee for Quality Assurance (NCQA). Non-HEDIS\* measures that are included in the program come from the California Department of Health Care Services (DHCS) Medi-Cal Managed Care Quality Program and internally developed IEHP measures.

## **Clinical Quality Domain Measures:**

- Adult Hepatitis B Vaccine
- Adult Influenza Vaccine
- Adult Pneumococcal Vaccine
- Adult Td/Tdap Vaccine
- Adult Zoster Vaccine
- Breast Cancer Screening
- Cervical Cancer Screening
- Child and Adolescent Well-Care Visits
- Childhood Immunization Combo 10
- Chlamydia Screening
- Colorectal Cancer Screening
- Controlling High Blood Pressure
- Developmental Screening
- Diabetes Care Blood Pressure Control <140/90</li>
- Diabetes Care Kidney Health Evaluation
- Glycemic Status Assessment for Patients with Diabetes
- Immunizations for Adolescents Combo 2
- Initial Health Appointment
- Lead Screening for Children
- Post Discharge Follow-Up
- Postpartum Care
- Statin Therapy Received in Patients with Cardiovascular Disease and Diabetes
- Timeliness of Prenatal Care
- Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents - BMI
- Well-Child Visits in the First 15 Months of Life
- Well-Child Visits in the First 30 Months of Life

IEHP's HEDIS® measurement year 2026 data set and Managed Care Accountability Set (MCAS) will be used to evaluate Providers' year-end performance. These measure sets undergoes an independent audit review prior to rate finalization.

The Initial Health Appointment (IHA) measure follows IEHP's IHA internal compliance monitoring methodology and is not a HEDIS® measure.

The Post Discharge Follow-Up measure is an IEHP-defined measure developed to support transitions of care needs of IEHP Members.

#### **Access Domain:**

Potentially Avoidable Emergency Department (ED) Visits

The Access measure follows the California Department of Healthcare Services (DHCS) methodology for determining Low-acuity non-emergent (LANE) visits in accordance with the New York University (NYU) research conducted on classifying emergency department utilization. (<a href="https://wagner.nyu.edu/community/faculty">https://wagner.nyu.edu/community/faculty</a>)

## **Patient Experience Domain Measures:**

Patient Experience Domain measures include Member Satisfaction Survey (MSS) questions from the Consumer Assessment of Healthcare Providers and Systems (CAHPS) survey that is published by the Agency for Healthcare Research and Quality (AHRQ). IEHP conducts a Member Satisfaction Survey that is a modified CAHPS survey and is the sole data source used for this measure domain. The IEHP Member Satisfaction Survey is conducted between June and December of each year. Surveys received from the 2026 Member Satisfaction Survey will be used to calculate the Patient Experience Domain measures. Below are the three areas included in the Patient Experience Domain for the 2026 program.

- Access to Care Needed Right Away
- Coordination of Care
- Rating of Access to Routine Care

## **Behavioral Health Integration Domain Measures:**

Measures in this domain come from various measure stewards including: the National Quality Forum (NQF), HEDIS \*, and the Department of Health Care Services (DHCS).

- Screening for Clinical Depression in Primary Care
- Social Determinants of Health Identification Rate
- Social Determinants of Health Screening
- Social Need Screening and Intervention
- Substance Use Assessment in Primary Care
- Substance Use Assessment in Primary Care for Adolescents

## Scoring Methodology

Payments within the core program will be awarded to IPAs based on individual performance in reaching established Quality Goals (e.g., Tier Goals for each measure).

In the *Clinical Quality Domain*, HEDIS® measure results are based on each measure's total eligible population assigned to the IPA. The eligible population is defined as the set of Members that meet the denominator criteria specified in each measure by NCQA. Members in the eligible population are attributed to the assigned PCP on the anchor date of each measure, as defined within each measure. Members contribute to a IPA's measure denominator if continuous enrollment criteria are met at the health plan level. For each measure, the measure score reflects the proportion of the eligible population that complies with the numerator criteria. For measures that are based on the HEDIS methodology, IEHP will adhere to the most current HEDIS technical specifications (Volume 2) for determining both numerators and denominators.

In the Clinical Quality Domain, non-HEDIS measures include the Initial Health Appointment and the Post Discharge Follow-Up measure. Each measure was designed by IEHP using validated coding and technical specifications. The Initial Health Appointment Measure is based on DHCS requirements and includes new health plan Members who are assigned to the IPA during the measurement year and who remain enrolled with IEHP and the IPA by the age-appropriate enrollment period. The Post Discharge Follow-Up measure is described in detail in Appendix 2.

In the *Access Domain*, IEHP follows the California Department of Healthcare Services (DHCS) methodology for determining Low-acuity non-emergent (LANE) visits in accordance with the New York University (NYU) research conducted on classifying emergency department utilization. (<a href="https://wagner.nyu.edu/community/faculty">https://wagner.nyu.edu/community/faculty</a>)

In the *Patient Experience Domain*, monthly Member Satisfaction Survey (MSS) measures are based on Members who meet eligibility criteria to receive a mailed survey between June and December of the measurement year. Members eligible to receive a Member Satisfaction Survey must have been continuously enrolled with IEHP for at least six months in the measurement year (2026) and must have had an office visit in the prior six months, based on encounter data submitted to IEHP. Members who meet the survey eligibility criteria are randomly sampled to receive a survey. Survey measure results are attributed to the Member's assigned IPA based on the most recent encounter that qualified the Member for the survey. A Member is eligible to receive only one survey per calendar year.

## Payment Methodology

IPA performance for each quality measure will be given a point value (i.e., a Quality Score). Points are assigned based on the Tier Goal achieved (i.e., Tier 1 = one point, Tier 2 = two points, Tier 3 = three points, Tier 4 = four points) for each measure.

IPAs who have at least three quality measures that meet the minimum denominator size (n = 30) will be considered for payment calculations. An overall weighted average of all eligible Quality Scores will determine the overall GQ Performance Score. Individual measure weights will be assigned as follows:

- Process measures (such as screenings) are given a weight of 1
- Patient experience measures are given a weight of 1.5
- Outcome and intermediate outcome measures (e.g., HbA1c or blood pressure control and childhood immunizations) are given a weight of 3 or 4

Please reference Appendix 1 for a list of individual measure weights for the 2026 GQP4P measure set.

The following formula will be used to calculate the overall **GQ Performance Score**:

**GQ Performance Score** (i.e. overall weighted average) = Sum (measure tier \* measure weight) / Sum of measure weights

GQ P4P Program payments will be awarded according to the following formula:

([Global Quality Performance Score] x [# Medi-Cal Average Membership] x [GQ P4P Multiplier] / [Total Medi-Cal Member Months]) + Process Measures - Penalty Measures = GQ P4P PMPM Bonus

The GQ P4P payment multiplier is subject to change based on Network performance and budget limits. The GQ P4P payment multiplier value displayed in the Interim Reports may not be the final value used in determining final Quality PMPM payment amounts.

IPAs eligible for the 2026 Global Quality P4P Quality PMPM payment have the opportunity to earn up to the maximum Quality Score and Quality PMPM amount listed below:


ELIGIBLE ENTITY	MAXIMUM QUALITY SCORE	MAXIMUM QUALITY PMPM
IPA	3.73	\$5.87

## **IPA PMPM Quality Payment Methodology**

From July 2027 – June 2028, IPAs will receive a monthly Quality PMPM (per member per month) payment based on their 2026 GQ P4P performance using the following formula:



IPA payment example: IPA with monthly average of 120,000 Members (1,440,000 Member Months), 2.0 GQ Quality Score and Encounter Data Gate 3 met



<sup>\*</sup>Assuming stable membership volume and there is no additional incentive for process measures, and no PCP penalty to be deducted from the Quality PMPM bonus.

Note: Members with Other Health Coverage will be removed from the measure denominators before the final payment calculation.


## **▼** Reporting Timeline

Below is a table describing the flow of encounter data to IEHP in support of the GQ P4P Program reporting.

P4P ENCOUNTER DATA REPORTING TIMELINE:								
Month of Service	Provider En- counters Due to IPA	IPA Encounters Due to IEHP	P4P Data Freeze	Dates of Service Assessed	Rosters Updated			
January 2026	2/1/2026	2/15/2026	2/15/2026	January 2026	3/10/2026			
January 2026	2/1/2026	3/1/2026	3/1/2026	January 2026	3/25/2026			
January 2026	2/1/2026	3/15/2026	3/15/2026	January 2026	4/10/2026			
January 2026	2/1/2026	4/1/2026	4/1/2026	January 2026	4/25/2026			
January 2026	2/1/2026	4/15/2026	4/15/2026	January 2026	5/10/2026			
January 2026	2/1/2026	5/1/2026	5/1/2026	January 2026	5/25/2026			
January 2026	2/15/2026	5/15/2026	5/15/2026	January 2026	6/10/2026			
February 2026	3/1/2026	6/1/2026	6/1/2026	January - February 2026	6/25/2026			
February 2026	3/15/2026	6/15/2026	6/15/2026	January - February 2026	7/10/2026			
March 2026	4/1/2026	7/1/2026	7/1/2026	January - March 2026	7/25/2026			
March 2026	March 2026 4/15/2026 7.		7/15/2026	January - March 2026	8/10/2026			
April 2026	5/1/2026	8/1/2026	8/1/2026	January - April 2026	8/25/2026			
April 2026	5/15/2026	8/15/2026	8/15/2026	January - April 2026	9/10/2026			
May 2026	6/1/2026	9/1/2026	9/1/2026	January - May 2026	9/25/2026			
May 2026	6/15/2026	9/15/2026	9/15/2026	January - May 2026	10/10/2026			
June 2026	7/1/2026 10/1/2026 10/1/2026 January - June 2026		January - June 2026	10/25/2026				
June 2026	7/15/2026	10/15/2026	10/15/2026	January - June 2026	11/10/2026			
July 2026	8/1/2026	11/1/2026	11/1/2026	January - July 2026	11/25/2026			
July 2026	8/15/2026	11/15/2026	11/15/2026	January - July 2026	12/10/2026			
August 2026	9/1/2026	12/1/2026	12/1/2026	January - August 2026	12/25/2026			
August 2026	9/15/2026	12/15/2026	12/15/2026	January - August 2026	1/10/2027			
September 2026	10/1/2026	1/1/2027	1/1/2027	January - September 2026	1/25/2027			
September 2026	10/15/2026	1/15/2027	1/15/2027	January - September 2026	2/10/2027			
October 2026	11/1/2026	2/1/2027	2/1/2027	January - October 2026	2/25/2027			
October 2026	11/15/2026	2/15/2027	2/15/2027	January - October 2026	3/10/2027			
November 2026	12/1/2026	3/1/2027	3/1/2027	January - November 2026	3/25/2027			
November 2026	12/15/2026	3/15/2027	3/15/2027	January - November 2026	4/10/2027			
December 2026	1/1/2027	4/1/2027	4/1/2027	January - December 2026	4/25/2027			
December 2026	1/15/2027	4/15/2027	4/15/2027	January - December 2026	5/10/2027			
December 2026	2/1/2027	5/1/2027	5/1/2027	January - December 2026	5/25/2027			

This timeline depicts the latest reporting dates based on IEHP's policies and procedures. However, Providers and IPAs are encouraged to report their encounter data as soon as possible to IEHP. All encounters received by IEHP are considered when calculating updated reports and rosters including those encounters that are reported earlier than the encounter data due date.

# **✓ Quality Incentive Payout Timeline:**Provider Communication Timeline



**NOTE:** Quality PMPM payments are based on active assigned IEHP Medi-Cal members as of the month of payment. IPA must have active assigned Medi-Cal members each month in order to receive a Quality PMPM payment for that month.

## **Getting Help**

Please direct questions and/or comments related to this program to IEHP's Provider Relations Team at (909) 890-2054 or to IEHP's Quality Department at *QualityPrograms@iehp.org*.

# APPENDIX 1: 2026 IPA Global Quality P4P Program Measures

2026 GQ P4P PROGRAM MEASURE LIST:							
Domain	Measure Name	Population	Tier 1	Tier 2	Tier 3 1	Tier 4 2	Measure Weight
Clinical Quality	Colorectal Cancer Screening	Adult	Improvement	If baseline is	46%	51%	1.0
Clinical Quality	Controlling High Blood Pressure	Adult	demonstrated	below 50th percentile: 20%	71%	75%	4.0
Clinical Quality	Diabetes Care- Blood Pressure Control <140/90	Adult	by meeting the following 2	reduction in non- compliance AND	76%	79%	3.0
Clinical Quality	Glycemic Status Assessment for Patients with Diabetes	Adult	conditions:	must meet the 50th percentile	63%	66%	4.0
Clinical Quality	Diabetes Care- Kidney Health Evaluation	Adult	non- compliance AND Improvement	If baseline is at or above 50th	47%	52%	1.0
Clinical Quality	Adult Influenza Vaccine	Adult	of at least 2%	percentile:	22%	28%	1.0
Clinical Quality	Adult Pneumococcal Vaccine	Adult	points	Improvement of at least 2% points	60%	70%	1.0
Clinical Quality	Adult Hepatitis B Vaccine <sup>4</sup>	Adult		Monitoring Only			NA
Clinical Quality	Adult Td/Tdap Vaccine	Adult	_	If baseline is	52%	60%	1.0
Clinical Quality	Adult Zoster Vaccine	Adult	Improvement demonstrated	below 50th	18%	23%	1.0
Clinical Quality	Post Discharge Follow-Up	Adult	by meeting the	percentile: 20%	74%	89%	1.0
Clinical Quality	Statin Therapy Received for Patients with Cardiovascular Disease and Diabetes <sup>3</sup> Statin Therapy Received for Patients with Cardiovascular Disease and Diabetes <sup>3</sup> Adult Sy Interting the following 2 conditions: 10% reduction in non-compliance AND must meet the 50th percentile If baseline is at		78%	81%	1.0		
Behavioral Health	Screening for Clinical Adult and Improvement or above 50			or above 50th percentile:	75%	82%	1.0
Integration Behavioral Health	Social Determinants of Health   Adult and   noints						
Integration	Identification Rate <sup>^</sup>	Adolescent	at least 2% points		22%	48%	1.0
Behavioral Health Integration	Social Determinates of Health Screening Rate <sup>4</sup>	Adult and Adolescent		Monitoring Only			NA
Behavioral Health Integration	Social Need Screening and Intervention Rate <sup>4</sup>	Adult and Adolescent	Monitoring Only				NA
Behavioral Health Integration	Substance Use Assessment in Primary Care^	Adult and Adolescent			44%	57%	1.0
Clinical Quality	Breast Cancer Screening	Women		If baseline is	62%	65%	1.0
Clinical Quality	Cervical Cancer Screening	Women	Improvement	below 50th	64%	69%	1.0
Clinical Quality	Chlamydia Screening	Women	demonstrated by meeting the	percentile: 20%	66%	71%	1.0
Clinical Quality	Timeliness of Prenatal Care	Women	following 2	reduction in non-	91%	94%	1.0
Clinical Quality	Postpartum Care	Women	conditions:	compliance AND must meet the	85%	89%	1.0
Behavioral Health Integration	Substance Use Assessment in Child 10% reduction in non-compliance 50th percentil		50th percentile	52%	65%	1.0	
Clinical Quality	Child and Adolescent Well- Care Visits	Child	AND If baseline is at		60%	67%	1.0
Clinical Quality	Childhood Immunizations - Combo 10 <sup>†</sup>	Child	of at least 2% points	37%	44%	4.0	
Clinical Quality	Developmental Screening	Child		at least 2% points	48%	55%	1.0
Clinical Quality	Immunizations for Adolescents - Combo 2	Child			44%	51%	4.0

	2026 GQ P4P PROGRAM MEASURE LIST:							
Domain	Measure Name	Population	Tier 1	Tier 2	Tier 3 1	Tier 4 <sup>2</sup>	Measure Weight	
Clinical Quality	Lead Screening for Children	Child	Improvement	If baseline is	73%	82%	1.0	
Clinical Quality	Well-Child Visits First 15 Months of Life	Child	demonstrated by meeting the	below 50th percentile: 20%	67%	72%	1.0	
Clinical Quality	Well-Child Visits First 30 Months of Life	Child	following 2 conditions:	reduction in non- compliance AND must meet the	75%	82%	1.0	
Clinical Quality	Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents - BMI			50th percentile If baseline is at or above 50th percentile:	90%	93%	1.0	
Clinical Quality	Initial Health Appointment	All	of at least 2% points	Improvement of at least 2% points	79%	87%	1.0	
Access	Potentially Avoidable ED Visits	All	<5.0%	NA	NA	NA	3.0	
Patient Experience	Access to Care Needed Right Away	All	86%*	87%**	90%***	NA	1.5	
Patient Experience	Coordination of Care	All	87%*	89%**	93%***	NA	1.5	
Patient Experience	Rating of Access to Routine Care	All	82%*	84%**	88%***	NA	1.5	

<sup>\*</sup> Tier 1 goals set at the 50th percentile as published in the 2024 (MY 2023) NCQA Quality Compass with a trend adjustment factor applied.

<sup>\*\*</sup> Tier 2 goals set at the 66th percentile as published in the 2024 (MY 2023) NCQA Quality Compass with a trend adjustment factor applied.

<sup>\*\*\*</sup> Tier 3 goals set at the 90th percentile as published in the 2024 (MY 2023) NCQA Quality Compass with a trend adjustment factor applied.

<sup>&</sup>lt;sup>1</sup> Tier 3 goals set at the 75th percentile as published in the 2024 (MY 2023) NCQA Quality Compass with a trend adjustment factor applied.

<sup>&</sup>lt;sup>2</sup> Tier 4 goals set at the 90th percentile as published in the 2024 (MY 2023) NCQA Quality Compass with a trend adjustment factor applied.

<sup>&</sup>lt;sup>3</sup> The Statin Therapy Received for Patients with Cardiovascular Disease and Diabetes measure is a combination of two measures (Statin Therapy Received for Patients with Cardiovascular Disease and Statin Therapy Received for Patients with Diabetes). The denominators and numerators for his combined measure will be calculated to produce one rate for this measure. The minimum denominator requirement for this measure is 10 eligible Members.

<sup>&</sup>lt;sup>4</sup> Reporting Only Measure. Not eligible for incentive dollars.

<sup>†</sup> Tier 1: If baseline is at or above 50th percentile: Goal is the 50th percentile, Tier 2: If baseline is at or above 50th percentile: Goal is the 50th percentile plus 1%.

<sup>^</sup> Tiers 3 and 4 based on MY 2024 IEHP Network Performance with a trend adjustment applied.

2026 50TH PERCENTILE RATES						
Domain	Measure Name	50th Percentile Rate				
Clinical Quality	Colorectal Cancer Screening	40%				
Clinical Quality	Controlling High Blood Pressure	66%				
Clinical Quality	Diabetes Care - Blood Pressure Control <140/90	71%				
Clinical Quality	Glycemic Status Assessment for Patients with Diabetes (GSD)	59%				
Clinical Quality	Diabetes Care - Kidney Health Evaluation	38%				
Clinical Quality	Developmental Screening	38%				
Clinical Quality	Adult Influenza Vaccine	18%				
Clinical Quality	Adult Pneumococcal Vaccine	46%				
Clinical Quality	Adult Td/Tdap Vaccine	40%				
Clinical Quality	Adult Zoster Vaccine	13%				
Clinical Quality	Post Discharge Follow Up	61%				
Clinical Quality	Statin Therapy Received for Patients with Cardiovascular Disease and Diabetes	75%				
Behavioral Health Integration	Screening for Clinical Depression in Primary Care	58%				
Behavioral Health Integration	Social Determinants of Health Identification Rate	9%				
Behavioral Health Integration	Substance Use Assessment in Primary Care	25%				
Behavioral Health Integration	Substance Use Assessment in Primary Care for Adolescents	28%				
Clinical Quality	Breast Cancer Screening	55%				
Clinical Quality	Cervical Cancer Screening	59%				
Clinical Quality	Chlamydia Screening	58%				
Clinical Quality	Timeliness of Prenatal Care	87%				
Clinical Quality	Postpartum Care	82%				
Clinical Quality	Child and Adolescent Well-Care Visits	54%				
Clinical Quality	Childhood Immunizations - Combo 10	29%				
Clinical Quality	Immunizations for Adolescents - Combo 2	36%				
Clinical Quality	Lead Screening for Children	66%				
Clinical Quality	Well-Child Visits First 15 Months of Life	62%				
Clinical Quality	Well-Child Visits First 30 Months of Life	71%				
Clinical Quality	Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents -BMI	85%				
Clinical Quality	Initial Health Appointment	65%				

The 50th percentile goals are based on a combination of national and network performance rates with a trend adjustment factor applied.



## **APPENDIX 2:** Core Measures Overview

## **✓ Population: Adult**

## Adult Hepatitis B Vaccine (AISH)

**Methodology:** IEHP – HEDIS Modified Measure

*Measure Description:* The percentage of Members 19-59 years old, who received the appropriate Hepatitis B vaccine in the measurement year (2026).

- The eligible population in this measure meets all the following criteria:
  - o Continuous enrollment with IEHP during the measurement year (2026) with no more than one gap in enrollment of up to 45 days.
- Members who meet any of the following criteria are excluded:
  - o Members in hospice.
  - o Members who expire at any time during the measurement year (2026).

**Denominator:** Members who are 19-59 years old, during the measurement year (2026).

• Anchor Date: December 31st of the measurement year (2026).

**Numerator:** Members in the denominator who were administered the Hepatitis B vaccine. Any of the following meet criteria:

- Members who received at least 3 doses of the childhood Hepatitis B vaccine (on different dates of service) on or before their 19th birthday.
- Members who received a Hepatitis B vaccine series on or after their 19th birthday, before or during the measurement year (2026), including any of the following:
  - o At least 2 doses (administered at least 28 days apart) of the recommended two-dose adult Hepatitis B vaccine; or
  - o At least 3 doses (administered on different days of service) of any other recommended adult Hepatitis B vaccine.
- Members who had a Hepatitis B surface antigen, Hepatitis B surface antibody or total antibody to Hepatitis B core antigen test, with a positive result anytime before or during the measurement year (2026). Any of the following meet criteria:
  - o A test result of > 10 mIU/mL; or
  - o A test result of immunity
- Members with a history of Hepatitis B illness any time before or during the measurement year (2026).
- Members who had anaphylaxis from the Hepatitis B vaccine any time before or during the measurement year (2026).

CODES TO IDENTIFY ADULT HEPATITIS B VACCINE:							
Antigen	Code Type Code		Code Description				
Adult Hepatitis B Vaccine	СРТ	90697	Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactivated poliovirus vaccine, Haemophilus influenzae type b PRP-OMP conjugate vaccine, and hepatitis B vaccine (DTaP-IPV-Hib-HepB), for intramuscular use				
Adult Hepatitis B Vaccine	СРТ	90723	Diphtheria, tetanus toxoids, acellular pertussis vaccine, hepatitis B, and inactivated poliovirus vaccine (DTaP-HepB-IPV), for intramuscular use				
Adult Hepatitis B Vaccine	CPT 90739		Hepatitis B vaccine (HepB), CpG-adjuvanted, adult dosage, 2 dose or 4 dose schedule, for intramuscular use				
Adult Hepatitis B Vaccine	СРТ	90740	Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, 3 dose schedule, for intramuscular use				
Adult Hepatitis B Vaccine	СРТ	90743	Hepatitis B vaccine (HepB), adolescent, 2 dose schedule, for intramuscular use				
Adult Hepatitis B Vaccine	СРТ	90744	Hepatitis B vaccine (HepB), pediatric/adolescent dosage, 3 dose schedule, for intramuscular use				
Adult Hepatitis B Vaccine	СРТ	90746	Hepatitis B vaccine (HepB), adult dosage, 3 dose schedule, for intramuscular use				
Adult Hepatitis B Vaccine	СРТ	90747	Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, 4 dose schedule, for intramuscular use				
Adult Hepatitis B Vaccine	СРТ	90748	Hepatitis B and Haemophilus influenzae type b vaccine (Hib-HepB), for intramuscular use				
Adult Hepatitis B Vaccine	СРТ	90759	Hepatitis B vaccine (HepB), 3-antigen (S, Pre-S1, Pre-S2), 10 mcg dosage, 3 dose schedule, for intramuscular use				
Adult Hepatitis B Vaccine	HCPCS	G0010	Administration of hepatitis b vaccine				

CODES TO IDENTIFY HISTORY OF HEPATITIS B:							
Service Code Type Code			Code Description				
History of Hepatitis B	ICD10CM	B16.0	Acute hepatitis B with delta-agent with hepatic coma				
History of Hepatitis B	ICD10CM	B16.1	Acute hepatitis B with delta-agent without hepatic coma				
History of Hepatitis B	ICD10CM	B16.2	Acute hepatitis B without delta-agent with hepatic coma				
History of Hepatitis B	ICD10CM	B16.9	Acute hepatitis B without delta-agent and without hepatic coma				
History of Hepatitis B	ICD10CM	B17.0	Acute delta-(super) infection of hepatitis B carrier				
History of Hepatitis B	ICD10CM	B18.0	Chronic viral hepatitis B with delta-agent				
History of Hepatitis B	ICD10CM	B18.1	Chronic viral hepatitis B without delta-agent				
History of Hepatitis B	ICD10CM	B19.10	Unspecified viral hepatitis B without hepatic coma				
History of Hepatitis B	ICD10CM	B19.11	Unspecified viral hepatitis B with hepatic coma				

## Adult Influenza Vaccine (AIV)

*Methodology:* IEHP – HEDIS Modified Measure

*Measure Description:* The percentage of Members 19 years of age and older who received an influenza vaccine on or between July 1 of the year prior to the measurement year (2025) and June 30 of the measurement year (2026).

- The eligible population in this measure meets all of the following criteria:
  - Continuous enrollment with IEHP in the measurement year (2026) with no more than one gap of up to 45 days during the measurement year.

**Denominator:** Members 19 years of age or older who meet all criteria for the eligible population.

• Anchor Date: June 30, 2026

*Numerator:* Members in the denominator who received an influenza vaccine on or between July 1, 2025-June 30, 2026.

CODES TO IDENTIFY ADULT INFLUENZA VACCINE:							
Antigen	Code Type Code		Code Description				
Adult Influenza Vaccine	СРТ	90630	Influenza Virus Vaccine, Quadrivalent (Iiv4), Split Virus, Preservative Free, For Intradermal Use				
Adult Influenza Vaccine	СРТ	90653	Influenza Vaccine, Inactivated (Iiv), Subunit, Adjuvanted, For Intramuscular Use				
Adult Influenza Vaccine	СРТ	90654	Influenza Virus Vaccine, Trivalent (Iiv3), Split Virus, Preservative Free, For Intradermal Use				
Adult Influenza Vaccine	СРТ	90656	Influenza Virus Vaccine, Trivalent (Iiv3), Split Virus, Preservative Free, 0.5 Ml Dosage, For Intramuscular Use				
Adult Influenza Vaccine	СРТ	90658	Influenza Virus Vaccine, Trivalent (Iiv3), Split Virus, 0.5 Ml Dosage, For Intramuscular Use				
Adult Influenza Vaccine	СРТ	90660	Influenza Virus Vaccine, Trivalent, Live (Laiv3), For Intranasal Use				
Adult Influenza Vaccine	СРТ	90661	Influenza Virus Vaccine, Trivalent (Cciiv3), Derived From Cell Cultures, Subunit, Preservative And Antibiotic Free, 0.5 Ml Dosage, For Intramuscular Use				
Adult Influenza Vaccine	СРТ	90662	Influenza Virus Vaccine (Iiv), Split Virus, Preservative Free, Enhanced Immunogenicity Via Increased Antigen Content, For Intramuscular Use				
Adult Influenza Vaccine	СРТ	90672	Influenza Virus Vaccine, Quadrivalent, Live (Laiv4), For Intranasal Use				
Adult Influenza Vaccine	СРТ	90673	Influenza Virus Vaccine, Trivalent (Riv3), Derived From Recombinant Dna, Hemagglutinin (Ha) Protein Only, Preservative And Antibiotic Free, For Intramuscular Use				

	CODES TO IDENTIFY ADULT INFLUENZA VACCINE:						
Antigen	Code Type	Code	Code Description				
Adult Influenza Vaccine	СРТ	90674	Influenza Virus Vaccine, Quadrivalent (Cciiv4), Derived From Cell Cultures, Subunit, Preservative And Antibiotic Free, 0.5 Ml Dosage, For Intramuscular Use				
Adult Influenza Vaccine	СРТ	90682	Influenza Virus Vaccine, Quadrivalent (RIV4), Derived From Recombinant DNA, Hemagglutinin (HA) Protein Only, Preservative And Antibiotic Free, For Intramuscular Use				
Adult Influenza Vaccine	СРТ	90686	Influenza Virus Vaccine, Quadrivalent (Iiv4), Split Virus, Preservative Free, 0.5 Ml Dosage, For Intramuscular Use				
Adult Influenza Vaccine	СРТ	90688	Influenza Virus Vaccine, Quadrivalent (Iiv4), Split Virus, 0.5 Ml Dosage, For Intramuscular Use				
Adult Influenza Vaccine	СРТ	90689	Influenza Virus Vaccine Quadrivalent (Iiv4), Inactivated, Adjuvanted, Preservative Free, 0.25 Ml Dosage, For Intramuscular Use				
Adult Influenza Vaccine	СРТ	90694	Influenza Virus Vaccine, Quadrivalent (aIIV4), Inactivated, Adjuvanted, Preservative Free, 0.5 mL Dosage, For Intramuscular Use				
Adult Influenza Vaccine	СРТ	90756	Influenza Virus Vaccine, Quadrivalent (Cciiv4), Derived From Cell Cultures, Subunit, Antibiotic Free, 0.5ml Dosage, For Intramuscular Use				

## **Adult Pneumococcal Vaccine (AISP)**

*Methodology:* IEHP – HEDIS Modified Measure

*Measure Description:* The percentage of Members 65 years of age and older, who received the pneumococcal vaccine by the end of the measurement year (2026).

- The eligible population in this measure meets all of the following criteria:
  - o Continuous enrollment with IEHP in the measurement year (2026) with no more than one gap of up to 45 days during the measurement year (2026).

**Denominator:** Members 65 years of age, or older, in the eligible population.

• Anchor Date: December 31, 2026

**Numerator:** Members in the denominator who were administered the pneumococcal vaccine by meeting one of the criteria below:

1) Members in the denominator who received at least one dose of an adult pneumococcal vaccine on or after the Member's 19th birthday and before or during the measurement year (2026).

#### <u>OR</u>

2) Members who had anaphylaxis from the pneumococcal vaccine any time before or during the measurement year (2026).

CODI	CODES TO IDENTIFY ADULT PNEUMOCOCCAL VACCINE:					
Antigen	Code Type	Code	Code Description			
Adult Pneumococcal Vaccine	СРТ	90670	Pneumococcal conjugate vaccine, 13 valent (PCV13), for intramuscular use			
Adult Pneumococcal Vaccine	СРТ	90671	Pneumococcal conjugate vaccine, 15 valent (PCV15), for intramuscular use			
Adult Pneumococcal Vaccine	СРТ	90677	Pneumococcal conjugate vaccine, 20 valent (PCV20), for intramuscular use			
Adult Pneumococcal Vaccine	СРТ	90684	Pneumococcal conjugate vaccine, 21 valent (PCV21), for intramuscular use			
Adult Pneumococcal Vaccine	СРТ	90732	Pneumococcal polysaccharide vaccine, 23-valent (PPSV23), adult or immunosuppressed patient dosage, when administered to individuals 2 years or older, for subcutaneous or intramuscular use			
Adult Pneumococcal Vaccine	HCPCS	G0009	Administration of pneumococcal vaccine			

## Adult Td/Tdap Vaccine (AIST)

*Methodology:* IEHP – HEDIS Modified Measure

*Measure Description:* The percentage of Members 19 years of age and older, who received the tetanus and diphtheria (Td) or tetanus, diphtheria and acellular pertussis (Tdap) vaccine in the measurement year (2026).

- The eligible population in this measure meets all of the following criteria:
  - o Continuous enrollment with IEHP in the measurement year (2026) with no more than one gap of up to 45 days during the measurement year (2026).

**Denominator:** Members 19 years of age and older in the eligible population.

• Anchor Date: December 31, 2026

**Numerator:** Members in the denominator who were administered the Td/Tdap vaccine by meeting one of the criteria below:

1) Members in the denominator who received at least one Td vaccine or one Tdap vaccine between 9 years prior to the measurement year (2017) and the end of the measurement year (2026).

#### <u>OR</u>

- 2) Members with a history of at least one of the following any time before or during the measurement year (2026):
  - Members who had anaphylaxis from the diphtheria, tetanus, or pertussis vaccine.
  - Members who had encephalitis due to the diphtheria, tetanus, or pertussis vaccine.

	CODES TO IDENTIFY ADULT TD/TDAP VACCINE:			
Antigen	Code Type	Code	Code Description	
Adult Td	СРТ	Γ 90714	Tetanus and diphtheria toxoids adsorbed (Td), preservative free, when	
Vaccine			administered to individuals 7 years or older, for intramuscular use	
Adult Td	СРТ	CPT 90715	Tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), when	
Vaccine	CFI		administered to individuals 7 years or older, for intramuscular use	

## **Adult Zoster Vaccine (AISZ)**

**Methodology:** IEHP – HEDIS Modified Measure

*Measure Description:* The percentage of Members 50 years of age and older, who received the appropriate herpes zoster vaccine in the measurement year (2026).

- The eligible population in this measure meets all of the following criteria:
  - o Continuous enrollment with IEHP in the measurement year (2026) with no more than one gap of up to 45 days during the measurement year (2026).

**Denominator:** Members 50 years of age and older in the eligible population.

• Anchor Date: December 31, 2026

**Numerator:** Members in the denominator who were administered the herpes zoster vaccine by meeting one of the criteria below:

1) Members who received two doses of the herpes zoster recombinant vaccine (at least 28 days apart), on October 20, 2018, through the end of the measurement year (2026).

#### OR

2) Members who had anaphylaxis from the herpes zoster vaccine any time before or during the measurement year (2026).

	CODE TO IDENTIFY ADULT ZOSTER VACCINE:			
Antigen	Code Type	Code	Code Description	
Adult Zoster Vaccine	СРТ	90750	Zoster (shingles) vaccine (HZV), recombinant, subunit, adjuvanted, for intramuscular use	

## **Colorectal Cancer Screening (COL-E)**

*Methodology:* HEDIS®

*Measure Description:* The percentage of Members who are 45-75 years of age who had an appropriate screening for colorectal cancer.

- Eligible population in this measure meets all of the following criteria:
  - 1. Members who are 46-75 years of age as of December 31 of the measurement year (2026).
  - 2. Continuous enrollment with IEHP during the measurement year (2026) and the year prior (2025) with no more than one gap in continuous enrollment with IEHP of up to 45 days during each year of the continuous enrollment period.

**Denominator:** Members who meet all the criteria for the eligible population.

• Anchor Date: December 31, 2026

**Numerator:** Members in the denominator who had one or more screenings for colorectal cancer. Any of the following meet criteria:

- Fecal occult blood test during the measurement year (2026).
- Flexible sigmoidoscopy during the measurement year (2026) or four years prior to the measurement year (2022).
- Colonoscopy during the measurement year (2026) or the nine years prior to the measurement year (2017).
- CT colonography during the measurement year (2026) or the four years prior to the measurement year (2022).
- Stool DNA with FIT test during the measurement year (2026) or two years prior to the measurement year (2024).

CODES TO IDENTIFY COLORECTAL CANCER SCREENING:				
Service	Code Type	Code	Code Description	
Colorectal Cancer Screening	СРТ	0464U	Oncology (colorectal) screening, quantitative real-time target and signal amplification, methylated DNA markers, including LASS4, LRRC4 and PPP2R5C, a reference marker ZDHHC1, and a protein marker (fecal hemoglobin), utilizing stool, algorithm reported as a positive or negative result	
Colorectal Cancer Screening	СРТ	44388	Colonoscopy through stoma; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	
Colorectal Cancer Screening	CPT	44389	Colonoscopy Through Stoma; With Biopsy, Single Or Multiple	
Colorectal Cancer Screening	СРТ	44390	Colonoscopy Through Stoma; With Removal Of Foreign Body(s)	
Colorectal Cancer Screening	СРТ	44391	Colonoscopy Through Stoma; With Control Of Bleeding, Any Method	
Colorectal Cancer Screening	СРТ	44392	Colonoscopy Through Stoma; With Removal Of Tumor(s), Polyp(s), Or Other Lesion(s) By Hot Biopsy Forcep	

	CODES TO IDENTIFY COLORECTAL CANCER SCREENING:						
Service	Code Type	Code	Code Description				
Colorectal Cancer Screening	СРТ	44394	Colonoscopy Through Stoma; With Removal Of Tumor(s), Polyp(s), Or Other Lesion(s) By Snare Technique				
Colorectal Cancer Screening	СРТ	44401	Colonoscopy Through Stoma; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre-and post-dilation and guide wire passage, when performed)				
Colorectal Cancer Screening	СРТ	44402	Colonoscopy through stoma; with endoscopic stent placement (including pre- and post-dilation and guide wire passage, when performed)				
Colorectal Cancer Screening	СРТ	44403	Colonoscopy Through Stoma; With Endoscopic Mucosal Resection				
Colorectal Cancer Screening	СРТ	44404	Colonoscopy Through Stoma; With Directed Submucosal Injection(s), Any Substance				
Colorectal Cancer Screening	СРТ	44405	Colonoscopy through stoma; with transendoscopic balloon dilation				
Colorectal Cancer Screening	СРТ	44406	Colonoscopy through stoma; with endoscopic ultrasound examination, limited to the sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures				
Colorectal Cancer Screening	СРТ	44407	Colonoscopy through stoma; with transendoscopic ultrasound guided intramural or transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures				
Colorectal Cancer Screening	СРТ	44408	Colonoscopy through stoma; with decompression (for pathologic distention) (eg, volvulus, megacolon), including placement of decompression tube, when performed				
Colorectal Cancer Screening	СРТ	45330	Sigmoidoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)				
Colorectal Cancer Screening	СРТ	45331	Sigmoidoscopy, Flexible; With Biopsy, Single Or Multiple				
Colorectal Cancer Screening	СРТ	45332	Sigmoidoscopy, Flexible; With Removal Of Foreign Body(s)				
Colorectal Cancer Screening	СРТ	45333	Sigmoidoscopy, Flexible; With Removal Of Tumor(s), Polyp(s), Or Other Lesion(s) By Hot Biopsy Forceps				
Colorectal Cancer Screening	СРТ	45334	Sigmoidoscopy, Flexible; With Control Of Bleeding, Any Method				
Colorectal Cancer Screening	СРТ	45335	Sigmoidoscopy, Flexible; With Directed Submucosal Injection(s), Any Substance				
Colorectal Cancer Screening	СРТ	45337	Sigmoidoscopy, flexible; with decompression (for pathologic distention) (eg, volvulus, megacolon), including placement of decompression tube, when performed				
Colorectal Cancer Screening	СРТ	45338	Sigmoidoscopy, Flexible; With Removal Of Tumor(s), Polyp(s), Or Other Lesion(s) By Snare Technique				
Colorectal Cancer Screening	СРТ	45340	Sigmoidoscopy, Flexible; With Transendoscopic Balloon Dilation				
Colorectal Cancer Screening	СРТ	45341	Sigmoidoscopy, Flexible; With Endoscopic Ultrasound Examination				

	CODES TO IDENTIFY COLORECTAL CANCER SCREENING:					
Service	Code Type	Code	Code Description			
Colorectal Cancer Screening	СРТ	45342	Sigmoidoscopy, flexible; with transendoscopic ultrasound guided intramural or transmural fine needle aspiration/biopsy(s)			
Colorectal Cancer Screening	СРТ	45346	Sigmoidoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire passage, when performed)			
Colorectal Cancer Screening	СРТ	45347	Sigmoidoscopy, flexible; with placement of endoscopic stent (includes preand post-dilation and guide wire passage, when performed)			
Colorectal Cancer Screening	CPT	45349	Sigmoidoscopy, Flexible; With Endoscopic Mucosal Resection			
Colorectal Cancer Screening	CPT	45350	Sigmoidoscopy, Flexible; With Band Ligation(s) (e.g., Hemorrhoids)			
Colorectal Cancer Screening	СРТ	45378	Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)			
Colorectal Cancer Screening	CPT	45379	Colonoscopy, Flexible; With Removal Of Foreign Body(s)			
Colorectal Cancer Screening	CPT	45380	Colonoscopy, Flexible; With Biopsy, Single Or Multiple			
Colorectal Cancer Screening	СРТ	45381	Colonoscopy, Flexible; With Directed Submucosal Injection(s), Any Substance			
Colorectal Cancer Screening	СРТ	45382	Colonoscopy, Flexible; With Control Of Bleeding, Any Method			
Colorectal Cancer Screening	СРТ	45384	Colonoscopy, Flexible; With Removal Of Tumor(s), Polyp(s), Or Other Lesion(s) By Hot Biopsy Forceps			
Colorectal Cancer Screening	СРТ	45385	Colonoscopy, Flexible; With Removal Of Tumor(s), Polyp(s), Or Other Lesion(s) By Snare Technique			
Colorectal Cancer Screening	СРТ	45386	Colonoscopy, Flexible; With Transendoscopic Balloon Dilation			
Colorectal Cancer Screening	СРТ	45388	Colonoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre-and post-dilation and guide wire passage, when performed)			
Colorectal Cancer Screening	СРТ	45389	Colonoscopy, flexible; with endoscopic stent placement (includes pre-and post-dilation and guide wire passage, when performed)			
Colorectal Cancer Screening	CPT	45390	Colonoscopy, Flexible; With Endoscopic Mucosal Resection			
Colorectal Cancer Screening	СРТ	45391	Colonoscopy, flexible; with endoscopic ultrasound examination limited to the rectum, sigmoid, descending, transverse, or ascending colon and cecum, and adjacent structures			
Colorectal Cancer Screening	СРТ	45392	Colonoscopy, flexible; with transendoscopic ultrasound guided intramural or transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the rectum, sigmoid, descending, transverse, or ascending colon and cecum, and adjacent structures			
Colorectal Cancer Screening	СРТ	45393	Colonoscopy, flexible; with decompression (for pathologic distention) (e.g., volvulus, megacolon), including placement of decompression tube, when performed			
Colorectal Cancer Screening	CPT	45398	Colonoscopy, Flexible; With Band Ligation(s) (e.g., Hemorrhoids)			

CODES TO IDENTIFY COLORECTAL CANCER SCREENING:						
Service	Code Type	Code	Code Description			
Colorectal Cancer Screening	СРТ	74261	Computed tomographic (CT) colonography, diagnostic, including image postprocessing; without contrast material			
Colorectal Cancer Screening	СРТ	74262	Computed tomographic (CT) colonography, diagnostic, including image postprocessing; with contrast material(s) including non-contrast images, if performed			
Colorectal Cancer Screening	СРТ	74263	Computed Tomographic (ct) Colonography, Screening, Including Image Postprocessing			
Colorectal Cancer Screening	СРТ	81528	Oncology (colorectal) screening, quantitative real-time target and signal amplification of 10 DNA markers (KRAS mutations, promoter methylation of NDRG4 and BMP3) and fecal hemoglobin, utilizing stool, algorithm reported as a positive or negative result			
Colorectal Cancer Screening	СРТ	82270	Blood, occult, by peroxidase activity (e.g., guaiac), qualitative; feces, consecutive collected specimens with single determination, for colorectal neoplasm screening (i.e., patient was provided 3 cards or single triple card for consecutive collection)			
Colorectal Cancer Screening	СРТ	82274	Blood, occult, by fecal hemoglobin determination by immunoassay, qualitative, feces, one to three simultaneous determinations			
Colorectal Cancer Screening	HCPCS	G0104	Colorectal Cancer Screening; Flexible Sigmoidoscopy			
Colorectal Cancer Screening	HCPCS	G0105	Colorectal Cancer Screening; Colonoscopy On Individual At High Risk			
Colorectal Cancer Screening	HCPCS	G0121	Colorectal Cancer Screening; Colonoscopy On Individual Not Meeting Criteria For High Risk			
Colorectal Cancer Screening	HCPCS	G0328	Colorectal cancer screening; fecal occult blood test, immunoassay, one to three simultaneous determinations			

<sup>\*</sup>These are the codes that IEHP will use to determine the numerator compliance for the Colorectal Cancer Screening measure. These codes would be submitted by the testing Provider, not the PCP.

Methodology: HEDIS®

*Measure Description:* The percentage of Members who are 18-85 years of age, with a diagnosis of hypertension (HTN), and whose blood pressure (BP) was controlled (<140/90 mm Hg) during the measurement year (2026).

- Eligible population in this measure meets all of the following criteria:
  - 1. Age 18-85 years of age as of December 31 of the measurement year (2026).
  - 2. Continuous enrollment during the measurement year (2026) with no more than one gap in continuous enrollment of up to 45 days during the measurement year (2026).
  - 3. Members who had at least two different visits with a hypertension diagnosis on or between January 1 of the year prior to the measurement year (2025) and June 30 of the measurement year (2026). Visit can be in any outpatient setting.

**Denominator:** All Members 18-85 years of age who meet all criteria for the eligible population.

• Anchor Date: December 31, 2026

**Numerator:** Members in the denominator who had a BP reading taken during the measurement year (2026), in any of the following settings: office visits, e-visits, telephone visits or online assessments. The most recent BP of the measurement year (2026) will be used to determine compliance for this measure. **Provider must bill one diastolic code, one systolic code and one visit type code.** 

**NOTE:** The BP reading must be taken on or after the date of the second hypertension diagnosis.

C	CODES TO IDENTIFY BLOOD PRESSURE SCREENING:						
Service	Code Type	Code	Code Description				
Blood Pressure Screening	CPT- CAT-II	3074F	Most recent systolic blood pressure less than 130 mm Hg (DM), (HTN, CKD, CAD)				
Blood Pressure Screening	CPT- CAT-II	3075F	Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD, CAD)				
Blood Pressure Screening	CPT- CAT-II	3077F	Most recent systolic blood pressure greater than or equal to 140 mm Hg (HTN, CKD, CAD) (DM)				
Blood Pressure Screening	CPT- CAT-II	3078F	Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD, CAD) (DM)				
Blood Pressure Screening	CPT- CAT-II	3079F	Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD) (DM)				
Blood Pressure Screening	CPT- CAT-II	3080F	Most recent diastolic blood pressure greater than or equal to 90 mm Hg (HTN, CKD, CAD) (DM)				

	CODES TO IDENTIFY OFFICE VISITS:						
Service	Code Type	Code	Code Description				
Office Visit	СРТ	99202	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded.				
Office Visit	СРТ	99203	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.				
Office Visit	СРТ	99204	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded.				
Office Visit	СРТ	99205	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.				
Office Visit	СРТ	99211	Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician or other qualified health care professional.				
Office Visit	СРТ	99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 10 minutes must be met or exceeded.				
Office Visit	СРТ	99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.				
Office Visit	СРТ	99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.				
Office Visit	СРТ	99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.				
Office Visit	СРТ	99242	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.				
Office Visit	СРТ	99243	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.				

	CODES TO IDENTIFY OFFICE VISITS:						
Service	Code Type	Code	Code Description				
Office Visit	СРТ	99244	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.				
Office Visit	СРТ	99245	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 55 minutes must be met or exceeded.				
Office Visit	СРТ	99341	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded.				
Office Visit	СРТ	99342	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.				
Office Visit	СРТ	99344	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.				
Office Visit	СРТ	99345	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 75 minutes must be met or exceeded.				
Office Visit	СРТ	99347	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.				
Office Visit	СРТ	99348	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.				
Office Visit	СРТ	99349	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.				
Office Visit	СРТ	99350	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.				
Office Visit	СРТ	99385	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years.				

	CODES TO IDENTIFY OFFICE VISITS:						
Service	Code Type	Code	Code Description				
Office Visit	СРТ	99386	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 40-64 years.				
Office Visit	СРТ	99387	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 65 years and older.				
Office Visit	СРТ	99395	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 18-39 years.				
Office Visit	СРТ	99396	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 40-64 years.				
Office Visit	СРТ	99397	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 65 years and older.				
Office Visit	СРТ	99401	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 15 minutes.				
Office Visit	СРТ	99402	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 30 minutes.				
Office Visit	СРТ	99403	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 45 minutes.				
Office Visit	СРТ	99404	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 60 minutes.				
Office Visit	СРТ	99411	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately 30 minutes.				
Office Visit	СРТ	99412	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately 60 minutes.				
Office Visit	СРТ	99429	Unlisted preventive medicine service.				
Office Visit	СРТ	99455	Work-related or medical disability examination by the treating physician that includes: Completion of a medical history commensurate with the patient's condition; Performance of an examination commensurate with the patient's condition; Formulation of a diagnosis, assessment of capabilities and stability, and calculation of impairment; Development of future medical treatment plan; and Completion of necessary documentation/certificates and report.				

			CODES TO IDENTIFY OFFICE VISITS:
Service	Code Type	Code	Code Description
Office Visit	СРТ	99456	Work-related or medical disability examination by other than the treating physician that includes: Completion of a medical history commensurate with the patient's condition; Performance of an examination commensurate with the patient's condition; Formulation of a diagnosis, assessment of capabilities and stability, and calculation of impairment; Development of future medical treatment plan; and Completion of necessary documentation/certificates and report.
Office Visit	СРТ	99483	Assessment of and care planning for a patient with cognitive impairment, requiring an independent historian, in the office or other outpatient, home or domiciliary or rest home, with all of the following required elements: Cognition-focused evaluation including a pertinent history and examination; Medical decision making of moderate or high complexity; Functional assessment (eg, basic and instrumental activities of daily living), including decision-making capacity; Use of standardized instruments for staging of dementia (eg, functional assessment staging test [FAST], clinical dementia rating [CDR]); Medication reconciliation and review for high-risk medications; Evaluation for neuropsychiatric and behavioral symptoms, including depression, including use of standardized screening instrument(s); Evaluation of safety (eg, home), including motor vehicle operation; Identification of caregiver(s), caregiver knowledge, caregiver needs, social supports, and the willingness of caregiver to take on caregiving tasks; Development, updating or revision, or review of an Advance Care Plan; Creation of a written care plan, including initial plans to address any neuropsychiatric symptoms, neuro-cognitive symptoms, functional limitations, and referral to community resources as needed (eg, rehabilitation services, adult day programs, support groups) shared with the patient and/or caregiver with initial education and support. Typically, 60 minutes of total time is spent on the date of the encounter.
Office Visit	HCPCS	G0071	Payment for communication technology-based services for five minutes or more of a virtual (non-face-to-face) communication between a rural health clinic (RHC) or federally qualified health center (FQHC) practitioner and RHC or FQHC patient, or five minutes or more of remote evaluation of recorded video and/or images by an RHC or FQHC practitioner, occurring in lieu of an office visit; RHC or FQHC only.
Office Visit	HCPCS	G0402	Initial preventive physical examination; face-to-face visit, services limited to new beneficiary during the first 12 months of Medicare enrollment.
Office Visit	HCPCS	G0438	Annual wellness visit; includes a personalized prevention plan of service (PPS), initial visit.
Office Visit	HCPCS	G0439	Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit.
Office Visit	HCPCS	G0463	Hospital outpatient clinic visit for assessment and management of a patient.
Office Visit	HCPCS	T1015	Clinic Visit/encounter, All-inclusive

	CODES TO IDENTIFY E-VISITS							
Service	Code Type	Code	Code Description					
E-Visit	СРТ	98970	Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to seven days, cumulative time during the seven days; 5-10 minutes.					
E-Visit	СРТ	98971	Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to seven days, cumulative time during the seven days; 11-20 minutes.					
E-Visit	СРТ	98972	Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to seven days, cumulative time during the seven days; 21 or more minutes.					
E-Visit	СРТ	99421	Online digital evaluation and management service, for an established patient, for up to seven days, cumulative time during the seven days; 5-10 minutes.					
E-Visit	СРТ	99422	Online digital evaluation and management service, for an established patient, for up to seven days, cumulative time during the seven days; 11-20 minutes.					
E-Visit	СРТ	99423	Online digital evaluation and management service, for an established patient, for up to seven days, cumulative time during the seven days; 21 or more minutes.					
E-Visit	HCPCS	G2010	Remote evaluation of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related E/M service provided within the previous seven days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment.					

	CODES TO IDENTIFY TELEPHONE VISITS:				
Service	Code Type	Code	Code Description		
Telephone Visit	СРТ	98966	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous seven days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion.		
Telephone Visit	СРТ	98967	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous seven days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion.		
Telephone Visit	СРТ	98968	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous seven days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion.		

	CODES TO IDENTIFY ONLINE ASSESSMENTS:					
Service	<b>Code Type</b>	Code	Code Description			
Online Assessment	СРТ	98980	Remote therapeutic monitoring treatment management services, physician or other qualified health care professional time in a calendar month requiring at least one interactive communication with the patient or caregiver during the calendar month; first 20 minutes			
Online Assessment	СРТ	98981	Remote therapeutic monitoring treatment management services, physician or other qualified health care professional time in a calendar month requiring at least one interactive communication with the patient or caregiver during the calendar month; each additional 20 minutes (List separately in addition to code for primary procedure)			
Online Assessment	СРТ	99457	Remote physiologic monitoring treatment management services, clinical staff/physician/other qualified health care professional time in a calendar month requiring interactive communication with the patient/caregiver during the month; first 20 minutes			
Online Assessment	СРТ	99458	Remote physiologic monitoring treatment management services, clinical staff/physician/other qualified health care professional time in a calendar month requiring interactive communication with the patient/caregiver during the month; each additional 20 minutes (List separately in addition to code for primary procedure)			
Online Assessment	HCPCS	G2250	Remote assessment of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment			
Online Assessment	HCPCS	G2251	Brief communication technology-based service, e.g. virtual check-in, by a qualified health care professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion			
Online Assessment	HCPCS	G2252	Brief communication technology-based service, e.g. virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related EM service provided within the previous 7 days nor leading to an EM service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion			

# Diabetes Care - Blood Pressure Control <140/90 (BPD)

*Methodology:* HEDIS®

**Measure Description:** The percentage of Members who are 18-75 years of age and have a diagnosis of diabetes (type 1 and type 2), whose blood pressure (BP) was adequately controlled (<140/90 mm Hg) during the measurement year (2026).

- Eligible population in this measure meets all of the following criteria:
  - 1. Members who are 18-75 years as of December 31 of the measurement year (2026).
  - 2. Continuous enrollment with IEHP during the measurement year (2026) with no more than one gap in enrollment of up to 45 days.
  - 3. Members who meet any of the following criteria during the measurement year (2026) or the year prior to the measurement year (2025). Count services that occur over both years:
    - At least two outpatient visits, observation visits, telephone visits, e-visits or virtual check-ins, Emergency Department (ED), nonacute inpatient encounter or nonacute inpatient discharges on different dates of service, with a diagnosis of diabetes. Visit type need not be the same for the two visits.
    - At least one acute inpatient encounter with a diagnosis of diabetes without telehealth.
    - Members who were dispensed insulin or hypoglycemics/antihyperglycemics during the measurement year (2026) or the year prior to the measurement year (2025).
    - At least one acute inpatient with a diagnosis of diabetes on the discharge claim. To identify an acute inpatient discharge:
      - Identify all acute and nonacute inpatient stays
      - Exclude nonacute inpatient stays
      - Identify the discharge date for the stay
- Members who meet any of the following criteria are excluded:
  - 1. Members in hospice.
  - 2. Members receiving palliative care.
  - 3. Members who expired at any time during the measurement year (2026).
  - 4. Members 66 years of age and older as of December 31 of measurement year (2026) with both frailty and advanced illness.

**Denominator:** Members who are 18-75 years of age who meet all criteria for the eligible population.

• Anchor Date: December 31, 2026

**Numerator:** Members in the denominator who had a Blood Pressure reading that was adequately controlled <140/90 mm Hg. The latest Blood Pressure reading will be used to determine compliance. If there are multiple BPs on the same date of service, the lowest systolic and lowest diastolic Blood Pressure reading on that date will be used as a representative Blood Pressure reading. **Provider must bill one diastolic code and one systolic code.** 

CODES TO	CODES TO IDENTIFY DIABETES CARE - BLOOD PRESSURE CONTROL:					
Service	Code Type	Code	Code Description			
Systolic Blood Pressure	CPT-CAT-II	3074F	Most recent systolic blood pressure less than 130 mm Hg (DM), (HTN, CKD, CAD)			
Systolic Blood Pressure	CPT-CAT-II	3075F	Most recent systolic blood pressure 130-139 mm Hg (DM),(HTN, CKD, CAD)			
Systolic Blood Pressure	CPT-CAT-II	3077F	Most recent systolic blood pressure greater than or equal to 140 mm Hg (HTN, CKD, CAD) (DM)			
Diastolic Blood Pressure	CPT-CAT-II	3078F	Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD, CAD) (DM)			
Diastolic Blood Pressure	CPT-CAT-II	3079F	Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD) (DM)			
Diastolic Blood Pressure	CPT-CAT-II	3080F	Most recent diastolic blood pressure greater than or equal to 90 mm Hg (HTN, CKD, CAD) (DM)			

# **Diabetes Care - Kidney Health Evaluation (KED)**

*Methodology:* HEDIS®

**Measure Description:** The percentage of Members who are 18-85 years of age and have a diagnosis of diabetes (type 1 and type 2), who received a kidney health evaluation, defined by an estimated glomerular filtration rate (eGFR) and a urine albumin-creatinine ratio (uACR), during the measurement year (2026).

- Eligible population in this measure meets all of the following criteria:
  - 1. Members who are 18-85 years of age as of December 31 of the measurement year (2026).
  - 2. Continuous enrollment with IEHP during the measurement year (2026) with no more than one gap in continuous enrollment with IEHP of up to 45 days during the measurement year (2026).
  - 3. Members who meet any of the following criteria during the measurement year (2026) or the year prior to the measurement year (2025). Count services that occur over both years:
    - Members who had at least two diagnoses of diabetes on different days of service during the measurement year (2026) or the year prior to the measurement year (2025).
    - Members who were dispensed insulin or hypoglycemics/antihyperglycemics basis during the measurement year (2026) or the year prior to the measurement year (2025) and have at least one diagnosis of diabetes during the measurement year (2026) or the year prior to the measurement year (2025).
- Members who meet any of the following criteria are excluded:
  - 1. Members in hospice.
  - 2. Members with evidence of End-stage Renal Disease (ESRD) any time in the Members history on or before December 31 of the measurement year (2026).
  - 3. Members receiving palliative care.
  - 4. Members who expired at any time during the measurement year (2026).
  - 5. Members who had dialysis any time during the member's history on or prior to December 31 of the measurement year (2026).
  - 6. Members 66-80 years of age and older as of December 31 of measurement year (2026) with both frailty and advanced illness.
  - 7. Members 81 years of age and older as of December 31 with at least two indications of frailty on different dates of service during the measurement year (2026).

**Denominator:** Members who are 18-85 years of age who meet all criteria for the eligible population.

• Anchor Date: December 31, 2026

**Numerator:** Members in the denominator who received both an estimated glomerular filtration rate (eGFR) and a urine albumin-creatinine ratio (uACR) during the measurement year (2026), on the same or different dates of service. **The following is required for compliance in this measure:** 

- At least one estimated glomerular filtration rate (eGFR).
- At least one urine albumin-creatinine ratio (uACR):
  - o Quantitative urine albumin lab test <u>AND</u> urine creatinine lab test that are 4 days or less apart.

OR

o Urine albumin-creatinine ratio lab test.

CODES	CODES TO IDENTIFY ESTIMATED GLOMERULAR FILTRATION RATE:					
Service	Code Type	Code	Code Description			
Estimated Glomerular Filtration Rate	СРТ	80047	Basic metabolic panel (Calcium, ionized) This panel must include the following: Calcium, ionized (82330) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea Nitrogen (BUN) (84520)			
Estimated Glomerular Filtration Rate	СРТ	80048	Basic metabolic panel (Calcium, total) This panel must include the following: Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)			
Estimated Glomerular Filtration Rate	СРТ	80050	General health panel This panel must include the following: Comprehensive metabolic panel (80053) Blood count, complete (CBC), automated and automated differential WBC count (85025 or 85027 and 85004) OR Blood count, complete (CBC), automated (85027) and appropriate manual differential WBC count (85007 or 85009) Thyroid stimulating hormone (TSH) (84443)			
Estimated Glomerular Filtration Rate	СРТ	80053	Comprehensive metabolic panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphatase, alkaline (84075) Potassium (84132) Protein, total (84155) Sodium (84295) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450) Urea nitrogen (BUN) (84520)			
Estimated Glomerular Filtration Rate	СРТ	80069	Renal function panel this panel must include the following: Albumin (82040) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphorus inorganic (phosphate) (84100) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)			

CODES	CODES TO IDENTIFY ESTIMATED GLOMERULAR FILTRATION RATE:						
Service	Code Type	Code	Code Description				
Estimated Glomerular Filtration Rate	СРТ	82565	Creatinine; Blood				
Estimated Glomerular Filtration Rate	LOINC	50044-7	Glomerular Filtration Rate/1.73 Sq M.predicted Among Females [volume Rate/area] In Serum, Plasma Or Blood By Creatinine-based Formula (mdrd)				
Estimated Glomerular Filtration Rate	LOINC	50210-4	Glomerular Filtration Rate/1.73 Sq M.predicted [volume Rate/area] In Serum, Plasma Or Blood By Cystatin C-based Formula				
Estimated Glomerular Filtration Rate	LOINC	50384-7	Glomerular Filtration Rate/1.73 Sq M.predicted [volume Rate/area] In Serum, Plasma Or Blood By Creatinine-based Formula (schwartz)				
Estimated Glomerular Filtration Rate	LOINC	62238-1	Glomerular Filtration Rate/1.73 Sq M.predicted [volume Rate/area] In Serum, Plasma Or Blood By Creatinine-based Formula (ckd-epi)				
Estimated Glomerular Filtration Rate	LOINC	69405-9	Glomerular Filtration Rate/1.73 Sq M.predicted [volume Rate/area] In Serum, Plasma Or Blood				
Estimated Glomerular Filtration Rate	LOINC	70969-1	Glomerular Filtration Rate/1.73 Sq M.predicted Among Males [volume Rate/area] In Serum, Plasma Or Blood By Creatinine-based Formula (mdrd)				
Estimated Glomerular Filtration Rate	LOINC	77147-7	Glomerular Filtration Rate/1.73 Sq M.predicted [volume Rate/area] In Serum, Plasma Or Blood By Creatinine-based Formula (mdrd)				
Estimated Glomerular Filtration Rate	LOINC	94677-2	Glomerular Filtration Rate/1.73 Sq M.predicted [volume Rate/area] In Serum, Plasma Or Blood By Creatinine And Cystatin C-based Formula (ckd-epi)				
Estimated Glomerular Filtration Rate	LOINC	98979-8	Glomerular Filtration Rate/1.73 Sq M.predicted [volume Rate/area] In Serum, Plasma Or Blood By Creatinine-based Formula (ckd-epi 2021)				
Estimated Glomerular Filtration Rate	LOINC	98980-6	Glomerular Filtration Rate/1.73 Sq M.predicted [volume Rate/area] In Serum, Plasma Or Blood By Creatinine And Cystatin C-based Formula (ckd-epi 2021)				
Estimated Glomerular Filtration Rate	LOINC	102097-3	Glomerular Filtration Rate/1.73 sq M.predicted [volume Rate/area] In Serum, Plasma or Blood by Creatinine, Cystatin C And Ureabased formula (CKiD)				

CODES	TO IDENT	IFY QUA	NTITATIVE URINE ALBUMIN LAB TEST:
Service	Code Type	Code	Code Description
Quantitative Urine Albumin	СРТ	82043	Albumin; Urine (e.g, Microalbumin), Quantitative
Quantitative Urine Albumin	LOINC	100158-5	Microalbumin [mass/volume] In Urine Collected For Unspecified Duration
Quantitative Urine Albumin	LOINC	14957-5	Microalbumin [mass/volume] In Urine
Quantitative Urine Albumin	LOINC	1754-1	Albumin [mass/volume] In Urine
Quantitative Urine Albumin	LOINC	21059-1	Albumin [mass/volume] In 24 Hour Urine
Quantitative Urine Albumin	LOINC	30003-8	Microalbumin [mass/volume] In 24 Hour Urine
Quantitative Urine Albumin	LOINC	43605-5	Microalbumin [mass/volume] In 4 Hour Urine
Quantitative Urine Albumin	LOINC	53530-2	Microalbumin [mass/volume] In 24 Hour Urine By Detection Limit <= 1.0 Mg/l
Quantitative Urine Albumin	LOINC	53531-0	Microalbumin [mass/volume] In Urine By Detection Limit <= 1.0 Mg/l
Quantitative Urine Albumin	LOINC	57369-1	Microalbumin [mass/volume] In 12 Hour Urine
Quantitative Urine Albumin	LOINC	89999-7	Microalbumin [mass/volume] In Urine By Detection Limit <= 3.0 Mg/l

CODES TO IDENTIFY URINE CREATININE LAB TEST:						
Service	Code Type	Code	Code Description			
Urine Creatinine	CPT	82570	Creatinine; Other Source			
Urine Creatinine	LOINC	20624-3	Creatinine [mass/volume] In 24 Hour Urine			
Urine Creatinine	LOINC	2161-8	Creatinine [mass/volume] In Urine			
Urine Creatinine	LOINC	35674-1	Creatinine [mass/volume] In Urine Collected For Unspecified Duration			
Urine Creatinine	LOINC	39982-4	Creatinine [mass/volume] In Urine - baseline			
Urine Creatinine	LOINC	57344-4	Creatinine [mass/volume] In 2 Hour Urine			
Urine Creatinine	LOINC	57346-9	Creatinine [mass/volume] In 12 Hour Urine			
Urine Creatinine	LOINC	58951-5	Creatinine [mass/volume] In Urine2nd Specimen			

CODES T	CODES TO IDENTIFY URINE ALBUMIN-CREATININE RATIO LAB TEST:					
Service	Code Type	Code	Code Description			
Urine Albumin- Creatinine Ratio	LOINC	13705-9	Albumin/creatinine [mass Ratio] In 24 Hour Urine			
Urine Albumin- Creatinine Ratio	LOINC	14958-3	Microalbumin/creatinine [mass Ratio] In 24 Hour Urine			
Urine Albumin- Creatinine Ratio	LOINC	14959-1	Microalbumin/creatinine [mass Ratio] In Urine			
Urine Albumin- Creatinine Ratio	LOINC	30000-4	Microalbumin/creatinine [ratio] In Urine			
Urine Albumin- Creatinine Ratio	LOINC	44292-1	Microalbumin/creatinine [mass Ratio] In 12 Hour Urine			
Urine Albumin- Creatinine Ratio	LOINC	59159-4	Microalbumin/creatinine [ratio] In 24 Hour Urine			
Urine Albumin- Creatinine Ratio	LOINC	76401-9	Albumin/creatinine [ratio] In 24 Hour Urine			
Urine Albumin- Creatinine Ratio	LOINC	77253-3	Microalbumin/creatinine [ratio] In Urine By Detection Limit <= 1.0 Mg/l			
Urine Albumin- Creatinine Ratio	LOINC	77254-1	Microalbumin/creatinine [ratio] In 24 Hour Urine By Detection Limit <= 1.0 Mg/l			
Urine Albumin- Creatinine Ratio	LOINC	89998-9	Microalbumin/creatinine [ratio] In Urine By Detection Limit <= 3.0 Mg/l			
Urine Albumin- Creatinine Ratio	LOINC	9318-7	Albumin/creatinine [mass Ratio] In Urine			



# Glycemic Status Assessment for Patients with Diabetes (GSD)

Methodology: HEDIS®

*Measure Description:* The percentage of Members 18-75 years of age and have a diagnosis of diabetes (type 1 and type 2) who had the following:

- Glycemic Status (<8.0%) This includes diabetics whose <u>most recent</u> Glycemic Status (hemoglobin A1c or glucose management indicator [GMI]) during the measurement year (2026) has a value <8.0%.
  - The Member is <u>not</u> numerator compliant if the result for the <u>most recent</u> Glycemic Status Assessment is ≥8.0% or is missing a result, or if an Glycemic Status Assessment was not done during the measurement year (2026).
- The eligible population in this measure meets all of the following criteria:
  - 1. Members who are 18-75 years old as of December 31 of the measurement year (2026).
  - 2. Continuous enrollment with IEHP in the measurement year (2026) with no more than one gap of up to 45 days during the measurement year (2026).
  - 3. Members who meet any of the following criteria during the measurement year (2026) or the year prior to the measurement year (2025). Count services that occur over both years:
    - Members who had at least two diagnoses of diabetes on different days of service during the measurement year (2026) or the year prior to the measurement year (2025).
    - Members who were dispensed insulin or hypoglycemics/antihyperglycemics during the measurement year (2026) or the year prior to the measurement year (2025) and have at least one diagnosis of diabetes during the measurement year (2026) or the year prior to the measurement year (2025).

	CODES TO IDENTIFY GLYCEMIC STATUS TESTS:					
Service	Code Type	Code	Code Description			
Glycemic Status Result	СРТ	83037*	Hemoglobin; glycosylated (A1C) by device cleared by FDA for home use			
Glycemic Status Result	CPT-CAT-II	3044F	Most Recent Hemoglobin A1c (hba1c) Level Less Than 7.0% (dm)			
Glycemic Status Result	CPT-CAT-II	3046F	Most Recent Hemoglobin A1c Level Greater Than 9.0% (dm)			
Glycemic Status Result	CPT-CAT-II	3051F	Most Recent Hemoglobin A1c (hba1c) Level Greater Than Or Equal To 7.0% And Less Than 8.0%			
Glycemic Status Result	CPT-CAT-II	3052F	Most Recent Hemoglobin A1c (hba1c) Level Greater Than Or Equal To 8.0% And Less Than Or Equal To 9.0%			

<sup>\*</sup>Code is optional. If CPT code selected, must also be billed with corresponding CPT-CAT-II code for eligible measure compliance.

- Members who meet any of the following criteria are excluded:
  - 1. Members in hospice.
  - 2. Members receiving palliative care.
  - 3. Members who expired at any time during the measurement year (2026).
  - 4. Members 66 years of age and older as of December 31 of measurement year (2026) with both frailty and advanced illness.

**Denominator:** Members 18-75 years of age who meet all the criteria for eligible population.

• Anchor Date: December 31, 2026

*Numerator:* Members in the denominator who had the most recent glycemic status test result of <8 during the measurement year (2026).

# Post Discharge Follow-Up (PDFU)

Methodology: IEHP-Defined Measure

**Measure Description:** The percentage of Members, 18 years and older who have follow-up visits with a Provider within required timeframes. For this measure, two rates are calculated and the average of both rates are used as the final score.

Rate 1: Follow-Up Visit High-Risk Members – this measure assesses the percentage of Members identified as "high-risk" who were discharged from an acute or nonacute inpatient stay during the measurement year (2026) who also had a follow up visit with a provider within seven days of discharge.

• Anchor Date: Assigned Provider at the end of the 7 day follow-up window.

Rate 2: Follow-Up Visit with non-High-Risk Members - this measure assesses the percentage of members identified as "rising and low risk" who were discharged from an acute or nonacute inpatient stay during the measurement year (2026) who also had a follow-up visit with a provider within 30 days of discharge.


• Anchor Date: Assigned Provider at the end of the 30 day follow-up window.


As part of IEHP's population health strategy, all IEHP Members are designated a risk level based on all available utilization and diagnostic data available to the plan. Members fall into one of three risk categories: High, Rising and Low Risk. IEHP leverages the John Hopkins ACG System to determine Member risk level using industry-validated risk stratification algorithms and incorporates social determinant of health tools to supplement the ACG system. For this measure, IEHP is leveraging the final administrative risk determination at the time of admission.

- The eligible population in this measure meets all of the following criteria:
  - 1. Members who are 18 years of age, or older, by December 31, 2026.
  - 2. To be eligible for this measure, IEHP Members must be enrolled with IEHP on the date of the discharge through 30 days after the discharge (31 total days).
  - 3. Discharged to home from an acute or nonacute inpatient hospital stay during the measurement year (2026).

To view an IEHP Member's risk score, Providers can log into the secure IEHP Provider Portal and follow these steps:

# Step 1: Locate IEHP member in eligibility on IEHP Secure Provider Portal Home Eligibility Care Management Rosters Claims Status Hospice (Medi-Cat) Referrals Finance Clinical Resources and Tools





			CODES TO IDENTIFY FOLLOW-UP VISIT:
Service	Code Type	Code	Code Description
Office Visit	СРТ	99202	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded.
Office Visit	СРТ	99203	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.
Office Visit	СРТ	99204	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded.
Office Visit	СРТ	99205	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.
Office Visit	СРТ	99211	Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician or other qualified health care professional.
Office Visit	СРТ	99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 10 minutes must be met or exceeded.
Office Visit	СРТ	99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.
Office Visit	СРТ	99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.
Office Visit	СРТ	99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.
Office Visit	СРТ	99242	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.
Office Visit	СРТ	99243	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.

CODES TO IDENTIFY FOLLOW-UP VISIT:							
Service	Code Type	Code	Code Description				
Office Visit	СРТ	99244	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.				
Office Visit	СРТ	99245	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 55 minutes must be met or exceeded.				
Office Visit	СРТ	99385	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years.				
Office Visit	СРТ	99386	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 40-64 years.				
Office Visit	СРТ	99387	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 65 years and older.				
Office Visit	СРТ	99395	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 18-39 years.				
Office Visit	СРТ	99396	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 40-64 years.				
Office Visit	СРТ	99397	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 65 years and older.				
Office Visit	СРТ	99401	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 15 minutes.				
Office Visit	СРТ	99402	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 30 minutes.				
Office Visit	СРТ	99403	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 45 minutes.				
Office Visit	СРТ	99404	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 60 minutes.				
Office Visit	СРТ	99411	Preventive Medicine Counseling And/or Risk Factor Reduction Intervention(s) Provided To Individuals In A Group Setting (separate Procedure); Approximately 30 Minutes				

CODES TO IDENTIFY FOLLOW-UP VISIT:							
Service	Code Type	Code	Code Description				
Office Visit	СРТ	99412	Preventive Medicine Counseling And/or Risk Factor Reduction Intervention(s) Provided To Individuals In A Group Setting (separate Procedure); Approximately 60 Minutes				
Office Visit	СРТ	99429	Unlisted Preventive Medicine Service				
Office Visit	СРТ	99455	Work related or medical disability examination by the treating physician that includes: Completion of a medical history commensurate with the patient's condition; Performance of an examination commensurate with the patient's condition; Formulation of a diagnosis, assessment of capabilities and stability, and calculation of impairment; Development of future medical treatment plan; and Completion of necessary documentation/certificates and report.				
Office Visit	СРТ	99456	Work related or medical disability examination by other than the treating physician that includes: Completion of a medical history commensurate with the patient's condition; Performance of an examination commensurate with the patient's condition; Formulation of a diagnosis, assessment of capabilities and stability, and calculation of impairment; Development of future medical treatment plan; and Completion of necessary documentation/certificates and report.				
Office Visit	СРТ	99483	Assessment of and care planning for a patient with cognitive impairment, requiring an independent historian, in the office or other outpatient, home or domiciliary or rest home, with all of the following required elements: Cognition-focused evaluation including a pertinent history and examination, Medical decision making of moderate or high complexity, Functional assessment (eg, basic and instrumental activities of daily living), including decision-making capacity, Use of standardized instruments for staging of dementia (eg, functional assessment staging test [FAST], clinical dementia rating [CDR]), Medication reconciliation and review for high-risk medications, Evaluation for neuropsychiatric and behavioral symptoms, including depression, including use of standardized screening instrument(s), Evaluation of safety (eg, home), including motor vehicle operation, Identification of caregiver(s), caregiver knowledge, caregiver needs, social supports, and the willingness of caregiver to take on caregiving tasks, Development, updating or revision, or review of an Advance Care Plan, Creation of a written care plan, including initial plans to address any neuropsychiatric symptoms, neuro-cognitive symptoms, functional limitations, and referral to community resources as needed (eg, rehabilitation services, adult day programs, support groups) shared with the patient and/or caregiver with initial education and support. Typically, 60 minutes of total time is spent on the date of the encounter.				
Office Visit	СРТ	99495*	Transitional Care Management Services with the following required elements: Communication (direct contact, telephone, electronic) with the patient and/or caregiver within two business days of discharge, At least moderate level of medical decision making during the service period, Face-to-face visit, within 14 calendar days of discharge.				
Office Visit	СРТ	99496	Transitional Care Management Services with the following required elements: Communication (direct contact, telephone, electronic) with the patient and/or caregiver within two business days of discharge, High level of medical decision making during the service period, Face-to-face visit, within 7 calendar days of discharge.				

	CODES TO IDENTIFY FOLLOW-UP VISIT:							
Service	Code Type	Code	Code Description					
Office Visit	HCPCS	G0402	Initial Preventive Physical Examination; Face-to-face Visit, Services Limited To New Beneficiary During The First 12 Months Of Medicare Enrollment					
Office Visit	HCPCS	G0438	Annual Wellness Visit; Includes A Personalized Prevention Plan Of Service (pps), Initial Visit					
Office Visit	HCPCS	G0439	Annual Wellness Visit, Includes A Personalized Prevention Plan Of Service (pps), Subsequent Visit					
Office Visit	HCPCS	G0463	Hospital outpatient clinic visit for assessment and management of a patient.					
Office Visit	HCPCS	T1015	Clinic visit/encounter, all-inclusive.					

	CODES TO IDENTIFY TELEPHONE VISITS:				
Service	Code Type	Code	Code Description		
Telephone Visit	СРТ	98966	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous seven days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion.		
Telephone Visit	СРТ	98967	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous seven days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion.		
Telephone Visit	СРТ	98968	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous seven days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion.		

	CODES TO IDENTIFY ONLINE ASSESSMENTS:					
Service	Code Type	Code	Code Description			
Online Assessment	СРТ	98970	Qualified Nonphysician Health Care Professional Online Digital Assessment And Management, For An Established Patient, For Up To 7 Days, Cumulative Time During The 7 Days; 5-10 Minutes			
Online Assessment	СРТ	98971	Qualified Nonphysician Health Care Professional Online Digital Assessment And Management, For An Established Patient, For Up To 7 Days, Cumulative Time During The 7 Days; 11-20 Minutes			
Online Assessment	СРТ	98972	Qualified Nonphysician Health Care Professional Online Digital Assessment And Management, For An Established Patient, For Up To 7 Days, Cumulative Time During The 7 Days; 21 Or More Minutes			
Online Assessment	СРТ	98980	Remote Therapeutic Monitoring Treatment Management Services, Physician Or Other Qualified Health Care Professional Time In A Calendar Month Requiring At Least One Interactive Communication With The Patient Or Caregiver During The Calendar Month; First 20 minutes			
Online Assessment	СРТ	98981	Remote therapeutic monitoring treatment management services, physician or other qualified health care professional time in a calendar month requiring at least one interactive communication with the patient or caregiver during the calendar month; each additional 20 minutes (List separately in addition to code for primary procedure)			
Online Assessment	СРТ	99421	Online Digital Evaluation And Management Service, For An Established Patient, For Up To 7 Days, Cumulative Time During The 7 Days; 5-10 Minutes			
Online Assessment	СРТ	99422	Online Digital Evaluation And Management Service, For An Established Patient, For Up To 7 Days, Cumulative Time During The 7 Days; 11-20 Minutes			
Online Assessment	СРТ	99423	Online Digital Evaluation And Management Service, For An Established Patient, For Up To 7 Days, Cumulative Time During The 7 Days; 21 Or More Minutes			
Online Assessment	СРТ	99457	Remote Physiologic Monitoring Treatment Management Services, Clinical Staff/physician/other Qualified Health Care Professional Time In A Calendar Month Requiring Interactive Communication With The Patient/caregiver During The Month; First 20 Minutes			
Online Assessment	СРТ	99458	Remote Physiologic Monitoring Treatment Management Services, Clinical Staff/physician/other Qualified Health Care Professional Time In A Calendar Month Requiring Interactive Communication With The Patient/caregiver During The Month; Each Additional 20 minutes (List separately in addition to code for primary procedure)			
Online Assessment	HCPCS	G0071	Payment for communication technology-based services for 5 minutes or more of a virtual (nonface-to-face) communication between a rural health clinic (RHC) or federally qualified health center (FQHC) practitioner and RHC or FQHC patient, or 5 minutes or more of remote evaluation of recorded video and/or images by an RHC or FQHC practitioner, occurring in lieu of an office visit; RHC or FQHC only			

	CODES TO IDENTIFY ONLINE ASSESSMENTS:				
Service	Code Type	Code	Code Description		
Online Assessment	HCPCS	G2010	Remote Evaluation Of Recorded Video And/or Images Submitted By An Established Patient (e.g., Store And Forward), Including Interpretation With Follow-up With The Patient Within 24 Business Hours, Not Originating From A Related E/m Service Provided Within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment		
Online Assessment	HCPCS	G2250	Remote assessment of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment		
Online Assessment	HCPCS	G2251	Brief communication technology-based service, e.g. virtual check-in, by a qualified health care professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion		
Online Assessment	HCPCS	G2252	Brief communication technology-based service, e.g. virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related EM service provided within the previous 7 days nor leading to an EM service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion		

<sup>\*</sup>Code can only be applied to follow-up visits for non-high-risk Members.

*Note:* Visits with an Urgent Care will not be accepted for the Post Discharge Follow-Up measure.

The following are excluded from the measure:

- 1. Hospice
- 2. Skilled Nursing Facility
- 3. Deliveries

# Statin Therapy Received for Patients with Cardiovascular Disease (SPC-E)

Methodology: HEDIS®

**Measure Description:** The percentage of men who are 21-75 years of age and women who are 40-75 years of age during the measurement year (2026), who were identified as having clinical atherosclerotic cardiovascular disease (ASCVD) and were dispensed at least one high-intensity or moderate-intensity statin medication during the measurement year (2026).

- Eligible population in this measure meets all of the following criteria:
  - 1. Men who are 21-75 years of age as of December 31 of the measurement year (2026).
  - 2. Women who are 40-75 years of age as of December 31 of the measurement year (2026).
  - 3. Continuous enrollment with IEHP during the measurement year (2026) and the year prior (2025) with no more than one gap in continuous enrollment with IEHP of up to 45 days during each year of the continuous enrollment with IEHP period.

**Denominator:** Men who are 21-75 years of age and women who are 40-75 who meet all criteria for the eligible population.

• Anchor Date: December 31, 2026

**Numerator:** Members in the denominator who had at least one dispensing event for high-intensity or moderate-intensity statin medication during the measurement year (2026).

HIGH AND MODERATE-INTENSITY STATIN MEDICATIONS:						
Description	Prescription					
High-intensity statin therapy	Atorvastatin 40-80 mg					
High-intensity statin therapy	Amlodipine-atorvastatin 40-80 mg					
High-intensity statin therapy	Rosuvastatin 20-40 mg					
High-intensity statin therapy	Simvastatin 80 mg					
High-intensity statin therapy	Ezetimibe-simvastatin 80 mg					
Moderate-intensity statin therapy	Atorvastatin 10-20 mg					
Moderate-intensity statin therapy	Amlodipine-atorvastatin 10-20 mg					
Moderate-intensity statin therapy	Rosuvastatin 5-10 mg					
Moderate-intensity statin therapy	Simvastatin 20-40 mg					
Moderate-intensity statin therapy	Ezetimibe-simvastatin 20-40 mg					
Moderate-intensity statin therapy	Pravastatin 40-80 mg					
Moderate-intensity statin therapy	Lovastatin 40-60 mg					
Moderate-intensity statin therapy	Fluvastatin 40-80 mg					
Moderate-intensity statin therapy	Pitavastatin 1-4 mg					

# **Statin Therapy Received for Patients with Diabetes (SPD-E)**

Methodology: HEDIS®

**Measure Description:** The percentage of Members who are 40-75 years of age during the measurement year (2026) with diabetes who did not have clinical atherosclerotic cardiovascular disease (ASCVD) who were dispensed at least one statin medication of any intensity during the measurement year (2026).

- Eligible population in this measure meets all of the following criteria:
  - 1. Members who are 40-75 years as of December 31 of the measurement year (2026).
  - 2. Continuous enrollment with IEHP during the measurement year (2026) and the year prior (2025) with no more than one gap in continuous enrollment with IEHP of up to 45 days during each year of the continuous enrollment with IEHP period.

**Denominator:** Members who are 40-75 years of age who meet all criteria for the eligible population.

• Anchor Date: December 31, 2026

**Numerator:** Members in the denominator who had at least one dispensing event for any intensity statin medication during the measurement year (2026).

HIGH, MODERATE AND LOW-	INTENSITY STATIN MEDICATIONS:
Description	Prescription
High-intensity statin therapy	Atorvastatin 40-80 mg
High-intensity statin therapy	Amlodipine-atorvastatin 40-80 mg
High-intensity statin therapy	Rosuvastatin 20-40 mg
High-intensity statin therapy	Simvastatin 80 mg
High-intensity statin therapy	Ezetimibe-simvastatin 80 mg
Moderate-intensity statin therapy	Atorvastatin 10-20 mg
Moderate-intensity statin therapy	Amlodipine-atorvastatin 10-20 mg
Moderate-intensity statin therapy	Rosuvastatin 5-10 mg
Moderate-intensity statin therapy	Simvastatin 20-40 mg
Moderate-intensity statin therapy	Ezetimibe-simvastatin 20-40 mg
Moderate-intensity statin therapy	Pravastatin 40-80 mg
Moderate-intensity statin therapy	Lovastatin 40-60 mg
Moderate-intensity statin therapy	Fluvastatin 40-80 mg
Moderate-intensity statin therapy	Pitavastatin 1-4 mg
Low-intensity statin therapy	Ezetimibe-simvastatin 10 mg
Low-intensity statin therapy	Fluvastatin 20 mg
Low-intensity statin therapy	Lovastatin 10-20 mg
Low-intensity statin therapy	Pravastatin 10-20 mg
Low-intensity statin therapy	Simvastatin 5-10 mg

# **▼ Population: Adult and Adolescent**

# **Screening for Clinical Depression in Primary Care (SCD)**

**Methodology:** IEHP-Defined Quality Measure

**Measure Description:** The percentage of Members ages 12 and older screened for clinical depression during the measurement year (2026) with the result of the screening documented by the Provider. For this measure, two rates are calculated, and the average of both rates is used as the final score.

**Rate 1:** Screening for Clinical Depression - This measure assesses the percentage of Members aged 12 and older who were screened for clinical depression during a PCP visit using an age appropriate standardized tool during the measurement year (2026).

**Denominator:** All Members aged 12 years and older with a PCP visit in the measurement year (2026). Member counted only once in the denominator.

	PRIMARY CARE PROVIDER VISIT CODES:				
Service	Code Type	Code	Code Description		
Screening for Clinical Depression in Primary Care	СРТ	99202	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded.		
Screening for Clinical Depression in Primary Care	СРТ	99203	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.		
Screening for Clinical Depression in Primary Care	СРТ	99204	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded.		
Screening for Clinical Depression in Primary Care	СРТ	99205	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.		
Screening for Clinical Depression in Primary Care	СРТ	99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 10 minutes must be met or exceeded.		

	PRIMARY CARE PROVIDER VISIT CODES:					
Service	Code Type	Code	Code Description			
Screening for Clinical Depression in Primary Care	СРТ	99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.			
Screening for Clinical Depression in Primary Care	СРТ	99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.			
Screening for Clinical Depression in Primary Care	СРТ	99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.			
Screening for Clinical Depression in Primary Care	СРТ	99384	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; adolescent (age 12 through 17 years).			
Screening for Clinical Depression in Primary Care	СРТ	99385	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years.			
Screening for Clinical Depression in Primary Care	СРТ	99386	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 40-64 years.			
Screening for Clinical Depression in Primary Care	СРТ	99387	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 65 years and older.			
Screening for Clinical Depression in Primary Care	СРТ	99394	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; adolescent (age 12 through 17 years).			
Screening for Clinical Depression in Primary Care	СРТ	99395	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 18-39 years.			

	PRIMARY CARE PROVIDER VISIT CODES:					
Service	Code Type	Code	Code Description			
Screening for Clinical Depression in Primary Care	СРТ	99396	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 40-64 years.			
Screening for Clinical Depression in Primary Care	СРТ	99397	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 65 years and older.			
Screening for Clinical Depression in Primary Care	СРТ	99446	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician or other qualified health care professional, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 5-10 minutes of medical consultative discussion and review.			
Screening for Clinical Depression in Primary Care	СРТ	99447	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician or other qualified health care professional, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 11-20 minutes of medical consultative discussion and review.			
Screening for Clinical Depression in Primary Care	СРТ	99448	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician or other qualified health care professional, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 21-30 minutes of medical consultative discussion and review.			
Screening for Clinical Depression in Primary Care	СРТ	99449	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician or other qualified health care professional, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 31 minutes or more of medical consultative discussion and review.			
Screening for Clinical Depression in Primary Care	HCPCS	G0402	Initial preventive physical examination face-to-face visits services limited to new beneficiary during the first 12 months.			
Screening for Clinical Depression in Primary Care	HCPCS	G0438	Annual wellness visit; includes a personalized prevention plan of service (PPS), initial visit.			
Screening for Clinical Depression in Primary Care	HCPCS	G0439	Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit.			

	CODES TO IDENTIFY TELEPHONE VISITS:					
Service	Code Type	Code	Code Description			
Telephone Visit	СРТ	98966	Telephone assessment and management service provided by a nonphysician qualified health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion.			
Telephone Visit	СРТ	98967	Telephone assessment and management service provided by a nonphysician qualified health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion.			
Telephone Visit	СРТ	98968	Telephone assessment and management service provided by a nonphysician qualified health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion.			
Telephone Visit	СРТ	99441	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion.			
Telephone Visit	СРТ	99442	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion.			
Telephone Visit	СРТ	99443	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion.			

*Numerator:* Members screened for clinical depression using an age appropriate standardized tool during the measurement year (2026).

CODES TO IDENTIFY SCREENING FOR CLINICAL DEPRESSION:					
Service	Code Type	ode Type   Code   Code Description			
Perinatal Depression Screening (Negative for Depressive Symptoms Result)	СРТ	3090F	Major depressive disorder, severe without psychotic features (MDD).		
Perinatal Depression Screening (Major Depressive Symptoms with Psychotic Features Result)	СРТ	3091F	Major depressive disorder, severe with psychotic features (MDD).		
Perinatal Depression Screening (Negative for Depressive Symptoms Result)	СРТ	3351F	Negative screen for depressive symptoms as categorized by using a standardized depression screening/assessment tool (MDD).		
Perinatal Depression Screening (Negative for Depressive Symptoms Result)	СРТ	3353F	Mild to moderate depressive symptoms as categorized by using a standardized depression screening/assessment tool (MDD).		
Screening for Clinical Depression in Primary Care	HCPCS	G0444	Annual depression screening, 5 to 15 minutes.		
Screening for Clinical Depression in Primary Care	HCPCS	G8431	Screening for depression is documented as being positive and a follow-up plan is documented.		
Screening for Clinical Depression in Primary Care	HCPCS	G8510	Screening for depression is documented as negative, a follow-up plan is not required.		
Screening for Clinical Depression in Primary Care	HCPCS	G8511	Screening for depression documented as positive, follow-up plan not documented, reason not given.		

**Rate 2:** Appropriate Documentation of Depression Screening Result - This measure assesses the percent of Members in the measurement year (2026) screened for clinical depression who also had the result recorded and a follow-up plan documented, indicated on the date of the encounter. The clinical depression screening tool must be an age-appropriate, standardized tool.

**Denominator:** Same as Rate 1.

**Numerator:** Members screened for clinical depression with a recorded result and follow-up plan if indicated, on the date of the encounter using an age appropriate standardized tool during the measurement year (2026).

CODES TO IDENTIFY DOCUMENTATION OF DEPRESSION SCREENING RESULT:					
Service	Code Type	Code	Code Description		
Screening for Clinical Depression in Primary Care	HCPCS	G8431	Screening for depression is documented as being positive and a follow-up plan is documented.		
Screening for Clinical Depression in Primary Care	HCPCS	G8510	Screening for depression is documented as negative, a follow-up plan is not required.		

## **Definitions:**

**Screening** – Completion of a clinical or diagnostic tool used to identify people at risk of developing or having a certain disease or condition, even in the absence of symptoms.

**Standardized Depression Screening Tool** – A normalized and validated depression screening tool developed for the Member population in which it is being utilized. The name of the age-appropriate standardized depression screening tool utilized must be documented in the medical record.

Examples of depression screening tools include:

### Instruments for Adolescents <17 years of age

- Patient Health Questionnaire (PHQ-9)<sup>®</sup>
- Patient Health Questionnaire Modified for Teens (PHQ-9M)\*
- Patient Health Questionnaire-2 (PHQ-2)<sup>®</sup>
- Beck Depression Inventory-Fast Screen (BDI-FS)<sup>®</sup>
- Center for Epidemiologic Studies Depression Scale—Revised (CESD-R)
- Edinburgh Postnatal Depression Scale (EPDS)
- PROMIS Depression

### Instruments for Adults 18 years and older

- Patient Health Questionnaire (PHQ-9)®
- Patient Health Questionnaire-2 (PHQ-2)®
- Beck Depression Inventory-Fast Screen (BDI-FS)®
- Beck Depression Inventory (BDI-II)
- Center for Epidemiologic Studies Depression Scale—Revised (CESD-R)
- Duke Anxiety—Depression Scale (DUKE-AD)<sup>®</sup>
- Geriatric Depression Scale Short Form (GDS)
- Geriatric Depression Scale Long Form (GDS)
- Edinburgh Postnatal Depression Scale (EPDS)
- My Mood Monitor (M-3)<sup>®</sup>
- PROMIS Depression
- Clinically Useful Depression Outcome Scale (CUDOS)

# Social Determinants of Health Identification Rate (SDHR)

**Methodology:** IEHP-Defined Equity Measure

*Measure Description:* The percentage of Members who were screened for social determinants of health during the measurement year (2026) and who had at least one social determinant of health identified.

Eligible population in this measure meet the following criteria:

1. Continuous enrollment with IEHP during the measurement year (2026) with no more than one gap in continuous enrollment with IEHP of up to 45 days during the measurement year (2026).

**Denominator:** All Members during the measurement year (2026).

• Anchor Date: December 31, 2026

**Numerator:** Members in the denominator who were screened for social determinant in the measurement year (2026) and had a social determinant identified.

			IAL DETERMINANTS OF HEALTH CATION FACTORS:
Service	Code Type	Code	Code Description
Social Determinants of Health	ICD10CM	Z55.0	Illiteracy and low-level literacy
Social Determinants of Health	ICD10CM	Z58.6	Inadequate drinking-water supply
Social Determinants of Health	ICD10CM	Z59.00	Homelessness unspecified
Social Determinants of Health	ICD10CM	Z59.01	Sheltered homelessness
Social Determinants of Health	ICD10CM	Z59.02	Unsheltered homelessness
Social Determinants of Health	ICD10CM	Z59.1	Inadequate housing
Social Determinants of Health	ICD10CM	Z59.3	Problems related to living in residential institution
Social Determinants of Health	ICD10CM	Z59.41	Food insecurity
Social Determinants of Health	ICD10CM	Z59.48	Other specified lack of adequate food
Social Determinants of Health	ICD10CM	Z59.7	Insufficient social insurance and welfare support
Social Determinants of Health	ICD10CM	Z59.811	Housing instability, housed, with risk of homelessness
Social Determinants of Health	ICD10CM	Z59.812	Housing instability, housed, homelessness in past 12 months
Social Determinants of Health	ICD10CM	Z59.819	Housing instability, housed unspecified
Social Determinants of Health	ICD10CM	Z59.89	Other problems related to housing and economic circumstances
Social Determinants of Health	ICD10CM	Z60.2	Problems related to living alone
Social Determinants of Health	ICD10CM	Z60.4	Social exclusion and rejection (physical appearance, illness, or behavior)
Social Determinants of Health	ICD10CM	Z62.819	Personal history of unspecified abuse in childhood

CODES TO IDENTIFY PRIORITY SOCIAL DETERMINANTS OF HEALTH SCREENING IDENTIFICATION FACTORS:				
Service	Code Type	Code	Code Description	
Social Determinants of Health	ICD10CM	Z63.0	Problems in relationship with spouse or partner	
Social Determinants of Health	ICD10CM	Z63.4	Disappearance and death of family member (assumed death, bereavement)	
Social Determinants of Health	ICD10CM	Z63.5	Disruption of family by separation and divorce (marital estrangement)	
Social Determinants of Health	ICD10CM	Z63.6	Dependent relative needing care at home	
Social Determinants of Health	ICD10CM	Z63.72	Alcoholism and drug addiction in family	
Social Determinants of Health	ICD10CM	Z65.1	Imprisonment and other incarceration	
Social Determinants of Health	ICD10CM	Z65.2	Problems related to release from prison	
Social Determinants of Health	ICD10CM	Z65.8	Other specified problems related to psychosocial circumstances (religious or spiritual problem)	

CODES TO IDENTIFY ADDITIONAL SOCIAL DETERMINANTS OF HEALTH SCREENING IDENTIFICATION FACTORS:					
Service	Category	Code Type	Code	Code Description	
Social Determinants of Health		ICD10CM	Z55.0	Illiteracy and low-level literacy	
Social Determinants of Health		ICD10CM	Z55.1	Schooling unavailable and unattainable	
Social Determinants of Health	Problems	ICD10CM	Z55.2	Failed school examinations	
Social Determinants of Health	related to	ICD10CM	Z55.3	Underachievement in school	
Social Determinants of Health	education & literacy	ICD10CM	Z55.4	Educational maladjustment and discord with teachers and classmates	
Social Determinants of Health		ICD10CM	Z55.9	Problems related to education and literacy, unspecified	
Social Determinants of Health		ICD10CM	Z56.0	Unemployment, unspecified	
Social Determinants of Health		ICD10CM	Z56.1	Change of job	
Social Determinants of Health		ICD10CM	Z56.2	Threat of job loss	
Social Determinants of Health	Problems	ICD10CM	Z56.4	Discord with boss and workmates	
Social Determinants of Health	related to	ICD10CM	Z56.5	Uncongenial work environment	
Social Determinants of Health	employment and	ICD10CM	Z56.6	Other physical and mental strain related to work	
Social Determinants of Health	unemployment	ICD10CM	Z56.81	Sexual harassment on the job	
Social Determinants of Health			Z56.82	Military deployment status	
Social Determinants of Health		ICD10CM	Z56.9	Unspecified problems related to employment	
Social Determinants of Health	Occupational	ICD10CM	Z57.0	Occupational exposure to noise	
Social Determinants of Health	exposure to	ICD10CM	Z57.1	Occupational exposure to radiation	
Social Determinants of Health	risk factors	ICD10CM	Z57.2	Occupational exposure to dust	

CODES TO IDENTIFY ADDITIONAL SOCIAL DETERMINANTS OF HEALTH SCREENING IDENTIFICATION FACTORS:						
Service	Category	Code Type	Code	Code Description		
Social Determinants of Health	Occupational	ICD10CM	Z57.31	Occupational exposure to environmental tobacco smoke		
Social Determinants of Health	Occupational exposure to risk factors	ICD10CM	Z57.39	Occupational exposure to other air contaminants		
Social Determinants of Health		ICD10CM	Z57.4	Occupational exposure to toxic agents in agriculture		
Social Determinants of Health		ICD10CM	Z57.5	Occupational exposure to toxic agents in other industries		
Social Determinants of Health	Occupational	ICD10CM	Z57.6	Occupational exposure to extreme temperature		
Social Determinants of Health	exposure to	ICD10CM	Z57.7	Occupational exposure to vibration		
Social Determinants of Health	risk factors	ICD10CM	Z57.8	Occupational exposure to other risk factors		
Social Determinants of Health		ICD10CM	Z57.9	Occupational exposure to unspecified risk factor		
Social Determinants of Health		ICD10CM	Z58.6	Inadequate drinking-water supply		
Social Determinants of Health		ICD10CM	Z59.00	Homelessness unspecified		
Social Determinants of Health		ICD10CM	Z59.01	Sheltered homelessness		
Social Determinants of Health		ICD10CM	Z59.02	Unsheltered homelessness		
Social Determinants of Health		ICD10CM	Z59.1	Inadequate housing		
Social Determinants of Health		ICD10CM	Z59.2	Discord with neighbors, lodgers and landlord		
Social Determinants of Health		ICD10CM	Z59.3	Problems related to living in residential institution		
Social Determinants of Health		ICD10CM	Z59.41	Food insecurity		
Social Determinants of Health	Problems	ICD10CM	Z59.48	Other specified lack of adequate food		
Social Determinants of Health	related to	ICD10CM	Z59.5	Extreme poverty		
Social Determinants of Health	housing and	ICD10CM	Z59.6	Low income		
Social Determinants of Health	economic circumstances	ICD10CM	Z59.7	Insufficient social insurance and welfare support		
Social Determinants of Health		ICD10CM	Z59.811	Housing instability, housed, with risk of homelessness		
Social Determinants of Health		ICD10CM	Z59.812	Housing instability, housed, homelessness in past 12 months		
Social Determinants of Health		ICD10CM	Z59.819	Housing instability, housed unspecified		
Social Determinants of Health		ICD10CM	Z59.89	Other problems related to housing and economic circumstances		
Social Determinants of Health		ICD10CM	Z59.9	Problem related to housing and economic circumstances, unspecified		

CODES TO IDENTIFY ADDITIONAL SOCIAL DETERMINANTS OF HEALTH SCREENING IDENTIFICATION FACTORS:						
Service	Category	Code Type	Code	Code Description		
Social Determinants of Health		ICD10CM	Z60.0	Problems of adjustment to life transitions (life phase, retirement)		
Social Determinants of Health		ICD10CM	Z60.2	Problems related to living alone		
Social Determinants of Health		ICD10CM	Z60.3	Acculturation difficulty (migration, social transplantation)		
Social Determinants of Health	Problems related to social environment	ICD10CM	Z60.4	Social exclusion and rejection (physical appearance, illness, behavior)		
Social Determinants of Health	Chvironinicht	ICD10CM	Z60.5	Target of (perceived) adverse discrimination and persecution		
Social Determinants of Health		ICD10CM	Z60.8	Other problems related to social environment		
Social Determinants of Health		ICD10CM	Z60.9	Problem related to social environment, unspecified		
Social Determinants of Health		ICD10CM	Z62.0	Inadequate parental supervision and control		
Social Determinants of Health		ICD10CM	Z62.1	Parental overprotection		
Social Determinants of Health		ICD10CM	Z62.21	Child in welfare custody (non- parental family member, foster care)		
Social Determinants of Health		ICD10CM	Z62.22	Institutional upbringing (orphanage or group home)		
Social Determinants of Health		ICD10CM	Z62.29	Other upbringing away from parents		
Social Determinants of Health		ICD10CM	Z62.3	Hostility towards and scapegoating of child		
Social Determinants of Health	Problems	ICD10CM	Z62.6	Inappropriate (excessive) parental pressure		
Social Determinants of Health	related to upbringing	ICD10CM	Z62.810	Personal history of physical and sexual abuse in childhood		
Social Determinants of Health		ICD10CM	Z62.811	Personal history of psychological abuse in childhood		
Social Determinants of Health		ICD10CM	Z62.812	Personal history of neglect in childhood		
Social Determinants of Health		ICD10CM	Z62.813	Personal history of forced labor or sexual exploitation in childhood		
Social Determinants of Health		ICD10CM	Z62.819	Personal history of unspecified abuse in childhood		
Social Determinants of Health		ICD10CM	Z62.820	Parent-biological child conflict		
Social Determinants of Health		ICD10CM	Z62.821	Parent-adopted child conflict		
Social Determinants of Health		ICD10CM	Z62.822	Parent-foster child conflict		
Social Determinants of Health		ICD10CM	Z62.890	Parent-child estrangement NEC		

CODES TO IDENTIFY ADDITIONAL SOCIAL DETERMINANTS OF HEALTH SCREENING IDENTIFICATION FACTORS:					
Service		Code Type	Code	Code Description	
Social Determinants of Health		ICD10CM	Z62.891	Sibling rivalry	
Social Determinants of Health	Problems related to	ICD10CM	Z62.898	Other specified problems related to upbringing	
Social Determinants of Health	upbringing	ICD10CM	Z62.9	Problem related to upbringing, unspecified	
Social Determinants of Health		ICD10CM	Z72.3	Lack of physical exercise	
Social Determinants of Health		ICD10CM	Z63.0	Problems in relationship with spouse or partner	
Social Determinants of Health		ICD10CM	Z63.1	Problems in relationship with in-laws	
Social Determinants of Health		ICD10CM	Z63.31	Absence of family member due to military deployment	
Social Determinants of Health		ICD10CM	Z63.32	Other absence of family member	
Social Determinants of Health	Other problems related to primary support group,	ICD10CM	Z63.4	Disappearance/death of family member (assumed death, bereavement)	
Social Determinants of Health		ICD10CM	Z63.5	Disruption of family by separation and divorce (marital estrangement)	
Social Determinants of Health		ICD10CM	Z63.6	Dependent relative needing care at home	
Social Determinants of Health		ICD10CM	Z63.71	Stress on family due to return of family from military deployment	
Social Determinants of Health	including family	ICD10CM	Z63.72	Alcoholism and drug addiction in family	
Social Determinants of Health	circumstances	ICD10CM	Z63.79	Other stressful events affecting family/ household (ill/disturbed member)	
Social Determinants of Health		ICD10CM	Z63.8	Other specified problems related to primary support group (discord or estrangement, inadequate support)	
Social Determinants of Health		ICD10CM	Z63.9	Problem related to primary support group, unspecified	
Social Determinants of Health		ICD10CM	Z81.8	Family history of other mental and behavioral disorders	
Social Determinants of Health		ICD10CM	Z91.89	Other specified personal risk factors, not elsewhere classified	
Social Determinants of Health	Problems	ICD10CM	Z64.0	Problems related to unwanted pregnancy	
Social Determinants of Health	related to other	ICD10CM	Z64.1	Problems related to multiparity	
Social Determinants of Health	psychosocial	ICD10CM	Z64.4	Discord with counselors	
Social Determinants of Health	circumstances	ICD10CM	Z65.0	Conviction in civil and criminal proceedings without imprisonment	

CODES TO IDENTIFY ADDITIONAL SOCIAL DETERMINANTS OF HEALTH SCREENING IDENTIFICATION FACTORS:					
Service	Category	Code Type	Code	Code Description	
Social Determinants of Health		ICD10CM	Z65.1	Imprisonment and other incarceration	
Social Determinants of Health		ICD10CM	Z65.2	Problems related to release from prison	
Social Determinants of Health	Problems related to other psychosocial circumstances	ICD10CM	Z65.3	Problems related to other legal circumstances (arrest, custody, litigation)	
Social Determinants of Health		ICD10CM	Z65.4	Victim of crime and terrorism	
Social Determinants of Health		ICD10CM	Z65.5	Exposure to disaster, war and other hostilities	
Social Determinants of Health		ICD10CM	Z65.8	Other specified problems related to psychosocial circumstances (religious or spiritual problem)	
Social Determinants of Health		ICD10CM	Z65.9	Problem related to unspecified psychosocial circumstances	
Social Determinants of Health	Transportation Insecurity	ICD10CM	Z59.82	Excessive transportation time, inaccessible transportation, inadequate transportation, lack of transportation, unaffordable transportation, unreliable transportation, unsafe transportation	

# **Social Determinants of Health Screening Rate (SDHS)**

Methodology: IEHP-Defined Equity Measure

*Measure Description:* The percentage of Members who were screened for social determinants of health during the measurement year (2026).

Eligible population in this measure meets the following criteria:

1. Continuous enrollment with IEHP during the measurement year (2026) with no more than one gap in continuous enrollment with IEHP of up to 45 days during the measurement year (2026).

**Denominator:** All Members during the measurement year (2026).

• Anchor Date: December 31, 2026

**Numerator:** Members in the denominator who were screened for social determinants of health in the measurement year (2026).

CODES TO IDENTIFY SOCIAL DETERMINANTS OF HEALTH SCREENING:					
Service	Code Type	Code	Code Description		
Social Determinants of Health	СРТ	96160	Administration of patient-focused health risk assessment instrument (e.g. health hazard appraisal) with scoring and documentation, per standardized instrument.		
Social Determinants of Health	СРТ	96161	Administration of caregiver-focused health risk assessment instrument (e.g. depression inventory) for the benefit of the patient, with scoring and documentation, per standardized instrument.		
Social Determinants of Health	HCPCS	G9919	Screening performed and positive and provision of recommendations.		
Social Determinants of Health	HCPCS	G9920	Screening performed and negative.		

Examples of Social Determinants of Health screening instruments include but are not limited to:

FOOD INSECURITY INSTRUMENTS:
Accountable Health Communities (AHC) Health-Related Social Needs (HRSN) Screening Tool
American Academy of Family Physicians (AAFP) Social Needs Screening Tool
Health Leads Screening Panel®
Hunger Vital Sign™ (HVS)
Protocol for Responding to and Assessing Patients' Assets, Risks and Experiences [PRAPARE]®
Safe Environment for Every Kid (SEEK)®
U.S. Household Food Security Survey [U.S. FSS]
U.S. Adult Food Security Survey [U.S. FSS]
U.S. Child Food Security Survey [U.S. FSS]
U.S. Household Food Security Survey–Six-Item Short Form [U.S. FSS]
We Care Survey
WellRx Questionnaire

HOUSING INSTABILITY AND HOMELESSNESS INSTRUMENTS:
Accountable Health Communities (AHC) Health-Related Social Needs (HRSN) Screening Tool
American Academy of Family Physicians (AAFP) Social Needs Screening Tool
Health Leads Screening Panel®
Protocol for Responding to and Assessing Patients' Assets, Risks and Experiences [PRAPARE]®
We Care Survey
WellRx Questionnaire
Accountable Health communities (AHC) Health - Related Social Needs (HRSN Screening Tool)
American Academy and Family Physicians (AAFP) Social Needs Screening Tool

#### **Social Need Screening and Intervention (SNS-E)**

**Methodology:** HEDIS®

**Measure Description:** The percentage of Members who were screened for social needs, at least once during the measurement year (2026), and received a corresponding intervention if the Member screened positive. Each of the following three social need indicators will be monitored below:

- Food Insecurity
- Housing Insecurity
- Transportation Insecurity

Eligible population in this measure meets the following criteria:

1. Continuous enrollment with IEHP during the measurement year (2026) with no more than one gap in continuous enrollment with IEHP of up to 45 days during the measurement year (2026).

Members who meet any of the following criteria are excluded:

- 1. Members in hospice.
- 2. Members who expire at any time during the measurement year (2026).

#### **Screening Rate:**

**Denominator:** All Members during the measurement year (2026).

• Anchor Date: December 31, 2026.

**Numerator:** Members with documented results who were screened for food insecurity, housing insecurity, or transportation insecurity between January 1st and December 1st of the measurement year (2026).

#### Follow-up Rate:

**Denominator:** All Members who are positive for food insecurity, housing insecurity, or transportation insecurity between January 1st and December 1st of the measurement year (2026).

• Anchor Date: December 31, 2026.

**Numerator:** Members who are positive for food insecurity, housing insecurity, or transportation insecurity screening who received a corresponding intervention within 30-days of the positive screening.

Refer to the Social Need Intervention List on the IEHP website <a href="https://www.providerservices.iehp.org/en/provider-central/provider-incentive-programs/pay-for-performance-program">https://www.providerservices.iehp.org/en/provider-central/provider-incentive-programs/pay-for-performance-program</a>.

This list includes codes that identify the Social Need Intervention.

# **Screening Tools:**

FOOD INSECURITY:		
Food Insecurity Instruments	Screening Item LOINC Codes	Positive Finding LOINC Codes
Accountable Health Communities (AHC) Health-Related Social Needs	88122-7	LA28397-0 LA6729-3
(HRSN) Screening Tool	88123-5	LA28397-0 LA6729-3
American Academy of Family Physicians (AAFP) Social	88122-7	LA28397-0 LA6729-3
Needs Screening Tool	88123-5	LA28397-0 LA6729-3
American Academy of Family Physicians (AAFP) Social	88122-7	LA28397-0 LA6729-3
Needs Screening Tool—short form	88123-5	LA28397-0 LA6729-3
Health Leads Screening Panel®	95251-5	LA33-6
Hunger Vital Sign™ (HVS)	88124-3	LA19952-3
Protocol for Responding to and Assessing Patients' Assets, Risks and Experiences [PRAPARE]*	93031-3	LA30125-1
Safe Environment for Every Kid (SEEK)®	95400-8	LA33-6
Safe Environment for Every Rid (SEER)	95399-2	LA33-6
U.S. Household Food Security Survey [U.S. FSS]	95264-8	LA30985-8 LA30986-6
U.S. Adult Food Security Survey [U.S. FSS]	95264-8	LA30985-8 LA30986-6
U.S. Child Food Security Survey [U.S. FSS]	95264-8	LA30985-8 LA30986-6
U.S. Household Food Security Survey–Six-Item Short Form [U.S. FSS]	95264-8	LA30985-8 LA30986-6
We Care Survey	96434-6	LA32-8
WellRx Questionnaire	93668-2	LA33-6

HOUSING INSECURITY:		
Housing Instability and Homelessness Instruments	Screening Item LOINC Codes	Positive Finding LOINC Codes
Accountable Health Communities (AHC) Health-Related Social Needs (HRSN) Screening Tool	71802-3	LA31994-9 LA31995-6
American Academy of Family Physicians (AAFP) Social Needs Screening Tool	99550-6	LA33-6
American Academy of Family Physicians (AAFP) Social Needs Screening Tool—short form	71802-3	LA31994-9 LA31995-6
	98976-4	LA33-6
Children's Health Watch Housing Stability Vital Signs™	98977-2	≥2
	98978-0	LA33-6
Health Leads Screening Panel®	99550-6	LA33-6
Protocol for Responding to and Assessing Patients' Assets, Risks and Experiences [PRAPARE]®	93033-9 71802-3	LA33-6 LA30190-5
We Care Survey	96441-1	LA33-6
WellRx Questionnaire	93669-0	LA33-6

HOUSING INSECURITY:							
Housing Inadequacy Instruments	Screening Item LOINC Codes	Positive Finding LOINC Codes					
Accountable Health Communities (AHC) Health-Related Social Needs (HRSN) Screening Tool	96778-6	LA31996-4 LA28580-1 LA31997-2 LA31998-0 LA31999-8 LA32000-4 LA32001-2					
American Academy of Family Physicians (AAFP) Social Needs Screening Tool	96778-6	LA32691-0 LA28580-1 LA32693-6 LA32694-4 LA32695-1 LA32696-9 LA32001-2					
American Academy of Family Physicians (AAFP) Social Needs Screening Tool—short form	96778-6	LA31996-4 LA28580-1 LA31997-2 LA31998-0 LA31999-8 LA32000-4 LA32001-2					

HOUSING INSECURITY:						
Housing Inadequacy Instruments	Screening Item LOINC Codes	Positive Finding LOINC Codes				
	99134-9	LA33-6				
		LA31996-4				
	99135-6	LA28580-1				
Norwalk Community Health Center Screening Tool [NCHC]		LA31997-2				
Two wank community freath center defecting foor [fvorto]		LA31998-0				
		LA31999-8				
		LA32000-4				
		LA32001-2				

TRANSPORTATION INSECUR	ITY:	
Transportation Insecurity Instruments	Screening Item LOINC Codes	Positive Finding LOINC Codes
Accountable Health Communities (AHC) Health-Related Social Needs (HRSN) Screening Tool	93030-5	LA33-6
American Academy of Family Physicians (AAFP) Social Needs Screening Tool	99594-4	LA33-6
American Academy of Family Physicians (AAFP) Social Needs Screening Tool—short form	99594-4	LA33093-8 LA30134-3
Comprehensive Universal Behavior Screen (CUBS)	89569-8	LA29232-8 LA29233-6 LA29234-4
Health Leads Screening Panel®	99553-0	LA33-6
Inpatient Rehabilitation Facility - Patient Assessment Instrument (IRF-PAI)—version 4.0 [CMS Assessment]	101351-5	LA30133-5 LA30134-3
Outcome and assessment information set (OASIS) form— version E—Discharge from Agency [CMS Assessment]	101351-5	LA30133-5 LA30134-3
Outcome and assessment information set (OASIS) form— version E—Resumption of Care [CMS Assessment]	101351-5	LA30133-5 LA30134-3
Outcome and assessment information set (OASIS) form— version E—Start of Care [CMS Assessment]	101351-5	LA30133-5 LA30134-3
Protocol for Responding to and Assessing Patients' Assets, Risks and Experiences [PRAPARE]®	93030-5	LA30133-5 LA30134-3
PROMIS®	92358-1	LA30024-6 LA30026-1 LA30027-9
WellRx Questionnaire	93671-6	LA33-6

**Note:** The Social Need Screening and Intervention measure numerator counts only screenings that utilize instruments in the measure specification as identified by the associated LOINC code(s). Allowed screening instruments and LOINC codes for each social need are listed above.

#### **Substance Use Assessment in Primary Care (SAP)**

Methodology: IEHP-Defined Quality Measure

*Measure Description:* The percentage of Members 18 years and older who were screened for substance use during the measurement year (2026).

CODES TO IDENTIFY SUBSTANCE USE ASSESSMENT IN PRIMARY CARE:					
Service	Code Type	Code	Code Description		
Social Determinants of Health	СРТ	99408	Alcohol and/or Substance (other than tobacco) Abuse Structured Screening (e.g. Audit DAST) and Brief Intervention (SBI) Services 15 to 30 Minutes		
Social Determinants of Health	СРТ	99409	Alcohol and/or Substance (other than tobacco) Abuse Structured Screening (e.g. Audit DAST) and Brief Intervention (SBI) Services Greater than 30 Minutes		
Social Determinants of Health	HCPCS	G0442	Annual alcohol misuse screening, 5 to 15 minutes		
Social Determinants of Health	HCPCS	G0443	Brief Face-to-face Behavioral Counseling for Alcohol misuse, 15 Minutes		
Social Determinants of Health	HCPCS	H0001	Alcohol and/or Drug Assessment		
Social Determinants of Health	HCPCS	H0049	Alcohol and/or Drug Screening		
Social Determinants of Health	HCPCS	H0050	Alcohol and/or Drug Service Brief Intervention Per 15 Minutes		

**Denominator:** All Members aged 18 years and older during the measurement year (2026). Member counted only once in the denominator.

• Anchor Date: December 31, 2026

Numerator: Members who were screened for substance use at least once during the measurement year (2026).

Examples of Substance Use Assessment in Primary Care screening tools include but are not limited to:

- Cut Down-Annoyed-Guilty-Eye-Opener Adapted to Include Drugs (CAGE-AID)
- Tobacco Alcohol, Prescription medication and other Substances (TAPS)
- National Institute on Drug Abuse (NIDA) Quick Screen for adults
  - o The single NIDA Quick Screen alcohol-related question can be used for alcohol use screening
- Drug Abuse Screening Test (DAST-10)

- Alcohol Use Disorders Identification Test (AUDIT-C)
- Parents, Partner, Past and Present (4Ps) for pregnant women and adolescents
- Car, Relax, Alone, Forget, Friends, Trouble (CRAFFT) for non-pregnant adolescents
- Michigan Alcoholism Screening Test Geriatric (MAST-G) alcohol screening for geriatric population

# Population: Women



# Breast Cancer Screening (BCS-E)

Methodology: HEDIS®

**Measure Description:** The percentage of Members 40-74 years of age who were recommended for routine breast cancer screening and had a mammogram to screen for breast cancer any time on or between October 1, two years prior to the measurement year (2024) and December 31 of the measurement year (2026).

Rate 1: This measure assesses the percentage of Members ages 42-51 who were recommended for a routine breast cancer screening and had a mammogram to screen for breast cancer within the required timeframes.

**NOTE:** Rate 1 will be monitor only.

Rate 2: This measure assesses the percentage of Members ages 52-74 who were recommended for a routine breast cancer screening and had a mammogram to screen for breast cancer within the required timeframes.

- The eligible population in the measure meets all of the following criteria:
  - 1. Members 42-74 years as of December 31 of the measurement year (2026).
  - 2. Continuous enrollment with IEHP from October 1, two years prior to the measurement year (2024), through December 31 of the measurement year (2026), with no more than one gap in enrollment of up to 45 days for each calendar year of continuous enrollment with IEHP. No gaps in enrollment are allowed from October 1, two years prior to the measurement year (2024), through December 31, two years prior to the measurement year (2024).

CODES USED TO IDENTIFY MAMMOGRAPHY:					
Service	Code Type	Code	Code Description		
Breast Cancer Screening	CPT	77061	Diagnostic Digital Breast Tomosynthesis Unilateral		
Breast Cancer Screening	CPT	77062	Diagnostic Digital Breast Tomosynthesis Bilateral		
Breast Cancer Screening	СРТ	77063	Screening Digital Breast Tomosynthesis Bilateral (list Separately In Addition To Code For Primary Procedure)		
Breast Cancer Screening	СРТ	77065	Diagnostic mammography, including computer-aided detection (CAD) when performed; unilateral		
Breast Cancer Screening	СРТ	77066	Diagnostic mammography, including computer-aided detection (CAD) when performed; bilateral		

CODES USED TO IDENTIFY MAMMOGRAPHY:			
Service	Code Type	Code	Code Description
Breast Cancer Screening	СРТ	77067	Screening Mammography Bilateral (Two-view Film Study Of Each Breast Including Computer-aided Detection (CAD) when performed

- Members who meet any of the following criteria are excluded:
  - 1. Members in hospice.
  - 2. Members receiving palliative care.
  - 3. Members who expired at any time during the measurement year (2026).
  - 4. Members who had gender-affirming chest surgery with a diagnosis of gender dysphoria any time during the member's history through the end of the measurement period (2026).
  - 5. Members 66 years of age and older as of December 31 of measurement year (2026) with both frailty and advanced illness.

**Denominator:** Members 42-74 years of age who meet the criteria for the eligible population.

• Anchor Date: December 31, 2026

**Numerator:** Members in the denominator who had one or more mammograms any time on or between October 1, two years prior to the measurement year (2024), and December 31, of the measurement year (2026).

**Measure Description:** The percentage of Members 21–64 years of age who were recommended for routine cervical cancer screening and who were screened for cervical cancer using either of the following criteria:

- Members ages 21-64 who had cervical cytology performed every three years.
- Members ages 30-64 who had cervical high-risk human papillomavirus (hrHPV) testing performed every five years.
- Members ages 30-64 who had cervical cytology/high-risk human papillomavirus (hrHPV) co-testing performed every five years.
- The eligible population in the measure meets all of the following criteria:
  - 1. Members 24-64 years of age as of December 31 of the measurement year (2026).
  - 2. Continuous enrollment with IEHP during the measurement year (2026) with no more than one gap in enrollment of up to 45 days.

CODES TO IDENTIFY CERVICAL CYTOLOGY:				
Service	Code Type	Code	Code Description	
Cervical Cancer Screening	СРТ	88141	Cytopathology Cervical Or Vaginal (any Reporting System) Requiring Interpretation By Physician	
Cervical Cancer Screening	СРТ	88142	Cytopathology Cervical Or Vaginal (any Reporting System) Collected In Preservative Fluid Automated Thin Layer Preparation Manual screening under Physician supervision	
Cervical Cancer Screening	СРТ	88143	Cytopathology Cervical Or Vaginal (any Reporting System) Collected In Preservative Fluid Automated Thin Layer Preparation; with manual screening and rescreening under physician supervision	
Cervical Cancer Screening	СРТ	88147	Cytopathology Smears Cervical Or Vaginal Screening By Automated System Under Physician Supervision	
Cervical Cancer Screening	СРТ	88148	Cytopathology Smears Cervical Or Vaginal Screening By Automated System With Manual Rescreening Under Physician Supervision	
Cervical Cancer Screening	СРТ	88150	Cytopathology Slides Cervical Or Vaginal Manual Screening Under Physician Supervision	
Cervical Cancer Screening	СРТ	88152	Cytopathology Slides Cervical Or Vaginal With Manual Screening And Computer-assisted Rescreening Under Physician Supervision	
Cervical Cancer Screening	СРТ	88153	Cytopathology Slides Cervical Or Vaginal With Manual Screening And Rescreening Under Physician Supervision	
Cervical Cancer Screening	СРТ	88164	Cytopathology Slides Cervical Or Vaginal (the Bethesda System) Manual Screening Under Physician Supervision	
Cervical Cancer Screening	СРТ	88165	Cytopathology Slides Cervical Or Vaginal (the Bethesda System) With Manual Screening And Rescreening Under Physician Supervision	

CODES TO IDENTIFY CERVICAL CYTOLOGY:					
Service	Code Type	Code	Code Description		
Cervical Cancer Screening	СРТ	88166	Cytopathology Slides Cervical Or Vaginal (the Bethesda System) With Manual Screening And Computer-assisted Rescreening Under Physician Supervision		
Cervical Cancer Screening	СРТ	88167	Cytopathology Slides Cervical Or Vaginal (the Bethesda System) With Manual Screening And Computer-assisted Rescreening Using cell selection and review Under Physician Supervision		
Cervical Cancer Screening	СРТ	88174	Cytopathology Cervical Or Vaginal (any Reporting System) Collected In Preservative Fluid Automated Thin Layer Preparation; screening by automated system, under physician supervision		
Cervical Cancer Screening	СРТ	88175	Cytopathology Cervical Or Vaginal (any Reporting System) Collected In Preservative Fluid automated thin layer preparation; with screening by automated system and manual rescreening or review, under physician supervision		
Cervical Cancer Screening	HCPCS	G0123	Screening Cytopathology, Cervical Or Vaginal (any Reporting System), Collected In Preservative Fluid, Automated Thin Layer Preparation, Screening By Cytotechnologist Under Physician Supervision		
Cervical Cancer Screening	HCPCS	G0124	Screening Cytopathology, Cervical Or Vaginal (any Reporting System), Collected In Preservative Fluid, Automated Thin Layer Preparation, Requiring Interpretation By Physician		
Cervical Cancer Screening	HCPCS	G0141	Screening Cytopathology Smears, Cervical Or Vaginal, Performed By Automated System, With Manual Rescreening, Requiring Interpretation By Physician		
Cervical Cancer Screening	HCPCS	G0143	Screening Cytopathology, Cervical Or Vaginal (any Reporting System), Collected In Preservative Fluid, Automated Thin Layer Preparation, With Manual Screening And Rescreening By Cytotechnologist Under Physician Supervision		
Cervical Cancer Screening	HCPCS	G0144	Screening Cytopathology, Cervical Or Vaginal (any Reporting System), Collected In Preservative Fluid, Automated Thin Layer Preparation, With Screening By Automated System, Under Physician Supervision		
Cervical Cancer Screening	HCPCS	G0145	Screening Cytopathology, Cervical Or Vaginal (any Reporting System), Collected In Preservative Fluid, Automated Thin Layer Preparation, With Screening By Automated System And Manual Rescreening Under Physician Supervision		
Cervical Cancer Screening	HCPCS	G0147	Screening Cytopathology Smears, Cervical Or Vaginal, Performed By Automated System Under Physician Supervision		
Cervical Cancer Screening	HCPCS	G0148	Screening Cytopathology Smears, Cervical Or Vaginal, Performed By Automated System With Manual Rescreening		
Cervical Cancer Screening	HCPCS	P3000	Screening Papanicolaou Smear, Cervical Or Vaginal, Up To Three Smears, By Technician Under Physician Supervision		
Cervical Cancer Screening	HCPCS	P3001	Screening Papanicolaou Smear, Cervical Or Vaginal, Up To Three Smears, Requiring Interpretation By Physician		

CODES TO IDENTIFY HPV TESTS:					
Service	Code Type	Code	Code Description		
Cervical Cancer Screening	СРТ	0502U	Human papillomavirus (HPV), E6/E7 markers for high-risk types (16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, and 68), cervical cells, branched-chain capture hybridization, reported as negative or positive for high risk for HPV		
Cervical Cancer Screening	СРТ	87624	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), high-risk types (eg, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68), pooled result		
Cervical Cancer Screening	СРТ	87625	Infectious Agent Detection By Nucleic Acid (DNA or RNA) Human Papilloma Virus (HPV) Types 16 And 18 Only Includes Type 45, If Performed		
Cervical Cancer Screening	СРТ	87626	Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), separately reported high-risk types (eg, 16, 18, 31, 45, 51, 52) and high-risk pooled result(s)		
Cervical Cancer Screening	HCPCS	G0476	Infectious Agent Detection By Nucleic Acid (DNA or RNA); Human Papilloma Virus (HPV), High-risk Types (e.g., 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68) For Cervical Cancer Screening, Must Be Performed In Addition To Pap Test (g0476)		

- Members who meet any of the following criteria are excluded:
  - 1. Members in hospice.
  - 2. Members receiving palliative care.
  - 3. Members who expired at any time during the measurement year (2026).
  - 4. Members who had a hysterectomy with no residual cervix, cervical agenesis or acquired absence of cervix.

**Denominator:** Members 24-64 years of age who meet the criteria for eligible population.

• Anchor Date: December 31, 2026

*Numerator:* Members in the denominator who received a timely screening for cervical cancer.

*Measure Description:* The percentage of women 16-24 years of age who identified as sexually active, were recommended for routine chlamydia screening, and who had at least one test for chlamydia during the measurement year (2026).

- The eligible population in the measure meets all of the following criteria:
  - 1. Women 16-24 years as of December 31 of the measurement year (2026).
  - 2. Continuous enrollment with IEHP during the measurement year (2026) with no more than one gap in enrollment of up to 45 days.
  - 3. There are two methods to identify sexually active women: claim/encounter data or pharmacy data.

CODES TO IDENTIFY SEXUALLY ACTIVE WOMEN:				
Service	Code Type	Code	Code Description	
Sexually Active	CPT	86631	Antibody Chlamydia	
Sexually Active	CPT	86632	Antibody Chlamydia Igm	
Sexually Active	СРТ	87810	Infectious Agent Antigen Detection By Immunoassay With Direct Optical Observation Chlamydia Trachomatis	
Sexually Active	СРТ	87270	Infectious Agent Antigen Detection By Immunofluorescent Technique Chlamydia Trachomatis	
Sexually Active	СРТ	87320	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Chlamydia trachomatis	
Sexually Active	СРТ	87492	Infectious Agent Detection By Nucleic Acid (DNA or RNA) Chlamydia Trachomatis Quantification	
Sexually Active	CPT	87110	Culture Chlamydia Any Source	
Sexually Active	СРТ	87490	Infectious Agent Detection By Nucleic Acid (DNA or RNA) Chlamydia Trachomatis Direct Probe Technique	
Sexually Active	СРТ	87491	Infectious Agent Detection By Nucleic Acid (DNA or RNA) Chlamydia Trachomatis Amplified Probe Technique	

C	CONTRACEPTIVE MEDICATIONS				
Description	Prescription				
Contraceptives	<ul> <li>Desogestrel-ethinyl estradiol</li> <li>Dienogest-estradiol (multiphasic)</li> <li>Drospirenone-ethinyl estradiol</li> <li>Drospirenone-ethinyl estradiol-levomefolate (biphasic)</li> <li>Ethinyl estradiol-ethynodiol</li> <li>Ethinyl estradiol-etonogestrel</li> <li>Ethinyl estradiol-levonorgestrel</li> <li>Ethinyl estradiol-norelgestromin</li> <li>Ethinyl estradiol-norethindrone</li> <li>Ethinyl estradiol-norgestimate</li> <li>Ethinyl estradiol-norgestrel</li> <li>Etonogestrel</li> <li>Levonorgestrel</li> <li>Medroxyprogesterone</li> <li>Norethindrone</li> </ul>				
Diaphragm	Diaphragm				
Spermicide	Nonoxynol 9				

	CODES TO IDENTIFY CHLAMYDIA SCREENING:					
Service	Code Type	Code	Code Description			
Chlamydia Screening	СРТ	87110	Culture Chlamydia Any Source			
Chlamydia Screening	СРТ	87270	Infectious Agent Antigen Detection By Immunofluorescent Technique Chlamydia Trachomatis			
Chlamydia Screening	СРТ	87320	Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative; Chlamydia trachomatis			
Chlamydia Screening	СРТ	87490	Infectious Agent Detection By Nucleic Acid (DNA or RNA) Chlamydia Trachomatis Direct Probe Technique			
Chlamydia Screening	СРТ	87491	Infectious Agent Detection By Nucleic Acid (DNA or RNA) Chlamydia Trachomatis Amplified Probe Technique			
Chlamydia Screening	СРТ	87492	Infectious Agent Detection By Nucleic Acid (DNA or RNA) Chlamydia Trachomatis Quantification			
Chlamydia Screening	СРТ	87810	Infectious Agent Antigen Detection By Immunoassay With Direct Optical Observation Chlamydia Trachomatis			

**Denominator:** Women 16-24 years of age who meet the criteria for eligible population.

• Anchor Date: December 31, 2026

*Numerator:* Women in the denominator who were tested at least once for chlamydia during the measurement year (2026).

*Measure Description:* The percentage of deliveries of live births on or between October 8, 2025, and October 7, 2026, that had a postpartum visit on or between 7 and 84 days after delivery.

- The eligible population in this measure meets all of the following criteria:
  - 1. Continuous IEHP enrollment 43 days prior to delivery through 60 days after delivery.
  - 2. Anchor Date: Date of delivery
  - 3. Members who delivered a live birth on or between October 8, 2025, and October 7, 2026. Multiple births- Women who had two separate deliveries (different dates of service) between October 8, 2025, and October 7, 2026, count twice. Women who had multiple live births during one pregnancy count once.
- Members in hospice are excluded.
- Members who expired any time during the measurement year (2026).

**Denominator:** Members who delivered a live birth on or between October 8, 2025, and October 7, 2026.

**Numerator:** Members in the denominator who had a postpartum visit on or between 7 and 84 days after delivery.

- Any of the following meet criteria:
  - o A postpartum visit
  - o Cervical cytology
  - o A bundled service where the organization can identify the date when a postpartum care was rendered

CC	CODES TO IDENTIFY STAND ALONE POSTPARTUM VISITS:							
Service	Code Type	Code	Code Description					
Postpartum Care	CPT	57170	Diaphragm or cervical cap fitting with instructions					
Postpartum Care	CPT	58300	Insertion of intrauterine device (IUD)					
Postpartum Care	CPT	59430	Postpartum Care Only Separate Procedure					
Postpartum Care	CPT	99501	Home visit for postnatal assessment and follow-up care					
Postpartum Care	CPT-CAT-II	0503F	Postpartum care visit (Prenatal)					
Postpartum Care	HCPCS	G0101	Cervical or vaginal cancer screening; pelvic and clinical breast examination					
Postpartum Care	ICD10CM	Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings					
Postpartum Care	ICD10CM	Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings					

CODES TO IDENTIFY STAND ALONE POSTPARTUM VISITS:					
Service	<b>Code Type</b>	Code	Code Description		
Postpartum Care	ICD10CM	Z01.42	Encounter for cervical smear to confirm findings of recent normal smear following initial abnormal smear		
Postpartum Care	ICD10CM	Z30.430	Encounter for insertion of intrauterine contraceptive device		
Postpartum Care	ICD10CM	Z39.1	Encounter for care and examination of lactating mother		
Postpartum Care	ICD10CM	Z39.2	Encounter for routine postpartum follow-up		



### **Timeliness of Prenatal Care (PPC)**

*Methodology:* HEDIS®

*Measure Description:* The percentage of deliveries on or between October 8, 2025, and October 7, 2026, that received a prenatal care visit as a Member of IEHP in the first trimester, or on the IEHP enrollment start date or within 42 days of enrollment in the organization.

- The eligible population in this measure meets all of the following criteria:
  - 1. Continuous enrollment with IEHP 43 days prior to delivery through 60 days after delivery with no allowable gap.
  - 2. Anchor Date: Date of delivery
  - 3. Members who delivered a live birth on or between October 8, 2025, and October 7, 2026. Multiple births- Women who had two separate deliveries (different dates of service) between October 8, 2025, and October 7, 2026, count twice. Women who had multiple live births during one pregnancy count once.
- Members in hospice are excluded.
- Members who expire any time during the measurement year (2026).

**Denominator:** Deliveries on or between October 8, 2025, and October 7, 2026.

**Numerator:** Members in the denominator who had a prenatal care visit as a Member of IEHP in the first trimester, or on the IEHP enrollment start date or within 42 days of enrollment.

- Any of the following, where the practitioner type is an OB/GYN or other prenatal care practitioner or PCP, meet criteria for a prenatal visit:
  - o A bundled service where the organization can identify the date when prenatal care was initiated
  - o A visit for prenatal care in the first trimester, or on the IEHP enrollment start date or within 42 days of enrollment

	CODES TO IDENTIFY STAND ALONE PRENATAL VISITS:						
Service	Code Type	Code	Code Description				
Prenatal Visit	CPT-CAT-II	0500F	Initial prenatal care visit (report at first prenatal encounter with health care professional providing obstetrical care. Report also date of visit and, in a separate field, the date of the last menstrual period [LMP]) (Prenatal)				
Prenatal Visit	CPT-CAT-II	0501F	Prenatal flow sheet documented in medical record by first prenatal visit (documentation includes at minimum blood pressure, weight, urine protein, uterine size, fetal heart tones, and estimated date of delivery). Report also: date of visit and, in a separate field, the date of the last menstrual period [LMP] (Note: If reporting 0501F Prenatal flow sheet, it is not necessary to report 0500F Initial prenatal care visit) (Prenatal)				
Prenatal Visit	CPT-CAT-II	0502F	Subsequent prenatal care visit (Prenatal) [Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (eg, an upper respiratory infection; patients seen for consultation only, not for continuing care)]				
Prenatal Visit	СРТ	99500	Home visit for prenatal monitoring and assessment to include fetal heart rate, non-stress test, uterine monitoring, and gestational diabetes monitoring				
Prenatal Visit	HCPCS	H1000	Prenatal care, at-risk assessment				
Prenatal Visit	HCPCS	H1001	Prenatal care, at-risk enhanced service; antepartum management				
Prenatal Visit	HCPCS	H1002	Prenatal care, at risk enhanced service; care coordination				
Prenatal Visit	HCPCS	H1003	Prenatal care, at-risk enhanced service; education				
Prenatal Visit	HCPCS	H1004	Prenatal care, at-risk enhanced service; follow-up home visit				

# Population: Child



# **Child and Adolescent Well-Care Visits (WCV)**

*Methodology:* HEDIS®

*Measure Description:* The percentage of Members ages 3-21 who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year (2026).

- Eligible population in this measure meets all of the following criteria:
  - 1. Ages 3-21 as of December 31 of the measurement year (2026).
  - 2. Continuous enrollment with IEHP throughout the measurement year (2026). No more than one gap in enrollment of up to 45 days during the measurement year (2026).

**NOTE:** Well-care visits done as telehealth visits will not be accepted for the Child and Adolescent Well-Care Visits measure.

	CODES TO IDENTIFY WELL-CARE VISITS:				
Service	Code Type	Code	Code Description		
Well-Care Visit	СРТ	99382	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; early childhood (age 1 through 4 years)		
Well-Care Visit	СРТ	99383	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; late childhood (age 5 through 11 years)		
Well-Care Visit	СРТ	Initial comprehensive preventive medicine evaluation and manager of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures patient; adolescent (age 12 through 17 years)			
Well-Care Visit	СРТ	99385	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years		

	CODES TO IDENTIFY WELL-CARE VISITS:						
Service	Code Type	Code	Code Description				
Well-Care Visit	СРТ	99392	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; early childhood (age 1 through 4 years)				
Well-Care Visit	СРТ	99393	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; late childhood (age 5 through 11 years)				
Well-Care Visit	СРТ	99394	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; adolescent (age 12 through 17 years)				
Well-Care Visit	СРТ	99395	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 18-39 years				
Well-Care Visit	HCPCS	G0438 Annual wellness visit; includes a personalized prevention plan of (PPS), initial visit					
Well-Care Visit	HCPCS	G0439	Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit				
Well-Care Visit	HCPCS	S0302	Completed early periodic screening diagnosis and treatment (EPSDT) service (list in addition to code for appropriate evaluation and management service)				
Well-Care Visit	HCPCS	S0610	Annual gynecological examination, new patient				
Well-Care Visit	HCPCS	S0612	Annual gynecological examination, established patient				
Well-Care Visit	HCPCS	S0613	Annual gynecological examination; clinical breast examination without pelvic evaluation				
Well-Care Visit	ICD-10	Z00.00	Encounter for general adult medical examination without abnormal findings				
Well-Care Visit	ICD-10	Z00.01	Encounter for general adult medical examination with abnormal findings				
Well-Care Visit	ICD-10	Z00.121	Encounter for routine child health examination with abnormal findings				
Well-Care Visit	ICD-10	Z00.129	Encounter for routine child health examination without abnormal findings				
Well-Care Visit	ICD-10	Z00.2	Encounter for examination for period of rapid growth in childhood				
Well-Care Visit	ICD-10	Z00.3	Encounter for examination for adolescent development state				
Well-Care Visit	ICD-10	Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings				
Well-Care Visit	ICD-10	Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings				
Well-Care Visit	ICD-10	Z02.5	Encounter for examination for participation in sport				

CODES TO IDENTIFY WELL-CARE VISITS:				
Service	Code Type	Code	Code Description	
Well-Care Visit	ICD-10	Z02.84	Encounter for child welfare exam	
Well-Care Visit	ICD-10	Z76.1*	Encounter for health supervision and care of foundling	
Well-Care Visit	ICD-10	Z76.2*	Encounter for health supervision and care of other healthy infant and child	

<sup>\*</sup>Code is optional. If code is selected for this measure, code must be billed as the Primary diagnosis on encounter for the encounter to process correctly.

**Denominator:** The eligible population.

• Anchor Date December 31, 2026

*Numerator:* Members in the denominator who had one or more well-care visits with a PCP or an OB/GYN during the measurement year (2026).

**Measure Description:** The percentage of children 2 years of age who had four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV); three haemophilus influenza type B (HiB); three hepatitis B (HepB); four pneumococcal conjugate (PCV); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday. The percentage of children 2 years of age who had one measles, mumps and rubella (MMR); one chicken pox (VZV); and one hepatitis A (HepA) vaccines on or between the child's first and second birthdays. The measure calculates a rate for each vaccine and one combination rate.

- Combo 10 includes the timely completion of the following antigens:
  - DTaP; IPV; MMR; HiB; HepB; VZV; PCV; HepA; Rotavirus; Flu
- The eligible population in this measure meets all of the following criteria:
  - 1. Children who turn 2 during the measurement year (2026).
  - 2. Continuous enrollment with IEHP 365 days prior to the child's second birthday through the Member's second birthday with no more than one gap in enrollment of up to 45 days during the 365 days prior to the child's second birthday through the Member's second birthday.

	CHILDHOOD IMMUNIZATION CODE SET:					
Antigen	Code Type	Code	Code Description			
DTaP	СРТ	90697	Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactivated poliovirus vaccine, Haemophilus influenzae type b PRP-OMP conjugate vaccine, and hepatitis B vaccine (DTaP-IPV-Hib-HepB), for intramuscular use			
DTaP	СРТ	90698	Diphtheria, tetanus toxoids, acellular pertussis vaccine, Haemophilus influenzae type b, and inactivated poliovirus vaccine, (DTaP-IPV/Hib), for intramuscular use			
DTaP	СРТ	90700	Diphtheria Tetanus Toxoids And Acellular Pertussis Vaccine (DTaP), when administered to individuals younger than 7 years, for intramuscular use			
DTaP	СРТ	90723	Diphtheria Tetanus Toxoids Acellular Pertussis Vaccine Hepatitis B, and Inactivated poliovirus vaccine (DTaP-HepB-IPV), For Intramuscular Use			
IPV	СРТ	90697	Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactivated poliovirus vaccine, Haemophilus influenzae type b PRP-OMP conjugate vaccine, and hepatitis B vaccine (DTaP-IPV-Hib-HepB), for intramuscular use			
IPV	СРТ	90698	Diphtheria, tetanus toxoids, acellular pertussis vaccine, Haemophilus influenzae type b, and inactivated poliovirus vaccine, (DTaP-IPV/Hib), for intramuscular use			

	CHILDHOOD IMMUNIZATION CODE SET:						
Antigen	Code Type	Code	Code Description				
IPV	СРТ	90713	Poliovirus Vaccine Inactivated (IPV) For Subcutaneous or Intramuscular Use				
IPV	СРТ	90723	Diphtheria Tetanus Toxoids Acellular Pertussis Vaccine Hepatitis B, and Inactivated poliovirus vaccine (DTaP-HepB-IPV), For Intramuscular Use				
MMR	СРТ	90707	Measles Mumps And Rubella Virus Vaccine (MMR) Live For Subcutaneous Use				
MMR	СРТ	90710	Measles Mumps Rubella And Varicella Vaccine (MMRV) Live For Subcutaneous Use				
HiB	СРТ	90644	Meningococcal Conjugate Vaccine, Serogroups C & Y And Hemophilus Influenzae Type B Vaccine (HiB-mency), four dose schedule, when administered to children six weeks-18 months of age, for intramuscular use				
HiB	СРТ	90647	Hemophilus Influenzae Type B Vaccine (HiB) Prp-omp Conjugate (Three Dose Schedule) For Intramuscular Use				
HiB	СРТ	90648	Hemophilus Influenzae Type B Vaccine (HiB) prp-t Conjugate (Four Dose Schedule) For Intramuscular Use				
HiB	СРТ	90697	Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactivated poliovirus vaccine, Haemophilus influenzae type b PRP-OMP conjugate vaccine, and hepatitis B vaccine (DTaP-IPV-Hib-HepB), for intramuscular use				
HiB	СРТ	90698	Diphtheria, tetanus toxoids, acellular pertussis vaccine, Haemophilus influenzae type b, and inactivated poliovirus vaccine, (DTaP-IPV/Hib), for intramuscular use				
HiB	СРТ	90748	Hepatitis B And Hemophilus Influenzae Type B Vaccine (HepB-HiB) For Intramuscular Use				
НерВ	СРТ	Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactiva poliovirus vaccine, Haemophilus influenzae type b PRP-OMP conjugate vaccine, and hepatitis B vaccine (DTaP-IPV-Hib-Hepintramuscular use					
НерВ	СРТ	90723	Diphtheria Tetanus Toxoids Acellular Pertussis Vaccine Hepatitis B, and Inactivated poliovirus vaccine (DTaP-HepB-IPV), For Intramuscular use				
НерВ	СРТ	90740	Hepatitis B Vaccine Dialysis Or Immunosuppressed Patient Dosage (Three Dose Schedule) For Intramuscular Use				
НерВ	СРТ	90744	Hepatitis B Vaccine Pediatric/adolescent Dosage (Three Dose Schedule) For Intramuscular Use				
НерВ	СРТ	90747	Hepatitis B Vaccine Dialysis Or Immunosuppressed Patient Dosage (Four Dose Schedule) For Intramuscular Use				
НерВ	СРТ	90748	Hepatitis B And Hemophilus Influenzae Type B Vaccine (HepB-HiB) For Intramuscular Use				
НерВ	HCPCS	G0010	Administration Of Hepatitis B Vaccine				
VZV	СРТ	90710	Measles Mumps Rubella And Varicella Vaccine (MMRV) Live For Subcutaneous Use				
VZV	CPT	90716	Varicella Virus Vaccine Live For Subcutaneous Use				
PCV	CPT	90670	Pneumococcal Conjugate Vaccine 13 Valent For Intramuscular Use				

	CHILDHOOD IMMUNIZATION CODE SET:						
Antigen	Code Type	Code	Code Description				
PCV	CPT	90671	Pneumococcal Conjugate Vaccine, 15 Valent (pcv15), For Intramuscular Use				
PCV	CPT	90677	Pneumococcal conjugate vaccine, 20 valent (PCV20), for intramuscular use				
PCV	HCPCS	G0009	Administration Of Pneumococcal Vaccine				
НерА	СРТ	90633	Hepatitis A Vaccine Pediatric/adolescent Dosage-2 Dose Schedule For Intramuscular Use				
Rotavirus - Two Dose*	СРТ	90681	Rotavirus Vaccine Human Attenuated Two Dose Schedule Live For Oral Use.				
Rotavirus - Three Dose**	СРТ	90680	Rotavirus vaccine, pentavalent (RV5), 3 dose schedule, live, for oral use				
Flu	СРТ	90655	Influenza Virus Vaccine, Trivalent (IIV3), Split Virus, Preservative Free, 0.25ml Dosage, For Intramuscular Use				
Flu	СРТ	90656	Influenza virus vaccine, trivalent (IIV3), split virus, preservative free, 0.5 mL dosage, for intramuscular use				
Flu	СРТ	90657	Influenza virus vaccine, trivalent (IIV3), split virus, 0.25 mL dosage, for intramuscular use				
Flu	СРТ	90658	Influenza virus vaccine, trivalent (IIV3), split virus, 0.5 mL dosage, for intramuscular use				
Flu	CPT	90660	Influenza virus vaccine, trivalent, live (LAIV3) for intranasal use				
Flu	СРТ	90661	Influenza virus vaccine, trivalent (ccIIV3), derived from cell cultures, subunit, preservative and antibiotic free, 0.5 mL dosage, for intramuscular use				
Flu	CPT	90672	2 Influenza virus vaccine, quadrivalent, live (LAIV4), for intranasal use				
Flu	СРТ	90674	Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, preservative and antibiotic free, 0.5 mL dosage, for intramuscular use				
Flu	СРТ	90685	Influenza Virus Vaccine Quadrivalent (II4V) Split Virus Preservative Free, 0.25 mL dosage, for Intramuscular Use				
Flu	СРТ	90686	Influenza Virus Vaccine Quadrivalent (II4V) Split Virus Preservative Free, 0.5 mL dosage, for Intramuscular Use				
Flu	СРТ	90687	Influenza Virus Vaccine Quadrivalent (II4V) Split Virus, 0.25 mL dosage, for Intramuscular Use				
Flu	СРТ	90688	Influenza Virus Vaccine Quadrivalent (II4V) Split Virus, 0.5 mL dosage, for Intramuscular Use				
Flu	СРТ	90689	Influenza virus vaccine quadrivalent (IIV4), inactivated, adjuvanted, preservative free, 0.25 mL dosage, for intramuscular				
Flu	СРТ	90756	Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, antibiotic free, 0.5mL dosage, for intramuscular use				

<sup>\*</sup>Rotavirus - Two Dose: At least two doses of the two-dose rotavirus vaccine on different dates of services.

 $<sup>{\</sup>it **Rotavirus-Three\ Dose:}\ At\ least\ three\ doses\ of\ the\ three-dose\ rotavirus\ vaccine\ on\ different\ dates\ of\ service.$ 

- Members who meet any of the following criteria are excluded:
  - 1. Members in hospice.
  - 2. Members who expired at any time during the measurement year (2026).
  - 3. Members who had a contraindication to a childhood vaccine on or before their second birthday.
  - 4. Members who had an Organ and Bone Marrow Transplant

**Denominator:** Children 2 years of age in the eligible population.

• Anchor Date: Child's 2nd birthday

*Numerator:* Members in denominator who show timely completion of all antigens in Combo10.

• All immunization series must be at least 14 days apart.

**Methodology:** CMS Child Core Set

*Measure Description:* The percentage of children who are screened for the risk of developmental, behavioral and social delays using a standardized screening tool, in the 12 months before or on their first, second or third birthday in the measurement year (2026).

- Eligible population in this measure meets all of the following criteria:
  - 1. Children turning ages 1-3 as of December 31 of the measurement year (2026).
  - 2. Continuous enrollment with IEHP for 12 months prior to the child's first, second or third birthday with no more than one gap in enrollment of up to 45 days during the 12 months prior to the child's first, second or third birthday.

**Denominator:** Children who turn ages 1, 2 or 3 by December 31 of the measurement year (2026).

Anchor Date: Child's birthday in the measurement year

**Numerator:** Children who were screened for risk of developmental, behavioral and social delays on or before the child's first, second or third birthday.

Examples of developmental screening tools include but are not limited to:

- Ages and Stages Questionnaire 3rd Edition (ASQ-3)
- Parents' Evaluation of Developmental Status (PEDS)
- Parents' Evaluation of Developmental Status Developmental Milestones (PEDS-DM)
- Survey of Well-Being in Young Children (SWYC)

CODES TO IDENTIFY DEVELOPMENTAL SCREENING:				
Service	Code Type	Code	Code Description	
Developmental Screening	СРТ		Developmental screening (e.g. developmental milestone survey, speech and language delay screen) with scoring and documentation, per standardized instrument.	

**Note:** The Bright Futures schedule for Developmental Screening is at 9 months, 18 months and 30 months. The following are acceptable modifiers: SA, GN, GO, GP, GQ, GT, U9, 59, XE, XS, XP, XU and EP.

# Immunizations for Adolescents (IMA-E) – Combo 2

**Methodology:** HEDIS®

*Measure Description:* The percentage of adolescents 13 years of age who had one dose of meningococcal conjugate; one tetanus, diphtheria toxoids and acellular pertussis (Tdap); and two or three doses of the human papillomavirus (HPV) vaccine on or before their 13th birthday. The measure calculates a rate for each vaccine and a combination rate.

- At least one dose of meningococcal conjugate vaccine on or between the Member's 10th and 13th birthdays.
- At least one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine on or between the Member's 10th and 13th birthdays.
- At least two HPV vaccines, with different dates of service on or between the Member's 9th and 13th birthdays.
  - There must be at least 146 days between the first and second dose of the HPV vaccine. For example, if the service date for the first vaccine was March 1, then the service date for the second vaccine must be on or after July 25.

OR

At least three HPV vaccines, with different dates of service on or between the Member's 9th and 13th birthdays.

- The eligible population in this measure meets all of the following criteria:
  - 1. Adolescents who turn 13 years of age during the measurement year (2026).
  - 2. Continuous enrollment with IEHP 365 days prior to the Member's 13th birthday through the Member's 13th birthday with no more than one gap in enrollment of up to 45 days during the 365 days prior to the 13th birthdays through the Member's 13th birthday.

	CODES TO IDENTIFY MENINGOCOCAL:					
Antigen	Code Type	Code	Code Description			
Meningococcal Conjugate	СРТ	90619	Meningococcal Conjugate Vaccine, Serogroups A, C, W, Y, Quadrivalent Tetanus Toxoid Carrier (MenACWY-TT), For Intramuscular Use			
Meningococcal Conjugate	СРТ	90623	Meningococcal pentavalent vaccine, conjugated Men A, C, W, Y-tetanus toxoid carrier, and Men B-FHbp, For Intramuscular Use			
Meningococcal Conjugate	СРТ	90733	Meningococcal Polysaccharide Vaccine, Serogroups A, C, Y, W-135, Quadrivalent (mpsv4), For Subcutaneous Use			
Meningococcal Conjugate	СРТ	90734	Meningococcal conjugate vaccine, serogroups A, C, W, Y, quadrivalent, diphtheria toxoid carrier (MenACWY-D) or CRM197 carrier (MenACWY-CRM), for intramuscular use			

CODES TO IDENTIFY TDAP:				
Antigen	Antigen Code Type Code Code Description			
Tdap	СРТ	90715	Tetanus Diphtheria Toxoids And Acellular Pertussis Vaccine (Tdap) When Administered To Individuals Seven Years Or Older For Intramuscular Use	

CODES TO IDENTIFY HPV:					
Antigen	Code Type	Code	Code Description		
HPV	СРТ	90649	Human Papilloma Virus (HPV) Vaccine Types 6, 11, 16, 18, Quadrivalent (4vHPV), three Dose Schedule, For Intramuscular Use		
HPV	СРТ	90650	Human Papilloma Virus (HPV) Vaccine Types 16, 18 Bivalent (2vHPV) three Dose Schedule, For Intramuscular Use		
HPV	СРТ	90651	Human Papilloma Virus Vaccine 6, 11, 16, 18, 31, 33, 45, 52, 58, Nonavalent (9vHPV) two or three Dose Schedule, For Intramuscular Use		

- Members who meet any of the following criteria are excluded:
  - 1. Members in hospice.
  - 2. Members who expired at any time during the measurement year (2026).

**Denominator:** Adolescents 13 years of age who meet all the criteria for eligible population.

• Anchor Date: Child's 13th birthday

**Numerator:** Members in the denominator who had one dose of meningococcal conjugate vaccine, one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine, and have completed the human papillomavirus (HPV) vaccine series by their 13th birthday during the measurement year (2026).

• All immunization series must be at least 14 days apart.

*Measure Description:* The percentage of children who are 2 years of age and had one or more capillary or venous lead blood tests for lead poisoning, by their second birthday.

- The eligible population in this measure meets all the following criteria:
  - 1. No more than one gap in enrollment of up to 45 days during the 365 days before the child's second birthday through the child's second birthday.
  - 2. Continuous enrollment with IEHP 365 days before the child's second birthday through the child's second birthday.
- Members in hospice are excluded.
- Members who expire at any time during the measurement year (2026).

**Denominator:** Children who turn 2 years old during the measurement year (2026).

• Anchor Date: Child's second birthday.

**Numerator:** At least one lead capillary or venous blood test on or before the child's second birthday.

CODES TO IDENTIFY LEAD SCREENING:					
Service	Service Code Type Code Code Description				
Lead Screening	CPT	83655	Lead		

#### **Substance Use Assessment in Primary Care for Adolescents (SAPA)**

*Methodology:* IEHP-Defined Quality Measure

*Measure Description:* The percentage of Members 11-17.99 years of age who were screened for substance use during the measurement year (2026).

**Denominator:** All Members 11-17.99 years of age during the measurement year (2026). Member counted only once in the denominator.

• Anchor Date: December 31, 2026

**Numerator:** Members who were screened for substance use at least once during the measurement year (2026).

CODES TO IDENTIFY SUBSTANCE USE ASSESSMENT IN PRIMARY CARE:					
Service	Code Type	Code	Code Description		
Substance Use Assessment in Primary Care	СРТ	99408	Alcohol and/or substance (other than tobacco) abuse structured screening (eg, AUDIT, DAST), and brief intervention (SBI) services; 15 to 30 minutes		
Substance Use Assessment in Primary Care	СРТ	99409	Alcohol and/or substance (other than tobacco) abuse structured screening (eg, AUDIT, DAST), and brief intervention (SBI) services; greater than 30 minutes		
Substance Use Assessment in Primary Care	HCPCS	G0442	Annual alcohol misuse screening, 5 to 15 minutes		
Substance Use Assessment in Primary Care	HCPCS	G0443	Brief face-to-face behavioral counseling for alcohol misuse, 15 minutes		
Substance Use Assessment in Primary Care	HCPCS	H0001	Alcohol and/or drug assessment		
Substance Use Assessment in Primary Care	HCPCS	H0049	Alcohol and/or drug screening		
Substance Use Assessment in Primary Care	HCPCS	H0050	Alcohol and/or drug services, brief intervention, per 15 minutes		

Examples of Substance Use Assessment in Primary Care for Adolescents screening tools include but are not limited to:

- Cut Down-Annoyed-Guilty-Eye-Opener Adapted to Include Drugs (CAGE-AID)
- Tobacco, Alcohol, Prescription medication and other Substances (TAPS)
- National Institute on Drug Abuse (NIDA) Quick Screen for adults
  - o The single NIDA Quick Screen alcohol-related question can be used for alcohol use screening

- Drug Abuse Screening Test (DAST-10)
- Alcohol Use Disorders Identification Test (AUDIT-C)
- Parents, Partner, Past and Present (4Ps) for pregnant women and adolescents
- Car, Relax, Alone, Forget, Friends, Trouble (CRAFFT) for non-pregnant adolescents
- Michigan Alcoholism Screening Test Geriatric (MAST-G) alcohol screening for geriatric population

# Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents - BMI (WCC)

*Methodology*: HEDIS®

*Measure Description:* The percentage of Members 3-17 years of age who had an outpatient visit with a PCP or OB/GYN and who had evidence of BMI percentile documentation\* during the measurement year (2026).

- The eligible population in this measure meets all of the following criteria:
  - 1. Members who are 3-17 years of age as of December 31 of the measurement year (2026).
  - 2. Continuous enrollment with IEHP in the measurement year (2026) with no more than one gap up to 45 days.
  - 3. An outpatient visit with a PCP or an OB/GYN during the measurement year (2026).
- \* Because BMI norms for youth vary with age and gender, this measure evaluates whether BMI percentile is assessed rather than an absolute BMI value.

	CODES TO IDENTIFY BMI PERCENTILE:				
Service	Code Type	Code	Description		
BMI Percentile	ICD10	Z68.51	Body Mass Index [BMI] Pediatric, Less Than 5th Percentile For Age		
BMI Percentile	ICD10	Z68.52	Body Mass Index [BMI] Pediatric, 5th Percentile To Less Than 85th Percentile For Age		
BMI Percentile	ICD10	Z68.53	Body Mass Index [BMI] Pediatric, 85th Percentile To Less Than 95th Percentile For Age		
BMI Percentile	ICD10	Z68.54	Body Mass Index [BMI] Pediatric, 95th percentile for age to less than 120% of the 95th percentile for age		
BMI Percentile	ICD10	Z68.55	Body mass index [BMI] pediatric, 120% of the 95th percentile for age to less than 140% of the 95th percentile for age		
BMI Percentile	ICD10	Z68.56	Body mass index [BMI] pediatric, greater than or equal to 140% of the 95th percentile for age		

#### Members who meet any of the following criteria are excluded:

- 1. Members in hospice.
- 2. Members who have a diagnosis of pregnancy any time during the measurement year (2026).
- 3. Members who expired at any time during the measurement year (2026).

**Denominator:** Members 3-17 years of age who meet all the criteria for eligible population.

• Anchor Date: December 31, 2026

**Numerator:** Members in the denominator who had evidence of BMI percentile documentation during the measurement year (2026).



# Well-Child Visits in the First 15 Months of Life (W30)

Methodology: HEDIS®

*Measure Description:* The percentage of Members who turned 15 months old during the measurement year (2026) and had six or more well-child visits.

- The eligible population in this measure meets all of the following criteria:
  - 1. Children who turn 15 months old during the measurement year (2026).
  - 2. Member must be enrolled with IEHP by 31 days after birth and maintain continuous enrollment between 31 days and 15 months of age with no more than one gap in enrollment of up to 45 days.

**Denominator:** Members who turned 15 months old during the measurement year (2026) who meet all criteria for eligible population.

• Anchor Date: Child's 15th month birthday

**Numerator:** Members who received six or more well-child visits on or before the child's 15th month birthday. The well-child visit must occur with a PCP, but the PCP does not have to be the Practitioner assigned to the child.

• All visits must be at least 14 days apart.

**NOTE:** Well-child visits done as telehealth visits will not be accepted for the Well-Child Visits in the First 15 Months of Life measure.

CODES TO IDENTIFY WELL-CHILD VISITS:					
Service	Code Type Code		Code Description		
Well-Child Visits in the First 15 Months of Life	СРТ	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance, risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; infant (age younger than 1 year)			
Well-Child Visits in the First 15 Months of Life	СРТ	99382	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; early childhood (age 1 through 4 years)		

	CODES TO IDENTIFY WELL-CHILD VISITS:					
Service	Code Type	Code	Code Description			
Well-Child Visits in the First 15 Months of Life	СРТ	99391	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; infant (age younger than 1 year)			
Well-Child Visits in the First 15 Months of Life	СРТ	99392	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; early childhood (age 1 through 4 years)			
Well-Child Visits in the First 15 Months of Life	СРТ	99461	Initial care, per day, for evaluation and management of normal newborn infant seen in other than hospital or birthing center			
Well-Child Visits in the First 15 Months of Life	ICD10CM	Z00.110	Health Examination For Newborn Under 8 Days Old			
Well-Child Visits in the First 15 Months of Life	ICD10CM	Z00.111	Health Examination For Newborn 8 To 28 Days Old			
Well-Child Visits in the First 15 Months of Life	ICD10CM	Z00.121	Encounter For Routine Child Health Examination With Abnormal Findings			
Well-Child Visits in the First 15 Months of Life	ICD10CM	Z00.129	Encounter For Routine Child Health Examination Without Abnormal Findings			
Well-Child Visits in the First 15 Months of Life	ICD10CM	Z02.84	Encounter for child welfare exam			
Well-Child Visits in the First 15 Months of Life	ICD10CM	Z76.1*	Encounter For Health Supervision And Care Of Foundling			
Well-Child Visits in the First 15 Months of Life	ICD10CM	Z76.2*	Encounter for health supervision and care of other healthy infant and child			

<sup>\*</sup>Code is optional. If code is selected for this measure, code must be billed as the Primary diagnosis on encounter for the encounter to process correctly.



## Well-Child Visits in the First 30 Months of Life (W30)

Methodology: HEDIS®

*Measure Description:* The percentage of children who turned 30 months old during the measurement year (2026) and had two or more well-child visits with a PCP within the 15-30 months of life.

- Eligible population in this measure meets all of the following criteria:
  - 1. Children who turn 30 months old during the measurement year (2026).
  - 2. Member must be enrolled with IEHP by 15 months after birth and maintain continuous enrollment between 15 months and 30 months of age with no more than one gap in enrollment of up to 45 days.

**Denominator:** Members who turn 30 months old during the measurement year (2026) who meet all criteria for eligible population.

• Anchor Date: Child's 30th month birthday (Calculate the 30th-month birthday as the second birthday plus 180 days).

**Numerator:** Members in the denominator who received two or more well-child visits between the child's 15 month plus 1 day and 30 months of life. The well-child visit must occur with a PCP, but the PCP does not have to be the Practitioner assigned to the child.

• All visits must be at least 14 days apart

**NOTE:** Well-child visits done as telehealth visits will not be accepted for the Well-Child Visits in the First 30 Months of Life measure.

CODES TO IDENTIFY WELL-CHILD VISITS:				
Service	Code Type	Code	Code Description	
Well-Child Visits in the First 30 Months of Life	СРТ	99381	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; infant (age younger than one year)	
Well-Child Visits in the First 30 Months of Life	СРТ	99382	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; early childhood (age one through four years)	

	CODES TO IDENTIFY WELL-CHILD VISITS:						
Service	Code Type	Code	Code Description				
Well-Child Visits in the First 30 Months of Life	СРТ	99391	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; infant (age younger than one year)				
Well-Child Visits in the First 30 Months of Life	СРТ	99392	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; early childhood (age one through four years)				
Well-Child Visits in the First 30 Months of Life	ICD10CM	Z00.121	Encounter For Routine Child Health Examination With Abnormal Findings				
Well-Child Visits in the First 30 Months of Life	ICD10CM	Z00.129	Encounter For Routine Child Health Examination Without Abnormal Findings				
Well-Child Visits in the First 30 Months of Life	ICD10CM	Z00.2	Encounter For Examination For Period Of Rapid Growth In Childhood				
Well-Child Visits in the First 30 Months of Life	ICD10CM	Z02.84	Encounter for child welfare exam				
Well-Child Visits in the First 30 Months of Life	ICD10CM	Z76.1*	Encounter For Health Supervision And Care Of Foundling				
Well-Child Visits in the First 30 Months of Life	ICD10CM	Z76.2*	Encounter For Health Supervision And Care Of Other Healthy Infant And Child				

<sup>\*</sup>Code is optional. If code is selected for this measure, code must be billed as the Primary diagnosis on encounter for the encounter to process correctly.

# **✓ Population: All**

#### **Initial Health Appointment (IHA)**

**Methodology:** IEHP-Defined Quality Measure

**Measure Description:** The IHA is a comprehensive assessment that is completed during the Member's initial encounter with a PCP, appropriate medical specialist, or Non-Physician Medical Provider, and it must be documented in the Member's medical record. The IHA enables the Member's PCP to assess and manage the acute, chronic and preventive health needs of the Member.

IEHP provides PCPs with a monthly detailed Member roster on the secure IEHP Provider Portal for all newly enrolled IEHP Members who are due for an IHA:

- ▶ Members 0 18.99 months, IHA must be completed within 60 days of enrollment with IEHP.
- ► Members 19 months and older, IHA must be completed within 120 days of enrollment with IEHP.
- The eligible population is newly assigned Members with an IEHP effective enrollment date of January 1, 2026 through August 31, 2026. The IHA must be provided by the age-appropriate due date.

For example: Member enrolled in August 2026 must be seen by:

- Member 0 18.99 months: October 2026 and PCP must submit encounter by November 2026.
- Member 19 months and older: December 2026 and PCP must submit encounter by January 2027.

NOTE: If the Member is not seen by the age-appropriate due date, please continue efforts to see the Member before 120 days have passed to meet the Department of Health Care Services' (DHCS) requirements.

• IHA visits completed during the 11 months prior to enrollment with IEHP count towards numerator compliance.

An IHA must include all of the following:

- A history of the Member's physical and mental health
- An identification of risks
- An assessment of need for preventive screens or services
- Health education
- The diagnosis and plan for treatment of any diseases

	CODES TO IDENTIFY IHA VISITS:							
Code Type	Code	Description						
СРТ	96160	Administration of patient-focused health risk assessment instrument (e.g., health hazard appraisal) with scoring and documentation, per standardized instrument.						
СРТ	96161	Administration of caregiver-focused health risk assessment instrument (e.g., depression inventory) for the benefit of the patient, with scoring and documentation, per standardized instrument.						
СРТ	99202	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded.						
СРТ	99203	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.						
СРТ	99204	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded.						
СРТ	99205	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.						
СРТ	99211	Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician or other qualified health care professional.						
СРТ	99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 10 minutes must be met or exceeded.						
СРТ	99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.						
СРТ	99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.						
СРТ	99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.						
СРТ	99242	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.						

	CODES TO IDENTIFY IHA VISITS:					
Code Type	Code	Description				
СРТ	99243	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded				
СРТ	99244	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.				
СРТ	99245	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 55 minutes must be met or exceeded.				
СРТ	99354	Prolonged service(s) in the outpatient setting requiring direct patient contact beyond the time of the usual service; first hour (List separately in addition to code for outpatient Evaluation and Management or psychotherapy service, except with office or other outpatient services [99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215])				
СРТ	99355	Prolonged service(s) in the outpatient setting requiring direct patient contact beyond the time of the usual service; each additional 30 minutes (List separately in addition to code for prolonged service)				
СРТ	99381	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/ anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; infant (age younger than 1 year)				
СРТ	99382	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; early childhood (age 1 through 4 years)				
СРТ	99383	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; late childhood (age 5 through 11 years)				
СРТ	99384	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; adolescent (age 12 through 17 years)				
СРТ	99385	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years				
СРТ	99386	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 40-64 years				

	CODES TO IDENTIFY IHA VISITS:					
Code Type	Code	Description				
СРТ	99387	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 65 years and older				
СРТ	99391	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; infant (age younger than 1 year)				
СРТ	99392	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/ anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/ diagnostic procedures, established patient; early childhood (age 1 through 4 years)				
СРТ	99393	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/ anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/ diagnostic procedures, established patient; late childhood (age 5 through 11 years)				
СРТ	99394	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; adolescent (age 12 through 17 years)				
СРТ	99395	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 18-39 years				
СРТ	99396	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 40-64 years				
СРТ	99397	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 65 years and older				
СРТ	99401	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 15 minutes				
СРТ	99402	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 30 minutes				
СРТ	99403	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 45 minutes				
СРТ	99404	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 60 minutes				
СРТ	99411	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately 30 minutes				
СРТ	99412	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately 60 minutes				
СРТ	99429	Unlisted Preven Meds Serv				

CODES TO IDENTIFY IHA VISITS:					
Code Type	Code	Description			
СРТ	99446	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician or other qualified health care professional, including a verbal and written report to the patient's treating/ requesting physician or other qualified health care professional; 5-10 minutes of medical consultative discussion and review			
СРТ	99447	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician or other qualified health care professional, including a verbal and written report to the patient's treating/ requesting physician or other qualified health care professional; 11-20 minutes of medical consultative discussion and review			
СРТ	99448	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician or other qualified health care professional, including a verbal and written report to the patient's treating/ requesting physician or other qualified health care professional; 21-30 minutes of medical consultative discussion and review			
СРТ	99449	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician or other qualified health care professional, including a verbal and written report to the patient's treating/ requesting physician or other qualified health care professional; 31 minutes or more of medical consultative discussion and review			
СРТ	99450	Basic life and/or disability examination that includes: Measurement of height, weight, and blood pressure; Completion of a medical history following a life insurance pro forma; Collection of blood sample and/or urinalysis complying with "chain of custody" protocols; and Completion of necessary documentation/certificates			
СРТ	99455	Work-related or medical disability examination by the treating physician that includes: Completion of a medical history commensurate with the patient's condition; Performance of an examination commensurate with the patient's condition; Formulation of a diagnosis, assessment of capabilities and stability, and calculation of impairment; Development of future medical treatment plan; and Completion of necessary documentation/certificates and report			
СРТ	99456	Work-related or medical disability examination by other than the treating physician that includes: Completion of a medical history commensurate with the patient's condition; Performance of an examination commensurate with the patient's condition; Formulation of a diagnosis, assessment of capabilities and stability, and calculation of impairment; Development of future medical treatment plan; and Completion of necessary documentation/certificates and report			
HCPCS	G0402	Initial preventive physical examination; face-to-face visit, services limited to new beneficiary during the first 12 months of Medicare enrollment			
HCPCS	G0438	Annual wellness visit; includes a personalized prevention plan of service (PPS), initial visit			
HCPCS	G0439	Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit			
HCPCS	G0463	Hospital outpatient clinic visit for assessment and management of a patient			
HCPCS	T1015	Clinic visit/encounter, all-inclusive			

CODES TO IDENTIFY IHA VISITS:						
Code Type Code Description						
ICD10CM	Z00.00	Encounter for general adult medical examination without abnormal findings				
ICD10CM	Z00.01	Encounter for general adult medical examination with abnormal findings				
ICD10CM	Z00.121	Encounter for routine child health examination with abnormal findings				
ICD10CM	Z00.129	Encounter for routine child health examination without abnormal findings				
ICD10CM	Z02.5	Encounter for examination for participation in sport				

#### Potentially Avoidable Emergency Department (ED) Visits (LANE)

**Methodology:** IEHP has developed this measure in accordance with the New York University (NYU) research conducted on classifying emergency department utilization (<a href="https://wagner.nyu.edu/community/faculty">https://wagner.nyu.edu/community/faculty</a>) and the California Department of Healthcare Services (DHCS) methodology for determining Low-acuity non-emergent (LANE) visits.

**Measure Description:** Low-acuity non-emergent (LANE) visits are visits to an emergency department (ED) in which the condition could be treated by a physician or other health care provider in a non-emergency setting or conditions that are potentially preventable or ambulatory care sensitive.

The following steps are used to determine potentially preventable emergency room visits:

Step 1: Identify all Emergency Department (ED) visits that contain potentially preventable diagnosis codes on both the facility and professional claims in the measurement year (2026).

Step 2: The following criteria is assessed to exclude ED visits:

- ED visits that resulted in an inpatient admission or observation stay
- Members under the age of 4 or over the age of 65 on the date of service
- ED visits with evaluation & management codes 99284 and 99285

Step 3: Using the primary diagnosis code on the facility component of the ED visit, preventable percentages are assigned to each ED event to account for external factors that can influence and impact variation in ED use. These "preventable percentages" for each ED visit are summed to create a final "count" of preventable ED visits based on the primary diagnosis code on the facility component of the ED visit. The attached worksheet contains the diagnosis codes and preventable percentages assigned to each code (<a href="https://www.providerservices.iehp.org/en/provider-central/provider-incentive-programs/pay-for-performance-program#potentially-avoidable-emergency-department">https://www.providerservices.iehp.org/en/provider-central/provider-incentive-programs/pay-for-performance-program#potentially-avoidable-emergency-department</a>).

**Denominator:** All assigned Medi-Cal Members each month of the measurement year (2026). All monthly assigned Members are summed to create a denominator. This is also called Member Months.

**Numerator:** The sum of the output from Step 3 noted above for Members assigned to the IPA on the date of service. This is the final count of preventable ED visits.

Rate: (Numerator / Denominator) x 12,000

### Access to Care Needed Right Away (MSS)

**Methodology:** IEHP's Monthly Member Satisfaction Survey (MSS)

*Measure Description:* In the last six months, when you needed care right away, how often did you get care as soon as you needed?

- Valid response: never, sometimes, usually, always
- Target response: usually, always

*Measure Support:* To help identify opportunities to improve customer service, IEHP conducts a monthly Member Satisfaction Survey between June-December annually. Member survey responses are analyzed and shared at the PCP and IPA level.

### **Coordination of Care (MSS)**

**Methodology:** IEHP's Monthly Member Satisfaction Survey (MSS)

*Measure Description:* In the last six months, how often did your Personal Doctor seem informed and up-to-date about the care you received from these Doctors or other health Providers?

- Valid response: never, sometimes, usually, always
- Target response: usually, always

*Measure Support:* To help identify opportunities to improve customer service, IEHP conducts a monthly Member Satisfaction Survey between June-December annually. Member Survey responses are analyzed and shared at the PCP and IPA level.

### **Rating of Access to Routine Care (MSS)**

*Methodology:* IEHP's Monthly Member Satisfaction Survey (MSS)

**Measure Description:** In the last six months, how often did you get an appointment for a check-up or routine care at a Doctor's office or clinic as soon as you needed it?

- Valid response: never, sometimes, usually, always
- Target response: usually, always

*Measure Support:* To help identify opportunities to improve customer service, IEHP conducts a monthly Member Satisfaction Survey between June-December annually. Member Survey responses are analyzed and shared at the IPA level.



# PROCESS MEASURES

### **✓ Process Measures**

Process measures allow IPAs to earn additional dollars based on performance in process metrics. IEHP is committed to reward IPAs who have high performance in quality metrics that assist in providing quality care to IEHP Members.

For the 2026 program year, IPAs can earn an additional PMPM up to \$2.50 for the process measures listed below, for meeting the process measure goals. Please see Appendix 3 below for measure details.



### **APPENDIX 3:** 2026 IPA Global Quality Process Measures

2026 GLOBAL QUALITY IPA PROCESS MEASURE LIST					
Measure Name	Measure Name Goal				
Electronic Medical Record Connections	IPA top five (5) high volume Primary Care Physicians (PCPs) electronic medical record (EMR) systems connected directly to IEHP.	\$0.50			
Quality Improvement Activity #1: Improving Health Outcomes	<ol> <li>Establish a Quality Improvement Activity with a plan to improve health outcomes in one of the following areas:         <ul> <li>Hemoglobin A1c Control</li> <li>Controlling High Blood Pressure</li> <li>Asthma Medication Ratio</li> <li>Well-Child Visits in the First 0-15 Months of Life</li> </ul> </li> <li>Share the Quality Improvement Activity progress/status at Fall 2026 IPA Best Practice Meeting.</li> <li>Share the Quality Improvement Activity outcomes at the Spring 2027 IPA Quality Improvement Activity Symposium.</li> </ol>	\$1.00			
Quality Improvement Activity #2: Potentially Avoidable Emergency Department Visits or Potentially Preventable Admissions	<ol> <li>Establish a Quality Improvement Activity with a plan to reduce inappropriate use of ER and acute care services and share plan with IEHP no later than April 30, 2026.</li> <li>Share the Quality Improvement Activity progress/status at Fall 2026 IPA Best Practice Meeting.</li> <li>Share the Quality Improvement Activity outcomes at the Spring 2027 IPA Quality Improvement Activity Symposium.</li> </ol>	\$1.00			

\*PMPM: Per Member Per Month

# APPENDIX 4: Process Measure Overview

#### **Electronic Medical Record Connections**

**Methodology:** IEHP-Defined Process Measure

*Measure Description:* The count of IPA Primary Care Physicians (PCPs) electronic medical record (EMR) systems connected directly to IEHP.

**Denominator:** Top five (5) high volume PCPs in the IPA's network, with at least 1,000 assigned IEHP Medi-Cal Members, as of June 30, 2026. IPAs should refer to eligibility data provided by IEHP, through the 834 eligibility file, to identify PCPs.

**Numerator:** Established EMR connections with eligible Providers within the denominator. Any EMR that has capability to connect to IEHP will be included.

- Connections will need to be established by December 1, 2026.
- Eligible EMR connections for the 2026 performance year will be identified as Providers who are high volume PCPs in the IPAs network, and are new EMR connections that were not established in the 2025 performance year.

**NOTE:** IEHP must have connection to the Providers EMR system throughout the time period the IPA is receiving the Electronic Medical Record Connections process measure Quality PMPM.

### Quality Improvement Activity #1: Improving Health Outcomes

Methodology: IEHP-Defined Process Measure

**Measure Description:** Inland Empire Health Plan has made health outcomes a central area of focus in its Quality Strategy. The intent is for IPAs to develop a quality improvement activity with an emphasis on driving improvements and their root causes in the following areas:

- Hemoglobin A1c Control
- Controlling High Blood Pressure
- Well-Child Visits in the First 0-15 Months of Life

*Goal:* Engage IPAs in quality improvement work focused on improving health outcomes among their IEHP Medi-Cal Members.

1. Establish a Quality Improvement Activity to improve health outcomes (including calculated baseline rate and targeted goals).

- 2. Share Quality Improvement Activity progress at the Fall 2026 IPA Best Practice Meeting.
- 3. Share outcomes with IEHP by March 31, 2027.
- 4. Share Quality Improvement Activity outcomes at the Spring 2027 IPA Quality Improvement Activity Symposium.

**NOTE:** IPA must attend and present at both the GQ P4P IPA Best Practices Symposium and the GQ P4P IPA QIA Outcomes Symposium in order to qualify for the QIA PMPM incentive.

# Quality Improvement Activity #2: Potentially Avoidable ED Visits or Potentially Preventable Admissions

Methodology: IEHP-Defined Process Measure

**Measure Description:** As part of its rate development process, the Department of Health Care Services (DHCS) penalizes health plans that have a high rate of avoidable emergency room visits or potentially preventable admissions. The intent for this process measure is for IPAs to develop a quality improvement activity aimed at reducing avoidable emergency room visits or potentially preventable admissions among Members with diabetes or heart failure.

*Goal:* Engage IPAs in quality improvement work focused on reducing avoidable emergency room visits or potentially preventable admissions among their IEHP Medi-Cal Members with diabetes or heart failure.

- 1. Establish an improved quality improvement project (a continuation of the 2025 Quality Improvement Reducing Potentially Avoidable ED Visits or Potentially Preventable Admissions Activity) to reduce avoidable emergency room visits or potentially preventable admissions and calculate baseline rates. Share project details with IEHP.
  - By April 30, 2026
- 2. Share Quality Improvement Activity progress at the Fall 2026 IPA Best Practice Meeting.
- 3. Share outcomes with IEHP by March 31, 2027.
- 4. Share Quality Improvement Activity outcomes at the Spring 2027 IPA Quality Improvement Activity Symposium.

**NOTE:** IPA must attend and present at both the GQ P4P IPA Best Practices Symposium and the GQ P4P IPA QIA Outcomes Symposium in order to qualify for the QIA PMPM incentive.



# PENALTY MEASURES

### ✓ Penalty Measures

Provider payment models have been evolving away from traditional fee-for-service and moving toward payments for quality and value. Frameworks supporting alternative payment models have been developed by the Centers for Medicare and Medicaid Services (CMS) and the Department of Healthcare Services (DHCS). IEHP is committed to investing in alternative payment models that pay for quality and provide value. In the spirit of evolving our alternative payment models, IEHP includes "risk" as a component in the Global Quality P4P Program. This movement will focus on measures that:

- Are within a Provider's scope of care and influence
- Are within a Provider's control and influence
- Bring value to the organization

IEHP will be including three penalty measures in the Global Quality P4P Program for 2026:

- Customer Service Grievance
- Medi-Cal Managed Care Accountability Set (MCAS) Performance
- PCP Encounter Data Rate

Penalty measures represent processes within the PCP practice that are within the control of the Provider. These measures will be structured in a way that a Provider's performance will be compared to a pre-determined target for the measurement period. Provider performance that meets or exceeds the target will result in no penalty or "risk." Alternatively, Provider performance that falls below the established target will result in a financial penalty. The financial penalty will be taken from the Provider's incentive earnings for the same measurement period. Financial penalties will not exceed the value of the incentive earnings within the measurement period.

Financial penalties for the 2026 program year will be capped at no more than \$1.00 PMPM.

Please see Appendix 5 for penalty details.

# APPENDIX 5: 2026 IPA Global Quality P4P Program Penalty Measures

2026 GQ P4P IPA PENALTY MEASURE LIST							
Measure Name	Population	Goal	Penalty Amount				
Customer Service Grievance	All	≤3.0	\$0.25				
Medi-Cal Managed Care Accountability Set (MCAS) Performance	All	≥75%	\$0.50				
PCP Encounter Data Rate - Non-SPD*	All	2.5	¢0.25				
PCP Encounter Data Rate - SPD*	All	3	\$0.25				

<sup>\*</sup>SPD: Seniors and Persons with Disabilities; Non-SPD: Non-Seniors and Persons with Disabilities

# APPENDIX 6: Penalty Measures Overview

#### **Customer Service Grievance**

Methodology: IEHP – Defined Risk Measure

**Measure Description:** IEHP strives to improve and maintain customer satisfaction for IEHP Members as defined in the IEHP Member Handbook under Member's Rights and Responsibilities: "Be treated with respect, fairness, and courtesy. IEHP recognizes your dignity and right to privacy" (Ma\_22A). This measure will assess the rate of IEHPs Member dissatisfaction with their assigned Primary Care Provider (PCP) office in the measurement year (2026). The following criteria will define the Member's dissatisfaction:

*Member Dissatisfaction:* Member is not happy with the service received from their assigned PCP, and/or the office staff, that is not related to dissatisfaction regarding the quality of care/medical treatment received. This includes, but is not limited to:

- Tone and manner that information is presented to the Member by the assigned PCP office staff.
- Negative verbal interactions between a Member and the assigned IEHP PCP and/or office staff.

**Denominator:** Total Membership in the measurement year (2026).

**Numerator:** Count of customer service grievances in the measurement year (2026) against the PCP and/or PCP office staff.

**Exclusion Criteria:** Reference to dirty carpet, color of the walls, office décor and/or anything not related to Provider/office staff and Member interaction.

*Goal:* Customer service grievance rate of  $\leq$  3.0 PTMPY

### Medi-Cal Managed Care Accountability Set (MCAS) Performance

Methodology: IEHP-Defined Risk Measure

*Measure Description:* Percentage of Medi-Cal Managed Care Accountability Set (MCAS) measures that meet the minimum performance level (MPL) for the measurement year (2026).

**Denominator:** Total qualifying MCAS MPL measures.

- Provider must have at least three (3) scorable MCAS MPL measures.

- Anchor Date: December 31, 2026

**Numerator:** The count of MCAS measures that reach the MPL performance.

*Goal:* Provider must meet the MPL for at least 75% of the qualifying measures.

**Measure Support:** The purpose of the Medi-Cal Managed Care Accountability Set (MCAS) Performance measure is to ensure IEHPs performance is aligned with Medi-Cal Managed Care Accountability Set (MCAS) performance goals established by the Department of Health Care Services (DHCS). MCAS is a set of performance measures that DHCS has chosen to be reported by Medi-Cal Managed Care Health Plans (MCPs). Achieving the minimum performance level (MPL), at the 50th percentile, or more, will assist in IEHPs commitment to ensuring IEHP Members achieve optimal care and vibrant health.

2026 MEDI-CA	S) MEASURES	
Domain	Measure Name	Minimum Performance Level
Clinical Quality	Breast Cancer Screening	53%
Clinical Quality	Cervical Cancer Screening	57%
Clinical Quality	Child and Adolescent Well-Care Visits	52%
Clinical Quality	Childhood Immunizations - Combo 10	27%
Clinical Quality	Chlamydia Screening	56%
Clinical Quality	Controlling High Blood Pressure	64%
Clinical Quality	Developmental Screening in the First Three Years of Life	36%
Clinical Quality	Glycemic Status Assessment for Patients with Diabetes (<8.0%)	57%
Clinical Quality	Immunizations for Adolescents - Combo 2	34%
Clinical Quality	Lead Screening for Children	64%
Clinical Quality	Postpartum Care	80%
Clinical Quality	Timeliness of Prenatal Care	85%
Clinical Quality	Well-Child Visits First 15 Months of Life	60%
Clinical Quality	Well-Child Visits First 30 Months of Life	69%

The MPL benchmarks will change in October 2026 when the final MPLs are released by DHCS for MY 2026.

#### **PCP Encounter Data Rate**

**Methodology:** IEHP-Defined Risk Measure

*Measure Description:* Percentage of complete, timely and accurate encounter data submitted through standard reporting channels for all PCP services rendered to IEHP Members in the measurement year (2026).

**Denominator:** All assigned Medi-Cal Members each month of the measurement year (2026). All monthly assigned Members are summed to create the denominator.

**Numerator:** The sum of all unique PCP encounter (e.g., unique Member, Provider, date of service) in the measurement year (2026) for all assigned Members in the denominator.

**Rate:** A Per Member Per Year (PMPY) rate is calculated following this formula: (Total unique PCP Encounters/Total Member Months) x 12= PMPY

*Measure Support:* The purpose of the IEHP PCP Encounter Data Rate measure is to ensure IEHP receives adequate PCP encounter data from IEHP-Contracted Medi-Cal Providers. Encounter data is important to performance scoring and is essential to the success of the GQ P4P Program.



### **APPENDIX 7:** Historical Data Form

#### HISTORICAL DATA FORM

Cover sheet MUST be accompanied with the <u>supporting medical record documentation</u>.

Measure Category	Test Type			
Breast Cancer Screening	<ul><li>☐ Mammogram</li><li>☐ History of Mastectomy</li></ul>			
Cervical Cancer Screening	<ul> <li>□ PAP or HPV Testing</li> <li>□ History of Total/Complete Hysterectomy [NO residual cervix]</li> </ul>			
Depression Screening for Adolescents and Adults	<ul><li>□ Depression Screening</li><li>□ Depression Screening Result</li></ul>			
Diabetes Care	<ul> <li>☐ HbA1c Results (in-office Point of Care Testing)</li> <li>☐ Dilated Retinal Exam with Results</li> </ul>			
Wellness Visits	<ul> <li>□ Well Child Visits in the First 15 Months of Life</li> <li>□ Well Child Visits 3-21 Years of Age</li> <li>□ Weight Assessment and Counseling for Nutritional and Physical Activity</li> <li>□ Initial Health Appointment</li> <li>□ Immunizations Note: Immunizations submitted through the CAIR2 website (https://cair.cdph.ca.gov) do not require a Historical Data Form Submission</li> </ul>			
Colorectal Cancer Screening	<ul><li>□ Colonoscopy</li><li>□ History of Colon Cancer</li></ul>			
Chlamydia Screening	☐ Test for Chlamydia			
Prenatal Care	☐ Prenatal Care Visit in the First Trimester			
Only measures listed above can be pr	ocessed via Historical Data Form medical record submission			
Member Information				
Member Name:				
	DOB:			
Provider Information				
Provider Name:				
IEHP Provider #:	Address:			
	State: Zip:			
Provider Phone #:	Provider Fax #:			

PLEASE FAX TO: (909) 477-8568
Attn: Inland Empire Health Plan - Quality Informatics [HEDIS] Department

**NOTE:** All Historical Data submissions for the 2026 performance year must be submitted to IEHP no later than December 31, 2026. The Historical Form should be utilized for the submission of visits, procedures, or services that cannot be submitted via claims or encounters (e.g., services received prior to IEHP Membership, historical surgical procedures, etc.).



Always

# APPENDIX 8: Member Satisfaction Survey (Adult)



### **IEHP 2026 MEDI-CAL ADULT MEMBER SATISFACTION SURVEY**

<b>*</b>	JRVEY INSTRUCTIONS  Answer each question by marking the box to the left of your answer.	5.	In the last 6 months, how often did your personal doctor spend enough time with you?
•	You are sometimes told to skip over some questions in this survey. When this happens you will see an arrow with a note that tells you what question to answer next, like this:  ☐ Yes → If Yes, Go to Question 1 ☐ No		<ul><li>Never</li><li>Sometimes</li><li>Usually</li><li>Always</li></ul>
			In the last 6 months, how often did you and your personal doctor talk about all the prescribed medicines you take?
Y	OUR PERSONAL DOCTOR		☐ Never
1.	A personal doctor is the one you would see if you need a check-up, want advice about a health problem, or get sick or hurt. Do you have a personal doctor?		<ul><li>☐ Sometimes</li><li>☐ Usually</li><li>☐ Always</li></ul>
	☐ Yes ☐ No → If No, Go to Question 12	7.	In the last 6 months, did your doctor order a blood test, x-ray or other test for you?
2.	In the last 6 months, how often did your personal doctor explain things in a way		<ul><li>☐ Yes</li><li>☐ No → If No, Go to Question 9</li></ul>
	that was easy to understand?  Never Sometimes Usually	8.	In the last 6 months, when your doctor ordered a blood test, x-ray or other test for you, how often did someone from your doctor's office give you those results?  Never
3.	☐ Always In the last 6 months, how often did your personal doctor listen carefully to you?		Sometimes Usually
	<ul><li>Never</li><li>Sometimes</li><li>Usually</li><li>Always</li></ul>		☐ Always
4.	In the last 6 months, how often did your personal doctor show respect for what you had to say?		
	<ul><li> □ Never</li><li> □ Sometimes</li><li> □ Usually</li></ul>		

# APPENDIX 8: Member Satisfaction Survey (Adult)

9. Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible,	13. In the last 6 months, how often did you get an appointment with a specialist as soon as you needed?				
what number would you use to rate your "personal doctor"?	☐ Never				
Worst personal Best personal doctor possible doctor possible 0 1 2 3 4 5 6 7 8 9 10	☐ Sometimes ☐ Usually ☐ Always				
	14. We want to know your rating of the specialist you talked to most often in the				
CLERKS AND RECEPTIONISTS AT YOUR PERSONAL DOCTOR'S OFFICE  10. In the last 6 months, how often were clerks and receptionists at your personal	last 6 months. Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?				
doctor's office as helpful as you thought they should be?	Worst specialist Best specialist possible possible				
<ul><li> □ Never</li><li> □ Sometimes</li><li> □ Usually</li></ul>	0 1 2 3 4 5 6 7 8 9 10				
☐ Always	YOUR ACCESS TO CARE IN THE LAST 6 MONTHS				
11. In the last 6 months, how often did clerks and receptionists at your personal doctor's office treat you with courtesy and respect?	These questions ask about your own health care. Do not include care you got when you stayed overnight in a hospital. Do not include the times you went for				
☐ Never	dental care visits.				
<ul><li>☐ Sometimes</li><li>☐ Usually</li><li>☐ Always</li></ul>	15. In the last 6 months, did you have an illness, injury, or condition that <u>needed</u> care right away in a clinic, emergency room, or doctor's office?				
GETTING HEALTH CARE FROM SPECIALISTS	<ul><li>☐ Yes</li><li>☐ No → If No, Go to Question 17</li></ul>				
When you answer the next questions, include the care you got in person, by phone, or by video. Do not include dental visits or care you got when you stayed overnight in a hospital.	16. In the last 6 months, when you <u>needed</u> <u>care right away</u> , how often did you get care as soon as you needed?				
12. Specialists are doctors like surgeons, heart doctors, allergy doctors, skin doctors, and other doctors who specialize in one area of health care.	<ul><li></li></ul>				
In the last 6 months, did you make any appointments with a specialist?	17. In the last 6 months, did you make any appointments for a check-up or routine				
☐ No → If No, Go to Question 15	care at a doctor's office or clinic?  ☐ Yes ☐ No → If No, Go to Question 19				

18. In the last 6 months, how often did you get an appointment for a <u>check-up or routine</u> <u>care</u> at a doctor's office or clinic as soon	24. In the last 6 months, how often was it easy to get the care, tests, or treatment you needed?			
as you needed?  Never Sometimes Usually Always	<ul><li>Never</li><li>Sometimes</li><li>Usually</li><li>Always</li></ul>			
19. In the last 6 months, did you need care after normal office hours?  ☐ Yes ☐ No→ If No, Go to Question 22	25. Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your health care in the last 6 months?			
20. In the last 6 months, how often was it easy to get the after-hours care you thought you needed?	Worst health Best health care possible care possible  0 1 2 3 4 5 6 7 8 9 10			
<ul><li>□ Never</li><li>□ Sometimes</li><li>□ Usually</li><li>□ Always</li></ul>	YOUR HEALTH PLAN: INLAND EMPIRE HEALTH PLAN (IEHP) The next questions ask about your experience with			
<ul><li>21. In the last 6 months, when you needed after-hours care, what did you do?</li><li>Called IEHP Nurse Advice Line</li></ul>	your health plan.  26. In the last 6 months, did you get information or help from IEHP's			
☐ Called my personal doctor's office ☐ Went to the Urgent Care ☐ Went to the Emergency Room	customer service?  ☐ Yes ☐ No → If No, Go to Question 29			
<ul><li>☐ Did not get care</li><li>☐ Other</li><li>22. In the last 6 months, did you get care from</li></ul>	27. In the last 6 months, how often did IEHP's customer service give you the information or help you needed?			
a doctor or other health provider besides your personal doctor?  ☐ Yes ☐ No→ If No, Go to Question 24	☐ Never ☐ Sometimes ☐ Usually ☐ Always			
23. In the last 6 months, how often did your personal doctor seem informed and up-to-date about the care you got from these doctors or other health providers?	28. In the last 6 months, how often did IEHP's customer service staff treat you with courtesy and respect?			
□ Never □ Sometimes □ Usually □ Always	<ul><li>Never</li><li>Sometimes</li><li>Usually</li><li>Always</li></ul>			



### **APPENDIX 8:** Member Satisfaction Survey (Adult)

29. Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your health plan?

Worst health plan possible					ŗ		st he			
							7			
Ш	Ш	Ш	Ш	Ш	Ш	Ш		Ш	Ш	Ш

Thank you for participating in our survey!
Please mail the survey back in the
enclosed postage-paid, self-addressed
reply envelope or send to:
Press Ganey • P.O. Box 7313
South Bend, IN 46699-0457

If you have any questions, please call Medi-Cal Member Services: 1-800-440-IEHP (4347).



# APPENDIX 8: Member Satisfaction Survey (Child)



### IEHP 2026 MEDI-CAL CHILD MEMBER SATISFACTION SURVEY

◆ Answer each quest the left of your ans	tion by marking the box to	4.	In the last 6 months, how often of CHILD's personal doctor show rewhat you had to say?	
◆ You are sometimes questions in this su you will see an arrowhat question to an ☐ Yes → If Yes ☐ No	s told to skip over some arvey. When this happens bw with a note that tells you aswer next, like this: es, Go to Question 1	5.	<ul> <li>Never</li> <li>Sometimes</li> <li>Usually</li> <li>Always</li> <li>In the last 6 months, how often of CHILD's personal doctor spend time with your CHILD?</li> </ul>	
on the envelope. Please other children.	etions for the CHILD listed e do not answer for any		<ul><li> □ Never</li><li> □ Sometimes</li><li> □ Usually</li><li> □ Always</li></ul>	
would see if he o	or is the one your CHILD or she needs a check-up, olem or gets sick or hurt. O have a personal doctor?	6.	In the last 6 months, did your Ch personal doctor order a blood te or other test for your CHILD?	
Yes	, Go to Question 11	7.	☐ Yes ☐ No → If No, Go to Question	
CHILD's persona	ths, how often did your Il doctor explain things D's health in a way that erstand?	7.	In the last 6 months, when your personal doctor ordered a blood x-ray or other test for your CHIL often did someone from your CH doctor's office give you those re	l test, D, how IILD's
<ul><li>  Never</li><li>  Sometimes</li><li>  Usually</li><li>  Always</li></ul>			<ul><li> □ Never</li><li> □ Sometimes</li><li> □ Usually</li><li> □ Always</li></ul>	
	ths, how often did your Il doctor listen carefully	8.	Using any number from 0 to 10, the worst personal doctor possi 10 is the best personal doctor po	ble and ossible,
<ul><li>☐ Never</li><li>☐ Sometimes</li></ul>			what number would you use to r CHILD's personal doctor?	ate your
☐ Usually ☐ Always			doctor possible doc	est personal tor possible 8 9 10



# **APPENDIX 8:** Member Satisfaction Survey (Child)

13. We want to know your rating of the

specialist your CHILD talked to most often

#### CLERKS AND RECEPTIONISTS AT YOUR CHILD'S PERSONAL DOCTOR'S OFFICE

DO	OCTOR'S OFFICE		in the last 6 months. Using any number
9.	In the last 6 months, how often were clerks and receptionists at your CHILD's personal doctor's office as helpful as you thought they should be?		from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?
	<ul><li>Never</li><li>Sometimes</li><li>Usually</li><li>Always</li></ul>		Worst specialist possible possible  0 1 2 3 4 5 6 7 8 9 10  \[ \begin{array}{c ccccccccccccccccccccccccccccccccccc
10.	In the last 6 months, how often did clerks and receptionists at your CHILD's personal doctor's office treat you with courtesy and respect?	L/s Thes	OUR CHILD'S HEALTH CARE IN THE AST 6 MONTHS se questions ask about your CHILD's health . Do not include care your CHILD got when he
	<ul><li>☐ Never</li><li>☐ Sometimes</li></ul>	or sh	ne stayed overnight in a hospital. Do <u>not</u> include imes your CHILD went for dental care visits.
GE	☐ Usually ☐ Always  TTING HEALTH CARE	14.	In the last 6 months, did your CHILD have an illness, injury, or condition that <u>needed</u> <u>care right away</u> in a clinic, emergency room, or doctor's office?
	ROM SPECIALISTS		Yes
care video CHIL	n you answer the next questions, include the your CHILD got in person, by phone, or by c. Do <u>not</u> include dental visits or care your LD got when he or she stayed overnight in spital.	15.	No → If No, Go to Question 16 In the last 6 months, when your CHILD needed care right away, how often did your CHILD get care as soon as he or she needed?
11.	Specialists are doctors like surgeons, heart doctors, allergy doctors, skin doctors, and other doctors who specialize in one area of health care. In the last 6 months, did you make any appointments for your CHILD with a specialist?		Never Sometimes Usually Always
	☐ Yes ☐ No → If No, Go to Question 14	16.	In the last 6 months, did you make any appointments for a <u>check-up or routine</u> <u>care</u> for your CHILD at a doctor's office
12.	In the last 6 months, how often did you get appointments for your CHILD with a specialist as soon as he or she needed?		or clinic?  ☐ Yes ☐ No → If No, Go to Question 18
	<ul><li>Never</li><li>Sometimes</li><li>Usually</li><li>Always</li></ul>		

17. In the last 6 months, when you made an appointment for a <u>check-up or routine</u> <u>care</u> for your CHILD at a doctor's	23. In the last 6 months, how often was it easy to get the care, tests, or treatment your CHILD needed?
office or clinic, how often did you get an appointment as soon as your CHILD needed?	☐ Never ☐ Sometimes
☐ Never ☐ Sometimes	☐ Usually ☐ Always
Usually Always  18. In the last 6 months, did your CHILD need	24. Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your
care after normal office hours?	CHILD's health care in the last 6 months?
<ul><li>☐ Yes</li><li>☐ No → If No, Go to Question 21</li></ul>	Worst health Best health care possible care possible
19. In the last 6 months, how often was it easy to get the after-hours care you thought your CHILD needed?	0 1 2 3 4 5 6 7 8 9 10
☐ Never	YOUR CHILD'S HEALTH PLAN
<ul><li>☐ Sometimes</li><li>☐ Usually</li></ul>	The next questions ask about your experience with your CHILD's health plan.
Always	25. In the last 6 months, did you get information or help from customer service
20. In the last 6 months, when your CHILD needed after-hours care, what did you do?	at your CHILD's health plan (IEHP)?
☐ Called IEHP Nurse Advice Line☐ Called my CHILD's personal	<ul><li>☐ Yes</li><li>☐ No → If No, Go to Question 28</li></ul>
doctor's office  Went to the Urgent Care  Went to the Emergency Room	26. In the last 6 months, how often did customer service at your CHILD's health plan (IEHP) give you the information or help you needed?
<ul><li>☐ Did not get care</li><li>☐ Other</li></ul>	☐ Never
21. In the last 6 months, did your CHILD take any prescribed medicine?	<ul><li>☐ Sometimes</li><li>☐ Usually</li><li>☐ Always</li></ul>
<ul><li>☐ Yes</li><li>☐ No → If No, Go to Question 23</li></ul>	27. In the last 6 months, how often did customer service staff at your CHILD's
22. In the last 6 months, how often was it easy to get your CHILD's	health plan (IEHP) treat you with courtesy and respect?
prescribed medicine?	☐ Never ☐ Sometimes
☐ Sometimes	Usually
☐ Usually ☐ Always	Always



## **APPENDIX 8:** Member Satisfaction Survey (Child)

28. Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your CHILD's health plan (IEHP)?

Worst health plan possible			ŗ	Be: olan	st he			
			 		 7			

Thank you for participating in our survey!
Please mail the survey back in the
enclosed postage-paid, self-addressed
reply envelope or send to:
Press Ganey • P.O. Box 7313
South Bend, IN 46699-0457

If you have any questions, please call IEHP Covered Member Services: 1-855-433-IEHP (4347).



# APPENDIX 9: 2026 IPA Global Quality P4P IPA Work Plan

### 2026 IPA Quality Work Plan

Organizational Leadership: Key Leadership Support for Clinical Quality Improvement				
Item Number	Quality Program Elements			
1	Which positions are responsible for the implementation and outcomes of the quality program? (Include names, titles, and departments of those responsible.)			
2	Which Committee(s) review and approve quality program implementation, outcomes, interventions, and evaluations?			
3	Describe how the position(s) and Committee(s) play a role in your organization's Quality program.			
4	Describe the process to monitor and oversee quality programs.			

Priority Measures: Clinical Quality Domain: Quality Improvement Activities		
Item Number	Quality Program Elements	
5	Identify the Organization's clinical quality priority measures for 2026.	

Behavioral Health Domain: Quality Improvement Activities		
Item Number	Quality Program Elements	
6	Identify the Organization's behavioral health priority measures for 2026.	

Access Domain: Quality Improvement Activities			
Item Number	Quality Program Elements		
7	Potentially Avoidable Emergency Department (ED) Visits		

Patient Experience Domain: Quality Improvement Activities				
Item Number	Quality Program Elements			
	Coordination of Care			
8	Access to Routine Care			
	Access to Care Needed Right Away			
	Office Staff and Physician education programs to improve patient experience			
9	Office Staff and Physician recognition programs to reward offices that are high performing			
	in the area of patient experience			

	IPA Process Measure Domain
Item Number	Quality Program Elements
10	<ul> <li>Quality Improvement Activity #1: Improving Health Outcomes</li> <li>Hemoglobin A1c Control</li> <li>Controlling High Blood Pressure</li> <li>Well-Child Visits in the First 0-15 Months of Life</li> </ul>
11	Quality Improvement Activity #2: Potentially Avoidable ED Visits or Potentially Preventable Admissions  Reducing Potentially Avoidable ED Visits Reducing Potentially Preventable Admissions
12	Electronic Medical Record Connections

Medi-Cal Managed Care Accountability Set (MCAS) Focus				
Item Number	Quality Program Elements			
13	Please share any specific efforts towards any Medi-Cal Managed Care Accountability Set (MCAS) Performance measures.			

Provider & Member Engagement Domain				
Item Number	Quality Program Elements			
14	Office and Practitioner Programs: Provider education programs and/or sharing of Quality Improvement and Best Practices between Providers			
	Office Staff/Practitioner Recognition Programs for High Performance			

Data Quality Domain				
Item Number	Quality Program Elements			
	PCP Encounter Data performance rates and validation for GQP4P measures:			
15	• SPD			
	Non-SPD			
16	Monthly Submissions and Tracking of Capitated Provider-Level Encounters (error rates, PMPY benchmarks, chart audits, data completeness (capitated vendor), etc.:  • Encounter Validation Report (EVR)			
	PCP Level Reports			
	Capitated Vendors			
17	Leveraging health plan data:  • Care Gap Rosters			
18	Provider Support:  • Submitting into CAIR2 system  • Responding to grievance inquiries  • Connecting to Manifest MedEx			
19	Supplemental Data Submission to IEHP (if applicable):  Collaboration with IEHP  IPA Contact  Timeline for Submissions  Submission of Complete Lab Results Data  IEHP Supplemental Data Template			



### **APPENDIX 10:** Supplemental Claim File Data Dictionary

The Claim file contains claims for medical services. It may also contain lab services that do not have an associated result, pharmaceuticals administered in the practitioners office (usually documented by J codes in the CPT Field), and medical encounter data. The Claim file should contain one record per unique claim line and include at least one code (ICD, HCPCS, CPT, CVX).

SUPPLEMENTAL CLAIM FILE DATA DICTIONARY			
Field Name	Data Type	File Order	Notes
Measure_ Submeasure	Text (80)	1	HEDIS Measure or Submeasure intended to be impacted (required field)
MemberKey	Text (14)	2	IEHP Member ID (required field)
MemberFirstName	Text (50)	5	Member First Name (required field)
MemberLastName	Text (50)	6	Member Last Name (required field)
Member DOB	Date	7	The member Date of Birth in MM/DD/YYYY format (required field)
ProviderKey	Text (25)	8	The rendering provider's NPI (required field)
ClaimNumber	Text (80)	9	Used to identify the claim source for Primary Source Verification
DOS	Date	10	The beginning Date of Service for the claim in MM/DD/YYYY format (required field)
DOSThru	Date	11	The ending Date of Service for the claim in MM/DD/YYYY format
RxProviderFlag	Bit	12	Indicates that the rendering Provider has prescribing privileges for the MCO patients. Valid values are 0 (no), or 1 (yes)
CVX	Text (3)	12	A standard CVX code denoting a vaccination.
ICD10DxPri	Text (7)	13	
ICD10DxSec1	Text (7)	14	
ICD10DxSec2	Text (7)	15	ICD-10 diagnosis codes should contain all available alphanumeric
ICD10DxSec3	Text (7)	16	code. Do not include the decimal. For example, V39.00XS should
ICD10DxSec4	Text (7)	17	be coded as V3900XS
ICD10DxSec5	Text (7)	18	
ICD10DxSec6	Text (7)	19	
ICD10DxSec7	Text (7)	20	
ICD10DxSec8	Text (7)	21	ICD-10 diagnosis codes should contain all available alphanumeric
ICD10DxSec9	Text (7)	22	code. Do not include the decimal. For example, V39.00XS should be coded as V3900XS
ICD10DxSec10	Text (7)	23	be coded as v 3700110
PCPFlag	Bit	24	Indicator for whether the claim provider serves as a PCP for the health plan. Refers to the provider's contractual relationship to the plan, rather than medical specialty. Valid values are 0 (no), or 1 (yes) (required field)
HCFAPOS	Text (2)	25	
HCPCSPx	Text (5)	28	

SUPPLEMENTAL CLAIM FILE DATA DICTIONARY			
Field Name	Data Type	File Order	Notes
HCPCSMOD	Text (2)	29	
СРТРх	Text (5)	30	Level II CPT Codes are supported by HEDIS and should be placed in the same field as other CPT procedure codes
CPTMOD	Text (2)	31	
ICD9Px1	Text (4)	32	
ICD9Px2	Text (4)	33	
ICD9Px3	Text (4)	34	ICD-9 procedure codes should contain all available digits (including all preceding zeros). Do not include the period that
ICD9Px4	Text (4)	35	follows the third digit.
ICD9Px5	Text (4)	36	
ICD9Px6	Text (4)	37	With the introduction of ICD-10 code set, IEHP will continue to
ICD9Px7	Text (4)	38	support the ICD-9 code set as there are historical claims that rely
ICD9Px8	Text (4)	39	on these codes (for HEDIS we recommend 3-4 years of historical claims data) in order to accurately calculate HEDIS rates.
ICD9Px9	Text (4)	40	claims data) in order to accurately calculate TEDIS fates.
ICD9Px10	Text (4)	41	
ICD10Px1	Text (7)	42	
ICD10Px2	Text (7)	43	
ICD10Px3	Text (7)	44	
ICD10Px4	Text (7)	45	
ICD10Px5	Text (7)	46	ICD-10 procedure codes should contain all available alphanumeric
ICD10Px6	Text (7)	47	code. Do not include the decimal. For example, V39.00XS should be coded as V3900XS
ICD10Px7	Text (7)	48	be coded as 13700110
ICD10Px8	Text (7)	49	
ICD10Px9	Text (7)	50	
ICD10Px10	Text (7)	51	
ProviderType	Text (4)	52	Use values in ProviderType column in the Provider Type Crosswalk Tab
POS	Text (2)	53	Place of Service. Also automatically built using a cross-reference. Valid values are: BC (Birthing Center), DN (Day/Night Hospitalization), ER (Emergency Room), IA (Inpatient Acute), IN (Inpatient Non-Acute), LA (Laboratory), OA (Outpatient/ Ambulatory), OC (Office/Clinic), OT (Other), RM (Mail Order Prescription Drugs), RR (Retail Pharmacy) (required field)
SubmitterName	Text (80)	54	Name of IPA or Provider Group. Required if submitting on behalf of more than one health center or provider group. Can be left blank if only a single submitter.

### **Supplemental Lab Claim File Data Dictionary**

The LabClaim file contains claims for laboratory services and allows lab results to be stored. The LabClaim file should contain one record per unique lab service claim and include at least one code (LOINC, HCPCS, CPT, SNOMED).

S	SUPPLEMENTAL LAB CLAIM FILE DATA DICTIONARY				
Field Name	Data Type	File Order	Notes		
Measure_ Submeasure	Text (80)	1	HEDIS Measure or Submeasure intended to be impacted (required field)		
MemberKey	Text (30)	2	IEHP Member ID (required field)		
MemberFirstName	Text(50)	5	Member First Name (required field)		
MemberLastName	Text (50)	6	Member Last Name (required field)		
ProviderKey	Text (25)	3	The rendering provider's NPI (required field)		
Member DOB	Date	7	The member Date of Birth in MM/DD/YYYY format (required field)		
ClaimNumber	Text (80)	5	Used to identify the claim source for Primary Source Verification		
DOS	Date	6	The Date of Service for the claim in MM/DD/YYYY format (required field)		
СРТРх	Text (5)	7	Level II CPT Codes are supported by HEDIS and should be placed in the same field as other CPT procedure codes		
LOINC	Text (7)	8	LOINC codes must contain the dash character that precedes the final digit		
HCPCSPx	Text (5)	9	Used for medical services, that comes in through lab		
HCPCSMod	Text (2)	10	claims. Only one HCPCS code per claim line is allowed. If the claim contains multiple HCPCS codes, load them as separate claims		
SNOMED	Text (25)	11	Systematized nomenclature of medicine		
Result	Decimal(28,10)	12	Used to document numeric lab results		
PosNegResult	Bit	13	Used to document positive/negative lab results. Valid values are 0 (negative), or 1 (positive)		
SubmitterName	Text (80)	14	Name of IPA or Provider Group. Required if submitting on behalf of more than one health center or provider group. Can be left blank if only a single submitter.		



## **APPENDIX 11:** Provider Quality Resource

This Provider Quality Resource is designed for IEHP Providers and their staff to assist in delivering high quality health care to their members. The goal is to provide IEHP Providers and their practice staff with various online resources that will help enhance their quality care in the following focus areas: Adult Preventive Health, Behavioral Health, Cardiovascular Disease Management, Child Preventive Health, Diabetes Management, Adult Immunizations, Pediatric Immunizations, Patient Experience, Perinatal Care, and Social Needs.

Our goal is to provide IEHP Providers and their practice staff with a comprehensive resource for enhancing quality in the discussed healthcare topics. Collaboration between IEHP and Providers has the potential to boost IEHP's quality rating, maximizing available funds for Provider incentive programs.

To request materials for your practice, please contact the IEHP Provider Call Center at (909) 890-2054, (866) 223-4347 or email *ProviderServices@iehp.org*.

We are dedicated to supporting our Providers and working together to improve the quality of care for our community. Together, we can "heal and inspire the human spirit." Thank you for all you do to provide quality health care to IEHP Members.

	PROVIDER QUALITY RESOURCE:				
Focus Area	Type	Resource*	Description		
Adult Immunizations	Member	Adult Immunization Brochure	Brochure educating on vaccines recommended for adults, their importance, and how they work.		
Adult Immunizations	Provider	Recommended Immunization Schedule	CDC Adult Immunization Schedule.		
Adult Immunizations	Provider	Vaccine Hesitancy Among Pregnant People	Center for Disease Control and Prevention report on common themes impact vaccine confidence and ways to address/improve vaccine confidence in pregnant people.		
Adult Immunizations and Pediatric Immunizations	Member	Vaccine Information Statements (VISs)	CDC Vaccine Information Statements (VIS's) for current recommended vaccines available for children, adolescents and adults.		
Adult Immunizations and Pediatric Immunizations	Member	Should you get the flu shot?	Shared decision-making guide to help Members choose whether or not to receive a flu vaccine.		

		PROVIDER QUALITY RI	ESOURCE:
Focus Area	Type	Resource*	Description
Adult Immunizations and Pediatric Immunizations	Provider	CAIR2 Resource Guide	FAQs for IEHP Providers regarding CAIR2 information such as account set-up, troubleshooting, functionality, contacts, and more.
Adult Immunizations and Pediatric Immunizations	Provider	Vaccinate with Confidence	Centers for Disease Control and Prevention strategic framework to strengthen vaccine confidence and prevent outbreaks in the United States.
Adult Preventive Health	Member	Interactive Self-Management Tools	Online interactive modules on various health topics such as Healthy Weight, Healthy Eating, and Physical Activity available on the IEHP Member Portal.
Adult Preventive Health	Member	Healthy Living My Best Self	An educational guide for Members on getting to and maintaining a healthy weight.
Adult Preventive Health	Member	BMI Calculator	Centers for Disease Control and Prevention (CDC) Body Mass Index Calculator.
Adult Preventive Health	Member	Cancer Screening Resources	IEHP Cancer Screening information and resources.
Adult Preventive Health	Member	Community Wellness Centers	Community Wellness Centers are places where you can take free exercise classes and/ or health workshops.
Adult Preventive Health	Member	RadNet Online Appointments (myradiologyconnectportal.com)	Online scheduling service to schedule a mammogram through RadNet locations.
Adult Preventive Health	Member	Pap and HPV tests: What to  Expect	Handout explaining the Pap test and the HPV (human papillomavirus) test. In English and Spanish.
Adult Preventive Health	Member	The Wisdom Study	The WISDOM Study (Women Informed to Screen, Depending on Measures of risk) is helping to end confusion about mammograms. Medical researchers from University of California need study volunteers, specifically women ages 40 to 74 years old who have not had breast cancer or DCIS (ductal carcinoma in situ). Study participants will:  - Find out about their risk for breast cancer.  - Get clarification on screening guidelines for them, their sister, daughter, and future generations.  - Participate mostly from home (No extra medical visits required).  - Help medical researchers discover the best guidelines for mammogram.

		PROVIDER QUALITY RI	ESOURCE:
Focus Area	Type	Resource*	Description
Adult Preventive Health	Provider	Clinical Practice Guidelines	The tools provided on this page are meant to be used as resources to assist primary care providers in delivering care in accordance with IEHP standards.
Adult Preventive Health	Provider	Initial Health Appointment (IHA) Roster Information	The Department of Health Care Services (DHCS) requires that all newly enrolled Medi-Cal Members must receive an Initial Health Appointment (IHA).
Adult Preventive Health	Provider	Facility Site Review (FSR)  Training	Multiple Facility Site Review and Medical Record Review resources for Providers, including DHCS standards and tools, plus IEHP's addendum tools.
Adult Preventive Health and Child Preventive Health	Member	Health Screenings Guide	IEHP Health Screening Guide provides information on all of the covered health screenings needed by Members at all stages of life.
Adult Preventive Health and Diabetes Management	Provider	Comprehensive Medication  Management Program	IEHP offers Medication Therapy Management to eligible Members. Services include medication therapy reviews, medication education, and disease management —including diabetes.
Adult Preventive Health, Cardiovascular Disease Management and Diabetes Management	Member	<u>Healthy Heart</u>	An educational guide for Members on understanding cardiovascular event risk and heart health.
Behavioral Health	Member	IEHP Mental Health Resources	Information on contacting Behavioral Health Care Managers to assist Members with referrals and coordination of care and walk-in psychiatry clinics.
Behavioral Health	Member	Teen Mental Health Guide	Booklet provides age-appropriate information on common mental health disorders, warning signs and treatment options.
Behavioral Health	Member	Stress management, relaxation, and mindfulness classes at the Community Resource Centers in Victorville, Riverside, and San Bernardino	Classes that provide Members with evidence-supported strategies and activities to relieve stress and anxiety and to improve relaxation. Refer Members to register for an upcoming class.
Behavioral Health	Member	Interactive Self-Management Tools	Online health appraisal screening tool within the Member Portal with educational modules on Healthy Eating, Depression, Healthy Weight, Managing Stress, Physical Activity, Smoking Cessation, and At-Risk Drinking.

		PROVIDER QUALITY RI	ESOURCE:
Focus Area	Type	Resource*	Description
Behavioral Health	Member	Smoking Cessation resources	Apps and resources to help Members stop smoking.
Behavioral Health	Member	988 Suicide and Crisis Lifeline	National Suicide and Crisis Hotline/Textline in English and Spanish. Includes LGBTQI-specific help.
Behavioral Health	Member	Action Plan for Depression and Anxiety During Pregnancy and After Birth	Includes warning signs and actions to take for moms who are facing depression and anxiety during pregnancy.
Behavioral Health	Member	Postpartum Support International	Includes online support groups.
Behavioral		Edinburgh Postnatal Depression Screening Tool in English	A screening tool developed to identify women who may have postpartum depression.
Health	Provider	Edinburgh Postnatal Depression Screening Tool in Spanish	A screening tool developed to identify women who may have postpartum depression. Refer to the English version for scoring.
Behavioral Health	Provider	Patient Health Questionnaire (PHQ-9) and Generalized Anxiety Disorder Assessment (GAD-7) in multiple languages	Tools for assessing depressive and anxiety symptoms in individuals ages 18 and older.
Behavioral Health	Provider	PHQ-9 Modified for Adolescents (PHQ-A)	Tool for assessing the severity of depressive disorders and episodes in children ages 11–17.
Behavioral Health	Provider	Drug and Alcohol Use Screening and Counseling Resources	A page of helpful resources for Providers to use with members whose alcohol and substance use may be negatively impacting their health and quality of life.
Behavioral Health	Provider	Harm Reduction Supplies	Inland Empire Harm Reduction provides fentanyl test strips, Narcan, safe sex kits, and other harm reduction supplies free of charge. Will deliver to people who are unhoused.
Behavioral Health	Provider	Depression Resources	Links to clinical guidelines for screening and managing depression
Cardiovascular Disease Management	Member	Blood Pressure Brochure	A Member brochure focusing on high blood pressure management.
Cardiovascular Disease Management	Member	Blood Pressure Fact Sheets   American Heart Association	Fact Sheets on blood pressure from the American Heart Association.
Cardiovascular Disease Management	Provider	AAFPHypertensionGuideline.pdf	Blood Pressure Targets in Adults With Hypertension: A Clinical Practice Guideline From the AAFP.
Cardiovascular Disease Management	Provider	Blood Pressure Targets in Adults with Hypertension	GuidelineCentral®

		PROVIDER QUALITY RI	ESOURCE:
Focus Area	Type	Resource*	Description
Cardiovascular Disease Management	Provider	AHA High Blood Pressure  Toolkit (ascendeventmedia.com)	Hypertension Guideline Toolkit from the American Heart Association.
Child Preventive Health	Member	<u>Teen Health Guide</u>	Booklet provides age-appropriate information on reproduction, birth control methods, and sexually transmitted infections.
Child Preventive Health	Member	Blood Lead Testing Brochure	Member brochure detailing the importance of having a child tested for lead and what to expect.
Child Preventive Health	Member	Topical Fluoride Brochure	Member brochure explaining what a fluoride treatment is and its benefits.
Child Preventive Health	Member	Dental Health for Kids and Teens	Information about oral hygiene and how to find a dental provider.
Child Preventive Health	Member	Medi-Cal for Kids & Teens	Information on preventive care services for IEHP Medi-Cal Members and what services are included.
Child Preventive Health	Member	Wellness Journey - Your baby's  1st Year	Member booklet detailing what to expect for baby's preventive care during their first year of life.
Child Preventive Health	Member	AAP Schedule of Well-Child  Care Visits	American Academy of Pediatrics Parenting Website with information on schedule of well-child visits and what to expect during each visit based on age.
Child Preventive Health	Member	Developmental Screening	IEHP resource page on Developmental Screening explaining assessment tool as a way for caregivers to monitor their child's growth and development.
Child Preventive Health	Member	Medi-Cal Dental Coverage	Information on Medi-Cal dental coverage including what is covered and the importance of dental insurance.
Child Preventive Health	Member	Smile, California	Medi-Cal Dental website to learn about covered services and finding a dentist.
Child Preventive Health	Member	Fluoride Varnish: What Parents Need to Know	American Academy of Pediatrics Parenting Website with information on the importance of fluoride varnish.
Child Preventive Health	Provider	Caries Risk Assessment, Fluoride Varnish, and Counseling	Smiles for Life oral health curriculum including the benefits, appropriate safety precautions, and dosing for fluoride, as well as how to apply fluoride varnish.
Child Preventive Health	Provider	Early Start Program	California Early Start Program - refer infants and toddlers who have developmental delays or who are at risk of developmental disability.

	PROVIDER QUALITY RESOURCE:				
Focus Area	Type	Resource*	Description		
Child Preventive Health	Provider	Bright Futures/AAP Periodicity Schedule	Bright Futures/American Academy of Pediatrics Recommendations for Preventive Pediatric Health Care.		
Child Preventive Health	Provider	Growth Charts	Growth chart forms for the following age ranges: 0-36 months and 2-20 years.		
Child Preventive Health	Provider	Early and Periodic Screening, Diagnostic and Treatment (EPSDT)	Information on training and resources for Providers on Early and Periodic Screening, Diagnostic and Treatment (EPSDT.		
Child Preventive Health	Provider	Oral Health Coding Fact Sheet for PCPs	American Academy of Pediatrics Oral Health Coding Fact Sheet for Primary Care Physicians.		
Child Preventive Health	Provider	Smile California Primary Care Physician Toolkit	List of Provider resources on oral health and references for educational materials.		
Child Preventive Health	Provider	Oral Health Practice Tools	American Academy of Pediatrics website providing resources on how to incorporate oral health into a Provider practice.		
Child Preventive Health	Provider	Campaign for Dental Health	American Academy of Pediatrics website with resources on how to address fluoride with Members and Member materials.		
Child Preventive Health and Pediatric Immunizations	Member	Well Child Journey	Member handout detailing a child's wellness journey from newborn to young adulthood, including when immunizations and screenings are due.		
Child Preventive Health and Pediatric Immunizations	Provider	Quality Performance Learning <u>Guide</u>	Provider and office staff resource with learning modules on measures including Child and Adolescent Well-Care Visits, Well Child Visits in the First 30 Months, and Immunizations for Adolescents.		
Diabetes Management	Member	IEHP - Community Resources: Community Resource Centers:	IEHP Members can enroll in the Diabetes Self-Management workshop and Healthy Living classes at the Community Resource Centers.		
Diabetes Management	Member	Diabetes: What's Next?	Brochure on how to lead a healthy life for those diagnosed with diabetes. Available in English and Spanish.		
Diabetes Management	Member	Staying Healthy With Diabetes	Booklet to help Members with diabetes self-management.		
Diabetes Management	Provider	<u>Diabetes Prevention Program</u> (DPP) - Live the Life You Love	Information about the online year-long lifestyle change program which pairs participants with a health coach to help set up and track health goals. Studies have shown that those who finish the program can lose weight and prevent Type 2 Diabetes.		

	PROVIDER QUALITY RESOURCE:				
Focus Area	Type	Resource*	Description		
Diabetes Management	Provider	"Prescription" for Diabetes Prevention Program	Information about the Diabetes Prevention Program to hand to patients so that they can self-refer.		
Diabetes Management	Provider	Diabetes Standards of Care 2025	GuidelineCentral®		
Diabetes Management	Provider	Transformation of Medi-Cal:  Community Supports	Fact Sheet on Community Supports including Medically-Supportive Food/ Medically Tailored Meals. With a Provider referral, eligible Members with diabetes can receive deliveries of nutritious, prepared meals and healthy groceries to support their health needs. Members also receive vouchers for healthy food and/or nutrition education.		
Patient Experience	Member	Urgent Care Clinics	A directory search tool of all Urgent Care Clinics within the IEHP network.		
Patient Experience	Member	ER vs. Urgent Care Clinic	A guide for Members on when to visit the Emergency Room versus an Urgent Care Clinic.		
Patient Experience	Member	24-Hour Nurse Advice Line	24-hour nurse advice offered by IEHP.		
Patient Experience	Member	<u>IEHP - Care Options : How to</u> <u>Get Care</u>	Information on ways to get care including primary care, specialty care, and medications.		
Patient Experience	Provider	Serve Well Customer Service Toolkit	A Provider toolkit on how to provide outstanding customer service to Members.		
Pediatric Immunizations	Member	Immunization Timing	Handout that provides a visual of what immunizations are needed from birth to 18 years of age.		
Pediatric Immunizations	Provider	CDC Child & Adolescent Immunization Schedule	CDC Child and Adolescent Immunization Schedule by Age recommendations for ages 18 or younger.		
Pediatric Immunizations	Provider	Common Immunization Questions from Parents (aap.org)	American Academy of Pediatrics Parenting Website with information on recommended immunizations and common questions.		
Perinatal Care	Member	IEHP Pregnancy & Postpartum	Information for IEHP Members on resources and services available to maternal population including doula services, Maternal Health program, breastfeeding support, and pregnancy & postpartum class series.		
Perinatal Care	Member	My Job and My New Baby	A booklet which outlines the rights of new parents who live in California.		
Perinatal Care	Member	Start Well Booklet	Informational booklet on resources during pregnancy by trimester and throughout pregnancy.		

	PROVIDER QUALITY RESOURCE:				
Focus Area	Type	Resource*	Description		
Perinatal Care	Member	Labor and Birth Planner	Planner resource to help Member make labor and birth choices prior to delivery.		
Perinatal Care	Provider	Guidelines for Perinatal Care 8th Edition	An educational resource to aid clinicians in providing obstetric and gynecologic care, developed through efforts by the American Academy of Pediatrics (AAP) Committee on Fetus and Newborn and the American College of Obstetricians and Gynecologists (ACOG).		
Perinatal Care	Provider	Provider Perinatal Resources and Forms	Perinatal risk assessment forms including Depression Screening, California Prenatal Screening Program, and Initial Perinatal Risk Assessment Form.		
Social Needs	Member	<u>ConnectIE</u>	Website to search for free or reduced cost services in the Inland Empire like medical care, food, job training and more.		
Social Needs	Member	ECM Brochure	Brochure outlining IEHP services available through Enhanced Care Management for specific Members with health or behavioral health needs and social needs.		
Social Needs	Provider	Social Needs Screening Tool	Social Needs Screening Tool from The EveryONE Project.		
Social Needs	Provider	Social Needs Screening Tool	Social Needs Screening Tool from Center for Medicare and Medicaid Innovation.		
Social Needs	Provider	Community Supports	Additional information about services covered under the California medical State Plan.		

<sup>\*</sup>The referenced electronic links provided in this resource are informational only. They are not intended or designed as a substitute for the reasonable exercise of independent clinical judgment by Practitioners, considering each Member's needs on an individual basis. Best practice guideline recommendations and assessment tools apply to populations of patients. Clinical judgment is necessary to appropriately assess and treat each individual Member.



### **Provider Relations Team**

(909) 890-2054 Monday-Friday, 8am-5pm QualityPrograms@iehp.org

Published: September 22, 2025

### Follow us:









