

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List can be used to identify members who received follow-up care on or up to 30 days after the date of the first positive screen. The "Follow-Up Type" column indicates the types interventions acceptable for the DSF-E measure.

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit★	CPT	98960	Education and training for patient self-management by a qualified, nonphysician health care professional using a standardized curriculum, face-to-face with the patient (could include caregiver/family) each 30 minutes; individual patient
Follow Up Visit★	CPT	98961	Education and training for patient self-management by a qualified, nonphysician health care professional using a standardized curriculum, face-to-face with the patient (could include caregiver/family) each 30 minutes; 2-4 patients
Follow Up Visit★	CPT	98962	Education and training for patient self-management by a qualified, nonphysician health care professional using a standardized curriculum, face-to-face with the patient (could include caregiver/family) each 30 minutes; 5-8 patients
Follow Up Visit★	CPT	98966	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion
Follow Up Visit★	CPT	98967	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion
Follow Up Visit★	CPT	98968	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion
Follow Up Visit★	CPT	98970	Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes
Follow Up Visit★	CPT	98971	Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes
Follow Up Visit★	CPT	98972	Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit★	CPT	98980	Remote therapeutic monitoring treatment management services, physician or other qualified health care professional time in a calendar month requiring at least one interactive communication with the patient or caregiver during the calendar month; first 20 minutes
Follow Up Visit★	CPT	98981	Remote therapeutic monitoring treatment management services, physician or other qualified health care professional time in a calendar month requiring at least one interactive communication with the patient or caregiver during the calendar month; each additional 20 minutes (List separately in addition to code for primary procedure)
Follow Up Visit★	CPT	99078	Physician or other qualified health care professional qualified by education, training, licensure/regulation (when applicable) educational services rendered to patients in a group setting (eg, prenatal, obesity, or diabetic instructions)
Follow Up Visit★	CPT	99202	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded.
Follow Up Visit★	CPT	99203	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.
Follow Up Visit★	CPT	99204	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded.
Follow Up Visit★	CPT	99205	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.
Follow Up Visit★	CPT	99211	Office or other outpatient visit for the evaluation and management of an established patient that may not require the presence of a physician or other qualified health care professional
Follow Up Visit★	CPT	99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 10 minutes must be met or exceeded.
Follow Up Visit★	CPT	99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit★	CPT	99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.
Follow Up Visit★	CPT	99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.
Follow Up Visit★	CPT	99242	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.
Follow Up Visit★	CPT	99243	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.
Follow Up Visit★	CPT	99244	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.
Follow Up Visit★	CPT	99245	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 55 minutes must be met or exceeded.
Follow Up Visit★	CPT	99341	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded.
Follow Up Visit★	CPT	99342	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.
Follow Up Visit★	CPT	99344	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit★	CPT	99345	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 75 minutes must be met or exceeded.
Follow Up Visit★	CPT	99347	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.
Follow Up Visit★	CPT	99348	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.
Follow Up Visit★	CPT	99349	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.
Follow Up Visit★	CPT	99350	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.
Follow Up Visit★	CPT	99381	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; infant (age younger than 1 year)
Follow Up Visit★	CPT	99382	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; early childhood (age 1 through 4 years)
Follow Up Visit★	CPT	99383	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; late childhood (age 5 through 11 years)
Follow Up Visit★	CPT	99384	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; adolescent (age 12 through 17 years)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit★	CPT	99385	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years
Follow Up Visit★	CPT	99386	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 40-64 years
Follow Up Visit★	CPT	99387	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 65 years and older
Follow Up Visit★	CPT	99391	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; infant (age younger than 1 year)
Follow Up Visit★	CPT	99392	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; early childhood (age 1 through 4 years)
Follow Up Visit★	CPT	99393	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; late childhood (age 5 through 11 years)
Follow Up Visit★	CPT	99394	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; adolescent (age 12 through 17 years)
Follow Up Visit★	CPT	99395	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 18-39 years
Follow Up Visit★	CPT	99396	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 40-64 years

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit★	CPT	99397	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 65 years and older
Follow Up Visit★	CPT	99401	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 15 minutes
Follow Up Visit★	CPT	99402	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 30 minutes
Follow Up Visit★	CPT	99403	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 45 minutes
Follow Up Visit★	CPT	99404	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 60 minutes
Follow Up Visit★	CPT	99411	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately 30 minutes
Follow Up Visit★	CPT	99412	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately 60 minutes
Follow Up Visit★	CPT	99421	Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes
Follow Up Visit★	CPT	99422	Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes
Follow Up Visit★	CPT	99423	Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes
Follow Up Visit★	CPT	99441	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion
Follow Up Visit★	CPT	99442	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion
Follow Up Visit★	CPT	99443	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit★	CPT	99457	Remote physiologic monitoring treatment management services, clinical staff/physician/other qualified health care professional time in a calendar month requiring interactive communication with the patient/caregiver during the month; first 20 minutes
Follow Up Visit★	CPT	99458	Remote physiologic monitoring treatment management services, clinical staff/physician/other qualified health care professional time in a calendar month requiring interactive communication with the patient/caregiver during the month; each additional 20 minutes (List separately in addition to code for primary procedure)
Follow Up Visit★	CPT	99483	Assessment of and care planning for a patient with cognitive impairment, requiring an independent historian, in the office or other outpatient, home or domiciliary or rest home, with all of the following required elements: Cognition-focused evaluation including a pertinent history and examination, Medical decision making of moderate or high complexity, Functional assessment (eg, basic and instrumental activities of daily living), including decision-making capacity, Use of standardized instruments for staging of dementia (eg, functional assessment staging test [FAST], clinical dementia rating [CDR]), Medication reconciliation and review for high-risk medications, Evaluation for neuropsychiatric and behavioral symptoms, including depression, including use of standardized screening instrument(s), Evaluation of safety (eg, home), including motor vehicle operation, Identification of caregiver(s), caregiver knowledge, caregiver needs, social supports, and the willingness of caregiver to take on caregiving tasks, Development, updating or revision, or review of an Advance Care Plan, Creation of a written care plan, including initial plans to address any neuropsychiatric symptoms, neuro-cognitive symptoms, functional limitations, and referral to community resources as needed (eg, rehabilitation services, adult day programs, support groups) shared with the patient and/or caregiver with initial education and support. Typically, 60 minutes of total time is spent on the date of the encounter.
Follow Up Visit★	HCPCS	G0071	Payment for communication technology-based services for 5 minutes or more of a virtual (nonface-to-face) communication between a rural health clinic (RHC) or federally qualified health center (FQHC) practitioner and RHC or FQHC patient, or 5 minutes or more of remote evaluation of recorded video and/or images by an RHC or FQHC practitioner, occurring in lieu of an office visit; RHC or FQHC only
Follow Up Visit★	HCPCS	G0463	Hospital outpatient clinic visit for assessment and management of a patient
Follow Up Visit★	HCPCS	G2010	Remote evaluation of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit★	HCPCS	G2012	Brief communication technology-based service, e.g., virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion
Follow Up Visit★	HCPCS	G2250	Remote assessment of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment
Follow Up Visit★	HCPCS	G2251	Brief communication technology-based service, e.g. virtual check-in, by a qualified health care professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion
Follow Up Visit★	HCPCS	G2252	Brief communication technology-based service, e.g. virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related EM service provided within the previous 7 days nor leading to an EM service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion
Follow Up Visit★	HCPCS	T1015	Clinic visit/encounter, all-inclusive
Follow Up Visit★	SNOMED CT US Edition	42137004	Reevaluation of established psychiatric patient (procedure)
Follow Up Visit★	SNOMED CT US Edition	50357006	Evaluation and management of patient at home (procedure)
Follow Up Visit★	SNOMED CT US Edition	86013001	Periodic reevaluation and management of healthy individual (procedure)
Follow Up Visit★	SNOMED CT US Edition	90526000	Initial evaluation and management of healthy individual (procedure)
Follow Up Visit★	SNOMED CT US Edition	108220007	Evaluation AND/OR management - new patient (procedure)
Follow Up Visit★	SNOMED CT US Edition	108221006	Evaluation AND/OR management - established patient (procedure)
Follow Up Visit★	SNOMED CT US Edition	185317003	Telephone encounter (procedure)
Follow Up Visit★	SNOMED CT US Edition	185389009	Follow-up visit (procedure)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit ★	SNOMED CT US Edition	281036007	Follow-up consultation (procedure)
Follow Up Visit ★	SNOMED CT US Edition	314849005	Telephone contact by consultant (procedure)
Follow Up Visit ★	SNOMED CT US Edition	386472008	Telephone consultation (procedure)
Follow Up Visit ★	SNOMED CT US Edition	386473003	Telephone follow-up (procedure)
Follow Up Visit ★	SNOMED CT US Edition	390906007	Follow-up encounter (procedure)
Follow Up Visit ★	SNOMED CT US Edition	401267002	Telephone triage encounter (procedure)
Follow Up Visit ★	SNOMED CT US Edition	406547006	Urgent follow-up (procedure)
Follow Up Visit ★	SNOMED CT US Edition	870191006	Follow up for depression (procedure)
Follow Up Visit ★	CPT	98960	Education and training for patient self-management by a qualified, nonphysician health care professional using a standardized curriculum, face-to-face with the patient (could include caregiver/family) each 30 minutes; individual patient
Follow Up Visit ★	CPT	98961	Education and training for patient self-management by a qualified, nonphysician health care professional using a standardized curriculum, face-to-face with the patient (could include caregiver/family) each 30 minutes; 2-4 patients
Follow Up Visit ★	CPT	98962	Education and training for patient self-management by a qualified, nonphysician health care professional using a standardized curriculum, face-to-face with the patient (could include caregiver/family) each 30 minutes; 5-8 patients
Follow Up Visit ★	CPT	98966	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion
Follow Up Visit ★	CPT	98967	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit★	CPT	98968	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion
Follow Up Visit★	CPT	98970	Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes
Follow Up Visit★	CPT	98971	Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes
Follow Up Visit★	CPT	98972	Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes
Follow Up Visit★	CPT	98980	Remote therapeutic monitoring treatment management services, physician or other qualified health care professional time in a calendar month requiring at least one interactive communication with the patient or caregiver during the calendar month; first 20 minutes
Follow Up Visit★	CPT	98981	Remote therapeutic monitoring treatment management services, physician or other qualified health care professional time in a calendar month requiring at least one interactive communication with the patient or caregiver during the calendar month; each additional 20 minutes (List separately in addition to code for primary procedure)
Follow Up Visit★	CPT	99078	Physician or other qualified health care professional qualified by education, training, licensure/regulation (when applicable) educational services rendered to patients in a group setting (eg, prenatal, obesity, or diabetic instructions)
Follow Up Visit★	CPT	99202	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded.
Follow Up Visit★	CPT	99203	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.
Follow Up Visit★	CPT	99204	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded.

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit★	CPT	99205	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.
Follow Up Visit★	CPT	99211	Office or other outpatient visit for the evaluation and management of an established patient that may not require the presence of a physician or other qualified health care professional
Follow Up Visit★	CPT	99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 10 minutes must be met or exceeded.
Follow Up Visit★	CPT	99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.
Follow Up Visit★	CPT	99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.
Follow Up Visit★	CPT	99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.
Follow Up Visit★	CPT	99242	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.
Follow Up Visit★	CPT	99243	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.
Follow Up Visit★	CPT	99244	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.

Depression Screening and Follow-Up for

Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit★	CPT	99245	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 55 minutes must be met or exceeded.
Follow Up Visit★	CPT	99341	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded.
Follow Up Visit★	CPT	99342	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.
Follow Up Visit★	CPT	99344	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.
Follow Up Visit★	CPT	99345	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 75 minutes must be met or exceeded.
Follow Up Visit★	CPT	99347	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.
Follow Up Visit★	CPT	99348	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.
Follow Up Visit★	CPT	99349	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.
Follow Up Visit★	CPT	99350	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit★	CPT	99381	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; infant (age younger than 1 year)
Follow Up Visit★	CPT	99382	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; early childhood (age 1 through 4 years)
Follow Up Visit★	CPT	99383	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; late childhood (age 5 through 11 years)
Follow Up Visit★	CPT	99384	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; adolescent (age 12 through 17 years)
Follow Up Visit★	CPT	99385	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years
Follow Up Visit★	CPT	99386	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 40-64 years
Follow Up Visit★	CPT	99387	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 65 years and older
Follow Up Visit★	CPT	99391	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; infant (age younger than 1 year)
Follow Up Visit★	CPT	99392	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; early childhood (age 1 through 4 years)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit★	CPT	99393	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; late childhood (age 5 through 11 years)
Follow Up Visit★	CPT	99394	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; adolescent (age 12 through 17 years)
Follow Up Visit★	CPT	99395	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 18-39 years
Follow Up Visit★	CPT	99396	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 40-64 years
Follow Up Visit★	CPT	99397	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 65 years and older
Follow Up Visit★	CPT	99401	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 15 minutes
Follow Up Visit★	CPT	99402	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 30 minutes
Follow Up Visit★	CPT	99403	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 45 minutes
Follow Up Visit★	CPT	99404	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 60 minutes
Follow Up Visit★	CPT	99411	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately 30 minutes
Follow Up Visit★	CPT	99412	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately 60 minutes
Follow Up Visit★	CPT	99421	Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes
Follow Up Visit★	CPT	99422	Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes

Depression Screening and Follow-Up for

Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit★	CPT	99423	Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes
Follow Up Visit★	CPT	99441	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion
Follow Up Visit★	CPT	99442	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion
Follow Up Visit★	CPT	99443	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion
Follow Up Visit★	CPT	99457	Remote physiologic monitoring treatment management services, clinical staff/physician/other qualified health care professional time in a calendar month requiring interactive communication with the patient/caregiver during the month; first 20 minutes
Follow Up Visit★	CPT	99458	Remote physiologic monitoring treatment management services, clinical staff/physician/other qualified health care professional time in a calendar month requiring interactive communication with the patient/caregiver during the month; each additional 20 minutes (List separately in addition to code for primary procedure)

Depression Screening and Follow-Up for

Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit★	CPT	99483	Assessment of and care planning for a patient with cognitive impairment, requiring an independent historian, in the office or other outpatient, home or domiciliary or rest home, with all of the following required elements: Cognition-focused evaluation including a pertinent history and examination, Medical decision making of moderate or high complexity, Functional assessment (eg, basic and instrumental activities of daily living), including decision-making capacity, Use of standardized instruments for staging of dementia (eg, functional assessment staging test [FAST], clinical dementia rating [CDR]), Medication reconciliation and review for high-risk medications, Evaluation for neuropsychiatric and behavioral symptoms, including depression, including use of standardized screening instrument(s), Evaluation of safety (eg, home), including motor vehicle operation, Identification of caregiver(s), caregiver knowledge, caregiver needs, social supports, and the willingness of caregiver to take on caregiving tasks, Development, updating or revision, or review of an Advance Care Plan, Creation of a written care plan, including initial plans to address any neuropsychiatric symptoms, neuro-cognitive symptoms, functional limitations, and referral to community resources as needed (eg, rehabilitation services, adult day programs, support groups) shared with the patient and/or caregiver with initial education and support. Typically, 60 minutes of total time is spent on the date of the encounter.
Follow Up Visit★	HCPCS	G0071	Payment for communication technology-based services for 5 minutes or more of a virtual (nonface-to-face) communication between a rural health clinic (RHC) or federally qualified health center (FQHC) practitioner and RHC or FQHC patient, or 5 minutes or more of remote evaluation of recorded video and/or images by an RHC or FQHC practitioner, occurring in lieu of an office visit; RHC or FQHC only
Follow Up Visit★	HCPCS	G0463	Hospital outpatient clinic visit for assessment and management of a patient
Follow Up Visit★	HCPCS	G2010	Remote evaluation of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment
Follow Up Visit★	HCPCS	G2012	Brief communication technology-based service, e.g., virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit★	HCPCS	G2250	Remote assessment of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment
Follow Up Visit★	HCPCS	G2251	Brief communication technology-based service, e.g. virtual check-in, by a qualified health care professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion
Follow Up Visit★	HCPCS	G2252	Brief communication technology-based service, e.g. virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related EM service provided within the previous 7 days nor leading to an EM service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion
Follow Up Visit★	HCPCS	T1015	Clinic visit/encounter, all-inclusive
Follow Up Visit★	SNOMED CT US Edition	42137004	Reevaluation of established psychiatric patient (procedure)
Follow Up Visit★	SNOMED CT US Edition	50357006	Evaluation and management of patient at home (procedure)
Follow Up Visit★	SNOMED CT US Edition	86013001	Periodic reevaluation and management of healthy individual (procedure)
Follow Up Visit★	SNOMED CT US Edition	90526000	Initial evaluation and management of healthy individual (procedure)
Follow Up Visit★	SNOMED CT US Edition	108220007	Evaluation AND/OR management - new patient (procedure)
Follow Up Visit★	SNOMED CT US Edition	108221006	Evaluation AND/OR management - established patient (procedure)
Follow Up Visit★	SNOMED CT US Edition	185317003	Telephone encounter (procedure)
Follow Up Visit★	SNOMED CT US Edition	185389009	Follow-up visit (procedure)
Follow Up Visit★	SNOMED CT US Edition	281036007	Follow-up consultation (procedure)
Follow Up Visit★	SNOMED CT US Edition	314849005	Telephone contact by consultant (procedure)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit ★	SNOMED CT US Edition	386472008	Telephone consultation (procedure)
Follow Up Visit ★	SNOMED CT US Edition	386473003	Telephone follow-up (procedure)
Follow Up Visit ★	SNOMED CT US Edition	390906007	Follow-up encounter (procedure)
Follow Up Visit ★	SNOMED CT US Edition	401267002	Telephone triage encounter (procedure)
Follow Up Visit ★	SNOMED CT US Edition	406547006	Urgent follow-up (procedure)
Follow Up Visit ★	SNOMED CT US Edition	870191006	Follow up for depression (procedure)
Depression or Other Behavioral Health Condition ◆	ICD10CM	F01.511	Vascular dementia, unspecified severity, with agitation
Depression or Other Behavioral Health Condition ◆	ICD10CM	F01.518	Vascular dementia, unspecified severity, with other behavioral disturbance
Depression or Other Behavioral Health Condition ◆	ICD10CM	F06.4	Anxiety disorder due to known physiological condition
Depression or Other Behavioral Health Condition ◆	ICD10CM	F10.180	Alcohol abuse with alcohol-induced anxiety disorder
Depression or Other Behavioral Health Condition ◆	ICD10CM	F10.280	Alcohol dependence with alcohol-induced anxiety disorder
Depression or Other Behavioral Health Condition ◆	ICD10CM	F10.980	Alcohol use, unspecified with alcohol-induced anxiety disorder
Depression or Other Behavioral Health Condition ◆	ICD10CM	F11.188	Opioid abuse with other opioid-induced disorder
Depression or Other Behavioral Health Condition ◆	ICD10CM	F11.288	Opioid dependence with other opioid-induced disorder
Depression or Other Behavioral Health Condition ◆	ICD10CM	F11.988	Opioid use, unspecified with other opioid-induced disorder
Depression or Other Behavioral Health Condition ◆	ICD10CM	F12.180	Cannabis abuse with cannabis-induced anxiety disorder
Depression or Other Behavioral Health Condition ◆	ICD10CM	F12.280	Cannabis dependence with cannabis-induced anxiety disorder
Depression or Other Behavioral Health Condition ◆	ICD10CM	F12.980	Cannabis use, unspecified with anxiety disorder

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	ICD10CM	F13.180	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F13.280	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F13.980	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F14.180	Cocaine abuse with cocaine-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F14.280	Cocaine dependence with cocaine-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F14.980	Cocaine use, unspecified with cocaine-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F15.180	Other stimulant abuse with stimulant-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F15.280	Other stimulant dependence with stimulant-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F15.980	Other stimulant use, unspecified with stimulant-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F16.180	Hallucinogen abuse with hallucinogen-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F16.280	Hallucinogen dependence with hallucinogen-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F16.980	Hallucinogen use, unspecified with hallucinogen-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F18.180	Inhalant abuse with inhalant-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F18.280	Inhalant dependence with inhalant-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F18.980	Inhalant use, unspecified with inhalant-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F19.180	Other psychoactive substance abuse with psychoactive substance-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F19.280	Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	ICD10CM	F19.980	Other psychoactive substance use, unspecified with psychoactive substance-induced anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F20.0	Paranoid schizophrenia
Depression or Other Behavioral Health Condition ♦	ICD10CM	F20.1	Disorganized schizophrenia
Depression or Other Behavioral Health Condition ♦	ICD10CM	F20.2	Catatonic schizophrenia
Depression or Other Behavioral Health Condition ♦	ICD10CM	F20.3	Undifferentiated schizophrenia
Depression or Other Behavioral Health Condition ♦	ICD10CM	F20.5	Residual schizophrenia
Depression or Other Behavioral Health Condition ♦	ICD10CM	F20.81	Schizophreniform disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F20.89	Other schizophrenia
Depression or Other Behavioral Health Condition ♦	ICD10CM	F20.9	Schizophrenia, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F21	Schizotypal disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F22	Delusional disorders
Depression or Other Behavioral Health Condition ♦	ICD10CM	F23	Brief psychotic disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F24	Shared psychotic disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F25.0	Schizoaffective disorder, bipolar type
Depression or Other Behavioral Health Condition ♦	ICD10CM	F25.1	Schizoaffective disorder, depressive type
Depression or Other Behavioral Health Condition ♦	ICD10CM	F25.8	Other schizoaffective disorders
Depression or Other Behavioral Health Condition ♦	ICD10CM	F25.9	Schizoaffective disorder, unspecified

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	ICD10CM	F28	Other psychotic disorder not due to a substance or known physiological condition
Depression or Other Behavioral Health Condition ♦	ICD10CM	F29	Unspecified psychosis not due to a substance or known physiological condition
Depression or Other Behavioral Health Condition ♦	ICD10CM	F30.10	Manic episode without psychotic symptoms, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F30.11	Manic episode without psychotic symptoms, mild
Depression or Other Behavioral Health Condition ♦	ICD10CM	F30.12	Manic episode without psychotic symptoms, moderate
Depression or Other Behavioral Health Condition ♦	ICD10CM	F30.13	Manic episode, severe, without psychotic symptoms
Depression or Other Behavioral Health Condition ♦	ICD10CM	F30.2	Manic episode, severe with psychotic symptoms
Depression or Other Behavioral Health Condition ♦	ICD10CM	F30.3	Manic episode in partial remission
Depression or Other Behavioral Health Condition ♦	ICD10CM	F30.4	Manic episode in full remission
Depression or Other Behavioral Health Condition ♦	ICD10CM	F30.8	Other manic episodes
Depression or Other Behavioral Health Condition ♦	ICD10CM	F30.9	Manic episode, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.0	Bipolar disorder, current episode hypomanic
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.10	Bipolar disorder, current episode manic without psychotic features, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.11	Bipolar disorder, current episode manic without psychotic features, mild
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.12	Bipolar disorder, current episode manic without psychotic features, moderate
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.13	Bipolar disorder, current episode manic without psychotic features, severe
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.2	Bipolar disorder, current episode manic severe with psychotic features

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.30	Bipolar disorder, current episode depressed, mild or moderate severity, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.31	Bipolar disorder, current episode depressed, mild
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.32	Bipolar disorder, current episode depressed, moderate
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.4	Bipolar disorder, current episode depressed, severe, without psychotic features
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.5	Bipolar disorder, current episode depressed, severe, with psychotic features
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.60	Bipolar disorder, current episode mixed, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.61	Bipolar disorder, current episode mixed, mild
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.62	Bipolar disorder, current episode mixed, moderate
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.63	Bipolar disorder, current episode mixed, severe, without psychotic features
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.64	Bipolar disorder, current episode mixed, severe, with psychotic features
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.70	Bipolar disorder, currently in remission, most recent episode unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.71	Bipolar disorder, in partial remission, most recent episode hypomanic
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.72	Bipolar disorder, in full remission, most recent episode hypomanic
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.73	Bipolar disorder, in partial remission, most recent episode manic
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.74	Bipolar disorder, in full remission, most recent episode manic
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.75	Bipolar disorder, in partial remission, most recent episode depressed
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.76	Bipolar disorder, in full remission, most recent episode depressed

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.77	Bipolar disorder, in partial remission, most recent episode mixed
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.78	Bipolar disorder, in full remission, most recent episode mixed
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.81	Bipolar II disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.89	Other bipolar disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F31.9	Bipolar disorder, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F32.0	Major depressive disorder, single episode, mild
Depression or Other Behavioral Health Condition ♦	ICD10CM	F32.1	Major depressive disorder, single episode, moderate
Depression or Other Behavioral Health Condition ♦	ICD10CM	F32.2	Major depressive disorder, single episode, severe without psychotic features
Depression or Other Behavioral Health Condition ♦	ICD10CM	F32.3	Major depressive disorder, single episode, severe with psychotic features
Depression or Other Behavioral Health Condition ♦	ICD10CM	F32.4	Major depressive disorder, single episode, in partial remission
Depression or Other Behavioral Health Condition ♦	ICD10CM	F32.5	Major depressive disorder, single episode, in full remission
Depression or Other Behavioral Health Condition ♦	ICD10CM	F32.81	Premenstrual dysphoric disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F32.89	Other specified depressive episodes
Depression or Other Behavioral Health Condition ♦	ICD10CM	F32.9	Major depressive disorder, single episode, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F32.A	Depression, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F33.0	Major depressive disorder, recurrent, mild
Depression or Other Behavioral Health Condition ♦	ICD10CM	F33.1	Major depressive disorder, recurrent, moderate

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	ICD10CM	F33.2	Major depressive disorder, recurrent severe without psychotic features
Depression or Other Behavioral Health Condition ♦	ICD10CM	F33.3	Major depressive disorder, recurrent, severe with psychotic symptoms
Depression or Other Behavioral Health Condition ♦	ICD10CM	F33.40	Major depressive disorder, recurrent, in remission, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F33.41	Major depressive disorder, recurrent, in partial remission
Depression or Other Behavioral Health Condition ♦	ICD10CM	F33.42	Major depressive disorder, recurrent, in full remission
Depression or Other Behavioral Health Condition ♦	ICD10CM	F33.8	Other recurrent depressive disorders
Depression or Other Behavioral Health Condition ♦	ICD10CM	F33.9	Major depressive disorder, recurrent, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F34.0	Cyclothymic disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F34.1	Dysthymic disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F34.81	Disruptive mood dysregulation disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F34.89	Other specified persistent mood disorders
Depression or Other Behavioral Health Condition ♦	ICD10CM	F34.9	Persistent mood [affective] disorder, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F39	Unspecified mood [affective] disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.00	Agoraphobia, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.01	Agoraphobia with panic disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.02	Agoraphobia without panic disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.10	Social phobia, unspecified

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.11	Social phobia, generalized
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.210	Arachnophobia
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.218	Other animal type phobia
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.220	Fear of thunderstorms
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.228	Other natural environment type phobia
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.230	Fear of blood
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.231	Fear of injections and transfusions
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.232	Fear of other medical care
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.233	Fear of injury
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.240	Claustrophobia
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.241	Acrophobia
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.242	Fear of bridges
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.243	Fear of flying
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.248	Other situational type phobia
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.290	Androphobia
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.291	Gynephobia
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.298	Other specified phobia

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.8	Other phobic anxiety disorders
Depression or Other Behavioral Health Condition ♦	ICD10CM	F40.9	Phobic anxiety disorder, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F41.0	Panic disorder [episodic paroxysmal anxiety]
Depression or Other Behavioral Health Condition ♦	ICD10CM	F41.1	Generalized anxiety disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F41.3	Other mixed anxiety disorders
Depression or Other Behavioral Health Condition ♦	ICD10CM	F41.8	Other specified anxiety disorders
Depression or Other Behavioral Health Condition ♦	ICD10CM	F41.9	Anxiety disorder, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F42.2	Mixed obsessional thoughts and acts
Depression or Other Behavioral Health Condition ♦	ICD10CM	F42.3	Hoarding disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F42.4	Excoriation (skin-picking) disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F42.8	Other obsessive-compulsive disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F42.9	Obsessive-compulsive disorder, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F43.0	Acute stress reaction
Depression or Other Behavioral Health Condition ♦	ICD10CM	F43.10	Post-traumatic stress disorder, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F43.11	Post-traumatic stress disorder, acute
Depression or Other Behavioral Health Condition ♦	ICD10CM	F43.12	Post-traumatic stress disorder, chronic
Depression or Other Behavioral Health Condition ♦	ICD10CM	F43.20	Adjustment disorder, unspecified

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	ICD10CM	F43.21	Adjustment disorder with depressed mood
Depression or Other Behavioral Health Condition ♦	ICD10CM	F43.22	Adjustment disorder with anxiety
Depression or Other Behavioral Health Condition ♦	ICD10CM	F43.23	Adjustment disorder with mixed anxiety and depressed mood
Depression or Other Behavioral Health Condition ♦	ICD10CM	F43.24	Adjustment disorder with disturbance of conduct
Depression or Other Behavioral Health Condition ♦	ICD10CM	F43.25	Adjustment disorder with mixed disturbance of emotions and conduct
Depression or Other Behavioral Health Condition ♦	ICD10CM	F43.29	Adjustment disorder with other symptoms
Depression or Other Behavioral Health Condition ♦	ICD10CM	F43.81	Prolonged grief disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F43.89	Other reactions to severe stress
Depression or Other Behavioral Health Condition ♦	ICD10CM	F43.9	Reaction to severe stress, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F44.89	Other dissociative and conversion disorders
Depression or Other Behavioral Health Condition ♦	ICD10CM	F45.21	Hypochondriasis
Depression or Other Behavioral Health Condition ♦	ICD10CM	F51.5	Nightmare disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F53.0	Postpartum depression
Depression or Other Behavioral Health Condition ♦	ICD10CM	F53.1	Puerperal psychosis
Depression or Other Behavioral Health Condition ♦	ICD10CM	F60.0	Paranoid personality disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F60.1	Schizoid personality disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F60.2	Antisocial personality disorder

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	ICD10CM	F60.3	Borderline personality disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F60.4	Histrionic personality disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F60.5	Obsessive-compulsive personality disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F60.6	Avoidant personality disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F60.7	Dependent personality disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F60.81	Narcissistic personality disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F60.89	Other specific personality disorders
Depression or Other Behavioral Health Condition ♦	ICD10CM	F60.9	Personality disorder, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F63.0	Pathological gambling
Depression or Other Behavioral Health Condition ♦	ICD10CM	F63.1	Pyromania
Depression or Other Behavioral Health Condition ♦	ICD10CM	F63.2	Kleptomania
Depression or Other Behavioral Health Condition ♦	ICD10CM	F63.3	Trichotillomania
Depression or Other Behavioral Health Condition ♦	ICD10CM	F63.81	Intermittent explosive disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F63.89	Other impulse disorders
Depression or Other Behavioral Health Condition ♦	ICD10CM	F63.9	Impulse disorder, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F68.10	Factitious disorder imposed on self, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F68.11	Factitious disorder imposed on self, with predominantly psychological signs and symptoms

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	ICD10CM	F68.12	Factitious disorder imposed on self, with predominantly physical signs and symptoms
Depression or Other Behavioral Health Condition ♦	ICD10CM	F68.13	Factitious disorder imposed on self, with combined psychological and physical signs and symptoms
Depression or Other Behavioral Health Condition ♦	ICD10CM	F68.8	Other specified disorders of adult personality and behavior
Depression or Other Behavioral Health Condition ♦	ICD10CM	F68.A	Factitious disorder imposed on another
Depression or Other Behavioral Health Condition ♦	ICD10CM	F84.0	Autistic disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F84.2	Rett's syndrome
Depression or Other Behavioral Health Condition ♦	ICD10CM	F84.3	Other childhood disintegrative disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F84.5	Asperger's syndrome
Depression or Other Behavioral Health Condition ♦	ICD10CM	F84.8	Other pervasive developmental disorders
Depression or Other Behavioral Health Condition ♦	ICD10CM	F84.9	Pervasive developmental disorder, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F90.0	Attention-deficit hyperactivity disorder, predominantly inattentive type
Depression or Other Behavioral Health Condition ♦	ICD10CM	F90.1	Attention-deficit hyperactivity disorder, predominantly hyperactive type
Depression or Other Behavioral Health Condition ♦	ICD10CM	F90.2	Attention-deficit hyperactivity disorder, combined type
Depression or Other Behavioral Health Condition ♦	ICD10CM	F90.8	Attention-deficit hyperactivity disorder, other type
Depression or Other Behavioral Health Condition ♦	ICD10CM	F90.9	Attention-deficit hyperactivity disorder, unspecified type
Depression or Other Behavioral Health Condition ♦	ICD10CM	F91.0	Conduct disorder confined to family context
Depression or Other Behavioral Health Condition ♦	ICD10CM	F91.1	☐ Conduct disorder, childhood-onset type

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	ICD10CM	F91.2	Conduct disorder, adolescent-onset type
Depression or Other Behavioral Health Condition ♦	ICD10CM	F91.3	Oppositional defiant disorder
Depression or Other Behavioral Health Condition ♦	ICD10CM	F91.8	Other conduct disorders
Depression or Other Behavioral Health Condition ♦	ICD10CM	F91.9	Conduct disorder, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F93.0	Separation anxiety disorder of childhood
Depression or Other Behavioral Health Condition ♦	ICD10CM	F93.8	Other childhood emotional disorders
Depression or Other Behavioral Health Condition ♦	ICD10CM	F93.9	Childhood emotional disorder, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	F94.0	Selective mutism
Depression or Other Behavioral Health Condition ♦	ICD10CM	F94.1	Reactive attachment disorder of childhood
Depression or Other Behavioral Health Condition ♦	ICD10CM	F94.2	Disinhibited attachment disorder of childhood
Depression or Other Behavioral Health Condition ♦	ICD10CM	F94.8	Other childhood disorders of social functioning
Depression or Other Behavioral Health Condition ♦	ICD10CM	F94.9	Childhood disorder of social functioning, unspecified
Depression or Other Behavioral Health Condition ♦	ICD10CM	O90.6	Postpartum mood disturbance
Depression or Other Behavioral Health Condition ♦	ICD10CM	O99.340	Other mental disorders complicating pregnancy, unspecified trimester
Depression or Other Behavioral Health Condition ♦	ICD10CM	O99.341	Other mental disorders complicating pregnancy, first trimester
Depression or Other Behavioral Health Condition ♦	ICD10CM	O99.342	Other mental disorders complicating pregnancy, second trimester
Depression or Other Behavioral Health Condition ♦	ICD10CM	O99.343	Other mental disorders complicating pregnancy, third trimester

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	ICD10CM	O99.344	Other mental disorders complicating childbirth
Depression or Other Behavioral Health Condition ♦	ICD10CM	O99.345	Other mental disorders complicating the puerperium
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	109006	Anxiety disorder of childhood OR adolescence (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	162004	Severe manic bipolar I disorder without psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	281004	Dementia associated with alcoholism (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	600009	Pyromania (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	832007	Moderate major depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	899001	Axis I diagnosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1145003	Developmental speech disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1196001	Chronic bipolar II disorder, most recent episode major depressive (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1376001	Obsessive compulsive personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1380006	Agoraphobia without history of panic disorder with limited symptom attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1383008	Hallucinogen mood disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1499003	Bipolar I disorder, single manic episode with postpartum onset (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1686006	Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1816003	Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1855002	Developmental academic disorder (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1973000	Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	2312009	Reactive attachment disorder of infancy OR early childhood, inhibited type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	2403008	Psychoactive substance dependence (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	2506003	Early onset dysthymia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	2618002	Chronic recurrent major depressive disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	2815001	Sexual pyromania (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	3109008	Secondary dysthymia early onset (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	3158007	Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	3530005	Bipolar I disorder, single manic episode, in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	3914008	Mental disorder in childhood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	4306003	Cluster B personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	4441000	Severe bipolar disorder with psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	4926007	Schizophrenia in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	4932002	Panic disorder with agoraphobia, moderate agoraphobic avoidance AND mild panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	4997005	Thyrotoxicosis factitia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	5095008	Gender identity disorder of childhood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	5158005	Gilles de la Tourette's syndrome (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	5444000	Sedative, hypnotic AND/OR anxiolytic intoxication delirium (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	5464005	Brief reactive psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	5507002	Stereotypy habit disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	5509004	Panic disorder with agoraphobia AND severe panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	5510009	Organic delusional disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	5703000	Bipolar disorder in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	6348008	Cocaine-induced psychotic disorder with hallucinations (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	7025000	Subchronic undifferentiated schizophrenia with acute exacerbations (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	7052005	Alcohol hallucinosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	7200002	Alcoholism (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	7291006	Reactive attachment disorder of infancy (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	7397008	Aggressor identification syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	7461003	Attention deficit hyperactivity disorder, predominantly hyperactive impulsive type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	7794004	Chronic motor tic disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	8185002	Panic disorder with agoraphobia AND moderate panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	8635005	Alcohol withdrawal delirium (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	8837000	Delirium caused by amphetamine (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	9167000	Moderate mood disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	9340000	Bipolar I disorder, single manic episode (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	9674006	Adjustment disorder with withdrawal (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	9760005	Deferred diagnosis on Axis I (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	10327003	Cocaine-induced mood disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	10586006	Occupation-related stress disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	10875004	Severe mixed bipolar I disorder with psychotic features, mood-incongruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	10981006	Severe mixed bipolar I disorder with psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	11806006	Separation anxiety disorder of childhood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	11941006	Panic disorder with agoraphobia, agoraphobic avoidance in full remission AND panic attacks in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	12939007	Chronic disorganized schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	12969000	Severe bipolar II disorder, most recent episode major depressive, in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	13127006	Factitious psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	13313007	Mild bipolar disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	13438001	Overanxious disorder of childhood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	13581000	Severe bipolar I disorder, single manic episode with psychotic features, mood-congruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	13601005	Paranoid personality disorder (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	13670005	Gender identity disorder of adulthood, previously heterosexual (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	13746004	Bipolar disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	14070001	Multi-infarct dementia with depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	14077003	Pica (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	14144000	Erotomanic delusion disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	14183003	Chronic major depressive disorder, single episode (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	14291003	Subchronic disorganized schizophrenia with acute exacerbations (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	14495005	Severe bipolar I disorder, single manic episode without psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	14784000	Organic mental disorder caused by opioid (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	15193003	Severe recurrent major depression with psychotic features, mood-incongruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	15277004	Hallucinogen-induced anxiety disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	15639000	Moderate major depression, single episode (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	15945005	Psychogenic polydipsia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	15977008	Adjustment disorder with academic inhibition (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	16295005	Bipolar II disorder, most recent episode major depressive (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	16506000	Mixed bipolar I disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	16805009	Cluster A personality disorder (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	16966009	Factitious hypoglycemia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	16990005	Subchronic schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	17155009	Trichotillomania (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	17226007	Adjustment disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	17262008	Non-alcoholic Korsakoff's psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	17496003	Organic anxiety disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	17782008	Bipolar I disorder, most recent episode manic with catatonic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	17961008	Conduct disorder, childhood-onset type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	18003009	Gender identity disorder of adulthood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	18085000	Compulsive gambling (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	18260003	Postpartum psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	18478005	Adjustment disorder with physical complaints (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	18573003	Obsessional erotomania (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	18653004	Alcohol intoxication delirium (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	18689007	Inhalant intoxication delirium (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	18818009	Moderate recurrent major depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	18941000	Oppositional defiant disorder (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	19300006	Severe bipolar II disorder, most recent episode major depressive with psychotic features, mood-congruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	19445006	Opioid-induced psychotic disorder with hallucinations (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	19527009	Single episode of major depression in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	19694002	Late onset dysthymia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	19766004	Panic disorder with agoraphobia, mild agoraphobic avoidance AND severe panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	20010003	Borderline personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	20250007	Severe major depression, single episode, with psychotic features, mood-incongruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	20385005	Psychotic disorder with delusions caused by opioid (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	20876004	Inhalant-induced anxiety disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	20960007	Severe bipolar II disorder, most recent episode major depressive with psychotic features, mood-incongruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	21586000	Munchausen's syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	21634003	Borjeson-Forssman-Lehmann syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	21897009	Generalized anxiety disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	21900002	Bipolar I disorder, most recent episode depressed with catatonic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	22121000	Depressed bipolar I disorder in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	22230001	Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	22407005	Bipolar II disorder, most recent episode major depressive with catatonic features (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	22419002	Mood disorder with mixed features due to general medical condition (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	23148009	Undifferentiated attention deficit disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	23560001	Asperger's disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	23645006	Organic mood disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	24121004	Insomnia disorder related to another mental disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	24125008	Mental disorder in infancy (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	24315006	Factitious disorder with combined physical AND psychological symptoms (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	24781009	Panic disorder with agoraphobia, mild agoraphobic avoidance AND panic attacks in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	25501002	Social phobia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	25766007	Mixed receptive-expressive language disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	25922000	Major depressive disorder, single episode with postpartum onset (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	26025008	Residual schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	26203008	Severe depressed bipolar I disorder with psychotic features, mood-incongruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	26453000	Mental disorder in adolescence (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	26472000	Paraphrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	26516009	Severe mood disorder with psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	26530004	Severe bipolar disorder with psychotic features, mood-incongruent (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	26665006	Antisocial personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	26714005	Cannabis-induced psychotic disorder with hallucinations (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	27387000	Subchronic disorganized schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	27544004	Developmental coordination disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	27956007	Cocaine intoxication (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	28357009	Transitory postpartum mood disturbance (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	28368009	Organic hallucinosis caused by psychoactive substance (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	28475009	Severe recurrent major depression with psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	28663008	Severe manic bipolar I disorder with psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	28676002	Mood disorder with manic features due to general medical condition (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	28864000	Sedative, hypnotic AND/OR anxiolytic-induced mood disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	28884001	Moderate bipolar I disorder, single manic episode (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	29599000	Chronic undifferentiated schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	29733004	Mood disorder caused by opioid (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	29929003	Bipolar I disorder, most recent episode depressed with atypical features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	30059008	Panic disorder with agoraphobia, severe agoraphobic avoidance AND moderate panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	30310000	Nicotine-induced organic mental disorder (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	30336007	Chronic residual schizophrenia with acute exacerbations (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	30491001	Cocaine delusional disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	30509009	Gender identity disorder of adolescence, previously homosexual (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	30520009	Severe bipolar II disorder, most recent episode major depressive with psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	30605009	Major depression in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	30687003	Bipolar II disorder, most recent episode major depressive with postpartum onset (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	30935000	Manic bipolar I disorder in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	31027006	Schizotypal personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	31177006	Attention deficit hyperactivity disorder, combined type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	31358003	Coprophilia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	31373002	Disorganized schizophrenia in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	31446002	Bipolar I disorder, most recent episode hypomanic (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	31611000	Multiple personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	31648009	Unaggressive type unsocialized behavior disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	31658008	Chronic paranoid schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	31715000	Phencyclidine intoxication delirium (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	31781004	Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND mild panic attacks (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	32009006	Hallucinogen hallucinosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	32174002	Voice disorder due to psychosexual conflict (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	32358001	Amphetamine delusional disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	32388005	Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND moderate panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	32552001	Organic delusional disorder caused by psychoactive substance (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	32721004	Bulimia nervosa, purging type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	32875003	Inhalant-induced persisting dementia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	32880007	Adjustment disorder with work inhibition (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	33078009	Severe recurrent major depression with psychotic features, mood-congruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	33135002	Recurrent major depression in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	33323008	Somatic delusion disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	33380008	Severe manic bipolar I disorder with psychotic features, mood-incongruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	33449004	Personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	33736005	Severe major depression with psychotic features, mood-congruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	33871004	Phencyclidine-induced psychotic disorder with hallucinations (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	34116005	Panic disorder with agoraphobia, agoraphobic avoidance in full remission AND severe panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	34315001	Bipolar II disorder, most recent episode major depressive with melancholic features (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	34938008	Anxiety disorder caused by alcohol (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	35218008	Chronic disorganized schizophrenia with acute exacerbation (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	35252006	Disorganized schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	35253001	Attention deficit hyperactivity disorder, predominantly inattentive type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	35481005	Mixed bipolar I disorder in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	35489007	Depressive disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	35607004	Panic disorder with agoraphobia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	35722002	Severe bipolar II disorder, most recent episode major depressive, in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	35827000	Recurrent conversion disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	35846004	Moderate bipolar II disorder, most recent episode major depressive (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	35919005	Pervasive developmental disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	36170009	Secondary dysthymia late onset (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	36217008	Organic personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	36474008	Severe recurrent major depression without psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	36583000	Mixed bipolar I disorder in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	36622002	Mild mood disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	36923009	Major depression, single episode (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	37331004	Organic mood disorder caused by psychoactive substance (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	37739004	Mood disorder due to a general medical condition (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	37746008	Avoidant personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	37868008	Anxiety disorder of adolescence (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	37872007	Avoidant disorder of childhood OR adolescence (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	37941009	Rumination disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	38295006	Involutional paraphrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	38328002	Panic disorder with agoraphobia, severe agoraphobic avoidance AND panic attacks in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	38368003	Schizoaffective disorder, bipolar type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	38451003	Primary dysthymia early onset (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	38547003	Mood disorder in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	38694004	Recurrent major depressive disorder with atypical features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	39003006	Psychoactive substance-induced organic delirium (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	39465007	Emotional deprivation syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	39610001	Undifferentiated schizophrenia in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	39807006	Cannabis intoxication delirium (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	39809009	Recurrent major depressive disorder with catatonic features (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	39951001	Cannabis-induced anxiety disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	40379007	Mild recurrent major depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	40568001	Recurrent brief depressive disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	40571009	Hallucinogen intoxication delirium (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	40673001	Post-encephalitic syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	40926005	Moderate mixed bipolar I disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	40987004	Intermittent explosive disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	41021005	Psychologic dyspareunia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	41526007	Reactive attachment disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	41552001	Mild bipolar I disorder, single manic episode (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	41832009	Severe bipolar I disorder, single manic episode with psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	41836007	Bipolar disorder in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	42594001	Organic mood disorder of depressed type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	42810003	Major depression in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	42868002	Subchronic catatonic schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	42925002	Major depressive disorder, single episode with atypical features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	43150009	Panic disorder without agoraphobia with severe panic attacks (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	43497001	Amphetamine-induced mood disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	43568002	Bipolar II disorder, most recent episode major depressive with atypical features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	43614003	Autistic disorder of childhood onset (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	43769008	Mild mixed bipolar I disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	44031002	Postseizure confusion (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	44124003	Reactive attachment disorder of early childhood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	44376007	Dissociative disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	44966003	Passive aggressive personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	45479006	Manic bipolar I disorder in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	45677003	Developmental expressive writing disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	45912004	Organic hallucinosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	46206005	Mood disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	46229002	Severe mixed bipolar I disorder without psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	46244001	Recurrent major depression in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	46721000	Organic personality disorder caused by psychoactive substance (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	46975003	Organic mental disorder caused by cocaine (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	47372000	Adjustment disorder with anxious mood (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	47447001	Grandiose delusion disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	47505003	Posttraumatic stress disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	47664006	Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with hallucinations (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	47916000	Developmental arithmetic disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	48500005	Delusional disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	48589009	Minor depressive disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	48826008	Conduct disorder, adolescent-onset type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	48937005	Bipolar II disorder, most recent episode hypomanic (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	49271002	Deferred diagnosis on Axis II (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	49468007	Depressed bipolar I disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	49481000	Postseizure delirium (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	49512000	Depressed bipolar I disorder in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	49564006	Panic disorder with agoraphobia, mild agoraphobic avoidance AND moderate panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	50026000	Organic anxiety disorder caused by psychoactive substance (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	50320000	Hallucinogen intoxication (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	50705009	Factitious disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	50722006	Delusional disorder caused by phencyclidine (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	50933003	Hallucinogen delusional disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	50983008	Panic disorder with agoraphobia, mild agoraphobic avoidance AND panic attacks in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	51133006	Residual schizophrenia in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	51443000	Amphetamine-induced psychotic disorder with hallucinations (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	51493001	Anxiety disorder caused by cocaine (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	51637008	Chronic bipolar I disorder, most recent episode depressed (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	51771007	Postviral fatigue syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	52702003	Chronic fatigue syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	52824009	Developmental reading disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	52866005	Opioid intoxication delirium (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	52910006	Anxiety disorder due to a general medical condition (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	52954000	Schizoid personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	53049002	Severe bipolar disorder without psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	53050002	Organic mental disorder caused by hallucinogen (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	53467004	Anxiety disorder of childhood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	53607008	Depressed bipolar I disorder in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	53956006	Panic disorder without agoraphobia with panic attacks in partial remission (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	54319003	Disruptive behavior disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	54417002	Adult gender identity disorder, sexually attracted to females (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	54502004	Primary degenerative dementia of the Alzheimer type, presenile onset, with delusions (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	54587008	Simple phobia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	54761006	Severe depressed bipolar I disorder with psychotic features, mood-congruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	55009008	Primary degenerative dementia of the Alzheimer type, senile onset, with delusions (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	55341008	Histrionic personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	55516002	Bipolar I disorder, most recent episode manic with postpartum onset (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	55668003	Adjustment disorder with mixed emotional features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	55967005	Anxiety disorder caused by phencyclidine (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	56576003	Panic disorder without agoraphobia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	56627002	Psychosexual disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	56641006	Axis II diagnosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	56882008	Anorexia nervosa (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	57194009	Adjustment disorder with depressed mood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	57588009	Sedative, hypnotic AND/OR anxiolytic-induced sleep disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	57715001	Gender identity disorder of adolescence (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	58214004	Schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	58329000	Organic mood disorder of manic type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	58535001	Physical AND emotional exhaustion state (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	58647003	Severe mood disorder with psychotic features, mood-congruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	58703003	Postpartum depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	59216005	Adult gender identity disorder, sexually attracted to males (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	59617007	Severe depressed bipolar I disorder with psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	59645001	Bulimia nervosa, nonpurging type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	59651006	Sedative, hypnotic AND/OR anxiolytic-induced persisting dementia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	59923000	Panic disorder with agoraphobia AND panic attacks in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	60099002	Severe major depression with psychotic features, mood-incongruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	60123008	Delusional disorder, mixed type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	61104008	Inhalant-induced organic mental disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	61144001	Alcohol-induced psychotic disorder with delusions (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	61157009	Combat fatigue (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	61180001	Adult gender identity disorder, sexually attracted to neither sex (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	61212007	Panic disorder with agoraphobia, severe agoraphobic avoidance AND severe panic attacks (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	61403008	Severe depressed bipolar I disorder without psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	61569007	Agoraphobia without history of panic disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	61831009	Induced psychotic disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	61901004	Conduct disorder, undifferentiated type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	62351001	Generalized social phobia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	63181006	Paranoid schizophrenia in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	63204009	Bouffée délirante (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	63249007	Manic bipolar I disorder in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	63393005	Anorexia nervosa, binge-eating purging type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	63395003	Folie à trois (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	63412003	Major depression in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	63649001	Cannabis delusional disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	63701002	Panic disorder with agoraphobia, mild agoraphobic avoidance AND mild panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	63778009	Major depressive disorder, single episode with melancholic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	63909006	Panic disorder with agoraphobia AND panic attacks in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	63983005	Inhalant-induced psychotic disorder with hallucinations (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	64060000	Panic disorder with agoraphobia, moderate agoraphobic avoidance AND panic attacks in full remission (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	64165008	Avoidant disorder of childhood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	64731001	Severe mixed bipolar I disorder with psychotic features, mood-congruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	64905009	Paranoid schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	65042007	Bipolar I disorder, most recent episode mixed with postpartum onset (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	65064003	Panic disorder without agoraphobia with moderate panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	65179007	Koro (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	66307007	Conduct disorder, group type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	66344007	Recurrent major depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	66347000	Impulse control disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	66381006	Adjustment disorder with mixed disturbance of emotions AND conduct (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	66590003	Alcohol dependence (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	66631006	Moderate depressed bipolar I disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	66936004	Identity disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	67002003	Severe bipolar II disorder, most recent episode major depressive, in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	67123006	Adult gender identity disorder, sexually attracted to both sexes (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	67195008	Acute stress disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	67711008	Primary dysthymia late onset (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	68019004	Recurrent major depression in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	68569003	Manic bipolar I disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	68618008	Rett's disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	68890003	Schizoaffective disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	68963006	Gender identity disorder of adolescence, previously heterosexual (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	68995007	Chronic catatonic schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	69322001	Psychotic disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	69361009	Kleptomania (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	69392006	Major depressive disorder, single episode with catatonic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	69479009	Anxiety hyperventilation (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	69482004	Korsakoff's psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	70328006	Cocaine intoxication delirium (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	70546001	Severe bipolar disorder with psychotic features, mood-congruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	70691001	Agoraphobia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	70747007	Major depression single episode, in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	70814008	Subchronic residual schizophrenia with acute exacerbations (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	70932007	Sexual dysfunction caused by amphetamine (finding)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	71103003	Chronic residual schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	71294008	Mild bipolar II disorder, most recent episode major depressive (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	71328000	Sexual dysfunction caused by opioid (finding)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	71336009	Recurrent major depressive disorder with postpartum onset (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	71787009	Psychologic vaginismus (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	71959007	Elective mutism (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	71961003	Childhood disintegrative disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	71984005	Mild manic bipolar I disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	72366004	Eating disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	72861004	Panic disorder without agoraphobia with mild panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	73097000	Alcohol amnestic disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	73462009	Chronic vocal tic disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	73471000	Bipolar I disorder, most recent episode mixed with catatonic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	73867007	Severe major depression with psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	74010007	Panic disorder with agoraphobia, severe agoraphobic avoidance AND panic attacks in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	74266001	Mood disorder in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	74686005	Mild depressed bipolar I disorder (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	74732009	Mental disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	74850006	Conduct disorder, solitary aggressive type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	74934004	Psychoactive substance withdrawal syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	75084000	Severe major depression without psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	75122001	Inhalant-induced psychotic disorder with delusions (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	75360000	Bipolar I disorder, single manic episode, in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	75752004	Bipolar I disorder, most recent episode depressed with melancholic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	75837004	Mood disorder with depressive features due to general medical condition (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	76105009	Cyclothymia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	76129002	Ganser syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	76236006	Atypical tic disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	76441001	Severe major depression, single episode, without psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	76566000	Subchronic residual schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	76812003	Panic disorder with agoraphobia, moderate agoraphobic avoidance AND panic attacks in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	76868007	Panic disorder with agoraphobia, agoraphobic avoidance in full remission AND mild panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	77355000	Organic mental disorder caused by cannabis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	77475008	Jealous delusion disorder (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	77486005	Mood disorder with major depressive-like episode due to general medical condition (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	77675002	Anorexia nervosa, restricting type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	77815007	Gender identity disorder of adulthood, previously homosexual (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	77911002	Severe major depression, single episode, with psychotic features, mood-congruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	78004001	Bulimia nervosa (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	78269000	Bipolar I disorder, single manic episode, in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	78358001	Amphetamine withdrawal syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	78640000	Severe manic bipolar I disorder with psychotic features, mood-congruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	78667006	Dysthymia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	79204003	Chronic undifferentiated schizophrenia with acute exacerbations (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	79298009	Mild major depression, single episode (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	79524000	Ecouteurism (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	79584002	Moderate bipolar disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	79842004	Stuporous depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	79866005	Subchronic paranoid schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	80711002	Narcissistic personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	80868005	Cocaine withdrawal syndrome (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	81319007	Severe bipolar II disorder, most recent episode major depressive without psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	81463002	Bestiality (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	82218004	Postoperative depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	82339009	Anxiety disorder caused by amfetamine (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	82415003	Agoraphobia without history of panic disorder without limited symptom attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	82494000	Panic disorder without agoraphobia with panic attacks in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	82738004	Panic disorder with agoraphobia, moderate agoraphobic avoidance AND moderate panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	82998009	Moderate manic bipolar I disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	83176005	Primary dysthymia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	83225003	Bipolar II disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	83253003	Shyness disorder of childhood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	83367009	Organic mental disorder caused by amphetamine and/or amfetamine derivative (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	83458005	Agitated depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	83501007	Organic mood disorder of mixed type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	83631006	Panic disorder with agoraphobia, moderate agoraphobic avoidance AND severe panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	83746006	Chronic schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	83890006	Cluster C personality disorder (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	84466009	Dependent personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	84760002	Schizoaffective disorder, depressive type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	84788008	Menopausal depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	84984002	Adjustment disorder with disturbance of conduct (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	85061001	Separation anxiety disorder of childhood, early onset (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	85080004	Secondary dysthymia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	85248005	Bipolar disorder in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	85821003	Acute non-psychotic brain syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	85861002	Subchronic undifferentiated schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	86058007	Severe bipolar I disorder, single manic episode with psychotic features, mood-incongruent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	87132004	Opioid withdrawal syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	87203005	Bipolar I disorder, most recent episode depressed with postpartum onset (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	87414006	Reactive depression (situational) (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	87512008	Mild major depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	87798009	Panic disorder with agoraphobia, agoraphobic avoidance in full remission AND moderate panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	87842000	Generalized neuromuscular exhaustion syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	87950005	Bipolar I disorder, single manic episode with catatonic features (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	87991007	Gender identity disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	88740003	Thyrotoxicosis factitia with thyrotoxic crisis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	88845000	Explosive type organic personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	88939009	Severe mood disorder without psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	88975006	Schizophreniform disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	89415002	Hypersomnia disorder related to another mental disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	89451009	Inhalant-induced mood disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	89618007	Persecutory delusion disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	89948007	Panic disorder with agoraphobia AND mild panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	90755006	Nicotine withdrawal syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	90790003	Avoidant disorder of adolescence (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	93461009	Gender dysphoria (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	95637005	Munchausen syndrome by proxy (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	106015009	Mental disorder AND/OR culture bound syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	109805003	Factitious cheilitis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	111475002	Neurosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	111477005	Reactive attachment disorder of infancy OR early childhood, disinhibited type (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	111479008	Organic mental disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	111480006	Psychoactive substance-induced organic dementia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	111482003	Subchronic schizophrenia with acute exacerbations (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	111483008	Catatonic schizophrenia in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	111484002	Undifferentiated schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	111485001	Mixed bipolar I disorder in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	111487009	Dream anxiety disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	111490003	Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND severe panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	111491004	Panic disorder with agoraphobia, agoraphobic avoidance in full remission AND panic attacks in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	126943008	Separation anxiety (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	128293007	Chronic mental disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	129104009	Developmental mental disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	129604005	Delusion of heart disease syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	129606007	Frontal lobe syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	162218007	Stress-related problem (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	162313000	Morbid jealousy (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	187921002	Developmental receptive language disorder (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191447007	Organic psychotic condition (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191455000	Presenile dementia with depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191457008	Senile dementia with depressive or paranoid features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191458003	Senile dementia with paranoia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191459006	Senile dementia with depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191466007	Arteriosclerotic dementia with depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191471000	Korsakov's alcoholic psychosis with peripheral neuritis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191475009	Chronic alcoholic brain syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191476005	Alcohol withdrawal hallucinosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191478006	Alcoholic paranoia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191480000	Alcohol withdrawal syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191483003	Psychotic disorder caused by drug (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191485005	Paranoid state caused by drug (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191486006	Hallucinosis caused by drug (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191492000	Delirium caused by drug (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191493005	Dementia caused by drug (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191494004	Amnestic disorder caused by drug (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191495003	Depressive disorder caused by drug (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191496002	Personality disorder caused by drug (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191499009	Transient organic psychoses (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191501001	Acute confusional state, post-traumatic (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191508007	Subacute confusional state, post-traumatic (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191526005	Schizophrenic disorders (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191527001	Simple schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191531007	Acute exacerbation of chronic schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191542003	Catatonic schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191547009	Acute exacerbation of subchronic catatonic schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191548004	Acute exacerbation of chronic catatonic schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191554003	Acute exacerbation of subchronic paranoid schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191555002	Acute exacerbation of chronic paranoid schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191559008	Latent schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191565008	Latent schizophrenia in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191567000	Schizoaffective schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191569002	Subchronic schizoaffective schizophrenia (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191570001	Chronic schizoaffective schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191571002	Acute exacerbation of subchronic schizoaffective schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191572009	Acute exacerbation of chronic schizoaffective schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191574005	Schizoaffective schizophrenia in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191577003	Cenesthopathic schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191583000	Single manic episode, mild (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191584006	Single manic episode, moderate (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191586008	Single manic episode, severe, with psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191588009	Single manic episode in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191590005	Recurrent manic episodes (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191592002	Recurrent manic episodes, mild (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191593007	Recurrent manic episodes, moderate (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191595000	Recurrent manic episodes, severe, with psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191597008	Recurrent manic episodes, in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191604000	Single major depressive episode, severe, with psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191610000	Recurrent major depressive episodes, mild (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191611001	Recurrent major depressive episodes, moderate (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191613003	Recurrent major depressive episodes, severe, with psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191616006	Recurrent depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191618007	Bipolar affective disorder, current episode manic (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191620005	Bipolar affective disorder, currently manic, mild (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191621009	Bipolar affective disorder, currently manic, moderate (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191623007	Bipolar affective disorder, currently manic, severe, with psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191627008	Bipolar affective disorder, current episode depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191629006	Bipolar affective disorder, currently depressed, mild (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191630001	Bipolar affective disorder, currently depressed, moderate (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191636007	Mixed bipolar affective disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191638008	Mixed bipolar affective disorder, mild (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191639000	Mixed bipolar affective disorder, moderate (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191641004	Mixed bipolar affective disorder, severe, with psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191643001	Mixed bipolar affective disorder, in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191659001	Atypical depressive disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191667009	Paranoid disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191668004	Simple paranoid state (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191672000	Paranoia querulans (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191676002	Reactive depressive psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191678001	Reactive confusion (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191680007	Psychogenic paranoid psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191687005	Psychosis with origin in childhood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191689008	Active infantile autism (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191690004	Residual infantile autism (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191692007	Active disintegrative psychoses (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191693002	Residual disintegrative psychoses (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191696005	Atypical childhood psychoses (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191697001	Borderline psychosis of childhood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191722009	Agoraphobia with panic attacks (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191724005	Social phobia, fear of eating in public (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191725006	Social phobia, fear of public speaking (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191726007	Social phobia, fear of public washing (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191736004	Obsessive-compulsive disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191753006	Hypomanic personality disorder (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191765005	Emotionally unstable personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191772006	Eccentric personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191773001	Immature personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191774007	Masochistic personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191787001	Psychosexual identity disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191811004	Continuous chronic alcoholism (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191812006	Episodic chronic alcoholism (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191813001	Chronic alcoholism in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	191966002	Psychogenic pruritus (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192037000	Acute panic state due to acute stress reaction (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192038005	Acute fugue state due to acute stress reaction (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192039002	Acute stupor state due to acute stress reaction (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192041001	Acute situational disturbance (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192042008	Acute post-trauma stress state (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192044009	Stress reaction causing mixed disturbance of emotion and conduct (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192046006	Brief depressive adjustment reaction (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192049004	Prolonged depressive adjustment reaction (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192051000	Adolescent emancipation disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192052007	Early adult emancipation disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192054008	Culture shock (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192056005	Adjustment reaction with aggression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192057001	Adjustment reaction with antisocial behavior (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192058006	Adjustment reaction with destructiveness (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192061007	Concentration camp syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192063005	Adjustment reaction with physical symptoms (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192064004	Elective mutism due to an adjustment reaction (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192065003	Hospitalism (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192069009	Specific nonpsychotic mental disorders following organic brain damage (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192072002	Organic memory impairment (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192073007	Change in personality (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192079006	Postviral depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192080009	Chronic depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192082001	Aggressive unsocial conduct disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192092009	Group delinquency (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192097003	Isolated explosive disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192099000	Childhood disorder of conduct and emotion (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192100008	Neurotic delinquency (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192108001	Disturbance of anxiety and fearfulness in childhood and adolescence (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192110004	Childhood and adolescent fearfulness disturbance (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192119003	Sibling jealousy (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192127007	Child attention deficit disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192131001	Hyperkinesis with developmental delay (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192132008	Hyperkinetic conduct disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192147004	Mixed disorder of psychological development (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192362008	Bipolar affective disorder, current episode mixed (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192527004	Elaboration of physical symptoms for psychological reasons (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192562009	Disorder of psychological development (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192611004	Childhood phobic anxiety disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192616009	Childhood or adolescent disorder of social functioning (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	192631000	Pica of infancy and childhood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	197480006	Anxiety disorder (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	199257008	Mental disorders during pregnancy, childbirth and the puerperium (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	229623002	Developmental dysfluency (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	229699006	Immature articulatory praxis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	229700007	Developmental motor speech disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	229701006	Developmental articulatory dyspraxia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	229715008	Deficits in attention motor control and perception (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	229740001	Delayed pre-verbal development (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	229744005	Developmental syntactic impairment (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	229745006	Developmental semantic impairment (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	230334008	Tic caused by drug (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231437006	Reactive psychoses (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231438001	Presbyophrenic psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231442003	Organic catatonic disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231443008	Right hemispheric organic affective disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231444002	Organic bipolar disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231445001	Organic dissociative disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231446000	Organic emotionally labile disorder (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231449007	Epileptic psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231452004	Limbic epilepsy personality syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231453009	Lobotomy syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231454003	Organic pseudopsychopathic personality (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231455002	Organic pseudoretarded personality (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231456001	Postleucotomy syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231467000	Absinthe addiction (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231485007	Post-schizophrenic depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231487004	Persistent delusional disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231489001	Acute transient psychotic disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231494001	Mania (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231496004	Hypomania (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231500002	Masked depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231504006	Mixed anxiety and depressive disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231516000	Cutaneous hypochondriasis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231520001	Behavioral syndrome associated with physiological disturbance and physical factors (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231521002	Weight fixation (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231522009	Atypical anorexia nervosa (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231523004	Atypical bulimia nervosa (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231524005	Interictal behavior disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231525006	Manipulative personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231526007	Fanatic personality (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231527003	Explosive personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231528008	Anxious personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231530005	Post-concussional personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231536004	Atypical autism (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231537008	Developmental agnosia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231538003	Behavioral and emotional disorder with onset in childhood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231539006	Adolescent - emotional problem (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231540008	Conduct disorder - in family context (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231541007	Conduct disorder - unsocialized (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231542000	Depressive conduct disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	231864002	Conjunctivitis artefacta (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	233690008	Factitious asthma (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	235004005	Gingivitis artefacta (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	237351003	Mild postnatal psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	237352005	Severe postnatal psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	238961003	Trichophobia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	238966008	Syphilophobia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	238967004	Psychogenic sensory disturbance of skin (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	238972008	Cutaneous monosymptomatic delusional psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	238973003	Delusions of parasitosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	238974009	Delusions of infestation (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	238977002	Delusional hyperhidrosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	238978007	Hyperschemazia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	238979004	Hyposchemazia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	247803002	Seasonal affective disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	247804008	Schizophrenic prodrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	267320004	Pregnancy with mental disorders (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268612007	Senile and presenile organic psychotic conditions (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268617001	Acute schizophrenic episode (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268619003	Manic disorder, single episode (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268621008	Recurrent major depressive episodes (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268622001	Chronic paranoid psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268624000	Acute paranoid reaction (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268633003	Introverted personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268634009	Psychoneurotic personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268658008	Specific academic or work inhibition (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268661009	Nonaggressive unsocial conduct disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268662002	Unsocial childhood truancy (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268664001	Childhood emotional disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268666004	Childhood and adolescent disturbance with sensitivity (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268667008	Childhood and adolescent disturbance with shyness (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268668003	Childhood and adolescent disturbance with introversion (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268669006	Childhood and adolescent disturbance with elective mutism (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268673009	Developmental aphasia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	268734000	Developmental expressive language disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	270901009	Schizoaffective disorder, mixed type (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	270905000	Childhood disinhibited attachment disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	271428004	Schizoaffective disorder, manic type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	271952001	Stress and adjustment reaction (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	274948002	Endogenous depression - recurrent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	274953007	Acute polymorphic psychotic disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	275446004	Gardner-Diamond syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	275473003	Specific work inhibition (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	275474009	Psychogenic overeating (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	276296007	Dissociative trance (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	276297003	Dissociative possession disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	278506006	Involutional paranoid state (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	278508007	Delusional dysmorphophobia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	278852008	Paranoid-hallucinatory epileptic psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	278853003	Acute schizophrenia-like psychotic disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	279611005	Shell shock (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	280032002	Developmental language disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	280943007	Dissociative confusion (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	280949006	Erotomania (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	280994000	Chronic confusional state (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	286933003	Confusional state (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	300706003	Endogenous depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	300979000	Caregiver stress syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	307417003	Cycloid psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	310495003	Mild depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	310496002	Moderate depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	310497006	Severe depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	311173003	Phencyclidine-related disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	312098001	Sedative, hypnotic AND/OR anxiolytic-related disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	312936002	Organic mental disorder caused by anxiolytic agent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	313182004	Chronic post-traumatic stress disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	313915006	Organic mental disorder caused by hypnotic agent (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	317816007	Stockholm syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	318784009	Posttraumatic stress disorder, delayed onset (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	319768000	Recurrent major depressive disorder with melancholic features (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	320751009	Major depression, melancholic type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	357705009	Cotard's syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	370143000	Major depressive disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	371024007	Senile dementia with delusion (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	371026009	Senile dementia with psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	371596008	Bipolar I disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	371599001	Severe bipolar I disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	371600003	Severe bipolar disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	371604007	Severe bipolar II disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	371631005	Panic disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	373618009	Autistic spectrum disorder with isolated skills (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	386701004	Developmental articulation disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	386810004	Phobic disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	386820009	Socialized behavior disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	386821008	Adjustment reaction in infancy (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	386822001	Adjustment reaction of adolescence (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	386823006	Adjustment reaction of adult life (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	386824000	Adjustment reaction of childhood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	386825004	Adjustment reaction of late life (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	402732001	Habit tic (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	402733006	Habit tic affecting skin (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	402735004	Habit tic affecting hair (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	402736003	Factitious skin disease (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	403578003	Factitious blistering (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	403579006	Factitious lymphedema (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	403590001	Cutaneous Munchausen syndrome by proxy (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	403593004	Phobic fear of skin cancer (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	403594005	Psychogenic formication (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	403595006	Pinocchio syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	404906000	Postoperative confusion (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	406506008	Attention deficit hyperactivity disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	408857007	Infantile autism (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	416340002	Late onset schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	417294004	Factitious keratitis (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	420774007	Organic brain syndrome with acquired immunodeficiency syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	425914008	Adjustment reaction to medical therapy (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	425919003	Chronic organic mental disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	426174008	Chronic stress disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	426881004	Developmental delay in feeding (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	427469003	Eating disorder in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	427975003	Delusional disorder caused by drug (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	428687006	Nightmares associated with chronic post-traumatic stress disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	428703001	Transient organic mental disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	429672007	Mood disorder caused by drug (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	430744005	Factitious disorder with predominantly physical signs and symptoms (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	430751001	Factitious disorder with predominantly psychological signs and symptoms (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	430852001	Severe major depression, single episode, with psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	430909002	Conduct disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	432091002	Savant syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	439960005	Binge eating disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	441704009	Affective psychosis (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	441711008	Chronic psychogenic pain (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	441716003	Residual childhood psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	441833000	Lethal catatonia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	442057004	Chronic depressive personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	442245003	Chronic hypomanic personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	442314000	Active but odd autism (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	442351006	Mental disorder caused by drug (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	443919007	Complex posttraumatic stress disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	446175003	Acute posttraumatic stress disorder following military combat (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	446180007	Delayed posttraumatic stress disorder following military combat (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	450714000	Severe major depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	473452003	Atypical psychosis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	473456000	Compulsive personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	473457009	Obsessional personality disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	609225004	Developmental regression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	698689005	Attention deficit hyperactivity disorder, predominantly inattentive type in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	698690001	Avoidant personality disorder in remission (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	698692009	Attention deficit hyperactivity disorder, predominantly hyperactive impulsive type in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	698693004	Adjustment disorder with anxious mood in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	698696007	Adjustment disorder with depressed mood in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	698697003	Adjustment disorder with mixed disturbance of emotions and conduct in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	698699000	Antisocial personality disorder in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	698700004	Borderline personality disorder in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	698701000	Adjustment disorder in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	698946008	Cyclothymia in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	698947004	Conduct disorder in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	698951002	Delusional disorder in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	699241002	Chronic post-traumatic stress disorder following military combat (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	702356009	X-linked intellectual disability-psychosis-macroorchidism syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	702450004	FOXP1 syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	702732007	High-functioning autism (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	702815001	Attention deficit hyperactivity disorder, inattentive presentation (restrictive) (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	708037001	Residual Asperger's disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	712823008	Acute depression (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	712824002	Acute polymorphic psychotic disorder without symptoms of schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	712850003	Acute polymorphic psychotic disorder co-occurrent with symptoms of schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	712884004	Pathological demand avoidance (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	713491003	Organic brain syndrome co-occurrent with human immunodeficiency virus infection (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	713583005	Mild alcohol dependence (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	713862009	Severe alcohol dependence (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	714829008	Moderate alcohol dependence (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	715737004	Parkinsonism co-occurrent with dementia of Guadeloupe (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	715924009	Disruptive mood dysregulation disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	716096005	Hypospadias and intellectual disability syndrome Goldblatt type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	716199000	Delayed speech and facial asymmetry with strabismus and ear lobe skin crease syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	716578009	Developmental language comprehension impairment (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	718393002	Atypical Rett syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	719592004	Moderately severe major depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	719600006	1p21.3 microdeletion syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	720451004	Minimal recurrent major depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	720452006	Moderately severe recurrent major depression (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	720453001	Moderately severe major depression single episode (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	720454007	Minimal major depression single episode (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	720455008	Minimal major depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	723332005	Isodicentric chromosome 15 syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	723899008	Delusional disorder currently symptomatic (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	723900003	Delusional disorder currently in partial remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	723901004	Delusional disorder currently in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	723903001	Bipolar type I disorder currently in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	723905008	Bipolar type II disorder currently in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	723913009	Olfactory reference disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724673008	Psychotic disorder caused by sedative (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724674002	Psychotic disorder caused by hypnotic (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724675001	Psychotic disorder caused by anxiolytic (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724693000	Obsessive compulsive disorder caused by cocaine (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724706006	Psychotic disorder caused by methylenedioxymethamphetamine (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724718002	Psychotic disorder caused by dissociative drug (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724719005	Psychotic disorder caused by ketamine (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724730008	Obsessive compulsive disorder caused by psychoactive substance (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724733005	Oppositional defiant disorder co-occurrent with chronic irritability-anger (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724734004	Oppositional defiant disorder co-occurrent with chronic irritability-anger with normal prosocial emotions (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724735003	Oppositional defiant disorder without chronic irritability-anger (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724736002	Oppositional defiant disorder without chronic irritability-anger with limited prosocial emotions (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724737006	Oppositional defiant disorder without chronic irritability-anger with normal prosocial emotions (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724738001	Childhood onset conduct-dissocial disorder with limited prosocial emotions (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724739009	Childhood onset conduct-dissocial disorder with normal prosocial emotions (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724740006	Adolescent onset conduct-dissocial disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724741005	Adolescent onset conduct-dissocial disorder with limited prosocial emotions (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724742003	Adolescent onset conduct-dissocial disorder with normal prosocial emotions (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	726772006	Major depression with psychotic features (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	733623005	Autism spectrum disorder, epilepsy, arthrogryposis syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	735549008	Gambling disorder predominantly offline (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	735550008	Gambling disorder predominantly online (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	737225007	Secondary psychotic syndrome with hallucinations and delusions (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	762327001	Psychotic disorder with delusions caused by stimulant (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	762332000	Obsessive compulsive disorder caused by stimulant (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	762347009	Childhood onset conduct-dissocial disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	762509000	Psychotic disorder with delusions caused by synthetic cathinone (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	762516004	Obsessive compulsive disorder caused by synthetic cathinone (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	765176007	Psychosis and severe depression co-occurrent and due to bipolar affective disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	766824003	Activity dependent neuroprotector homeobox related multiple congenital anomalies, intellectual disability, autism spectrum disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	767631007	Bipolar disorder, most recent episode depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	767632000	Bipolar disorder, most recent episode manic (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	767633005	Bipolar affective disorder, most recent episode mixed (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	767635003	Bipolar I disorder, most recent episode manic (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	767636002	Bipolar I disorder, most recent episode depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	770790004	Developmental delay with autism spectrum disorder and gait instability (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	771448004	Autism epilepsy syndrome due to branched chain ketoacid dehydrogenase kinase deficiency (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	771512003	Autism spectrum disorder due to AUTS2 activator of transcription and developmental regulator deficiency (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	782501005	Adjustment disorder with mixed anxiety and depressed mood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	783089006	Macrocephaly, intellectual disability, autism syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	789061003	Rapid cycling bipolar II disorder (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	789399002	Persistent adjustment disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870260008	Pervasive developmental disorder with marked impairment of functional language with loss of previously acquired skills (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870261007	Pervasive developmental disorder with marked impairment of functional language without loss of previously acquired skills (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870262000	Pervasive developmental disorder with disorder of intellectual development without loss of previously acquired skills (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870263005	Pervasive developmental disorder with impairment of functional language (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870264004	Pervasive developmental disorder with disorder of intellectual development and pervasive impairment of functional language without loss of previously acquired skills (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870265003	Pervasive developmental disorder with disorder of intellectual development with loss of previously acquired skills (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870266002	Pervasive developmental disorder with disorder of intellectual development and marked impairment of functional language with loss of previously acquired skills (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870267006	Pervasive developmental disorder with disorder of intellectual development and marked impairment of functional language without loss of previously acquired skills (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870268001	Pervasive developmental disorder with disorder of intellectual development and complete impairment of functional language without loss of previously acquired skills (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870269009	Pervasive developmental disorder with disorder of intellectual development and absence of functional language with loss of previously acquired skills (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870270005	Pervasive developmental disorder with disorder of intellectual development and complete impairment of functional language with loss of previously acquired skills (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870280009	Pervasive developmental disorder with severe impairment of functional language with loss of previously acquired skills (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870282001	Pervasive developmental disorder with severe impairment of functional language without loss of previously acquired skills (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870303005	Pervasive developmental disorder with complete impairment of functional language with loss of previously acquired skills (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870304004	Pervasive developmental disorder with complete impairment of functional language without loss of previously acquired skills (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870305003	Pervasive developmental disorder with cognitive developmental delay and marked impairment of functional language (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870306002	Pervasive developmental disorder with complete impairment of functional language (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870307006	Pervasive developmental disorder with absence of functional language (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	870308001	Pervasive developmental disorder with cognitive developmental delay and complete impairment of functional language (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1153575004	Persistent depressive disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1204417003	Early onset schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1220650006	Delusion of emitting foul body odor (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1254652005	Intellectual disability, macrocephaly, hypotonia, behavioral abnormalities syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	251000119105	Severe major depression, single episode (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	261000119107	Severe depressed bipolar I disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	271000119101	Severe mixed bipolar I disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	281000119103	Severe recurrent major depression (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	7031000119100	Psychogenic fugue co-occurrent and due to stress reaction (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	18491000119109	Psychological disorder during pregnancy (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	21071000119101	Mood disorder of manic type (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	21831000119109	Psychotic disorder caused by phencyclidine (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	22641000119109	Psychosis in early childhood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	22981000119106	Recurrent severe manic episodes (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	23601000119102	Sedative withdrawal syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	23741000119105	Severe manic bipolar I disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	31081000119101	Presenile dementia with delusions (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	39951000119105	Pervasive developmental disorder of residual state (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	60401000119104	Postpartum psychosis in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	62211000119103	Moderate expressive language delay (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	62231000119108	Mild expressive language delay (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	89381000119107	Moderate receptive language delay (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	89501000119108	Mild receptive language delay (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	92501000119101	Stress reaction with psychomotor agitation (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	94631000119100	Depressive disorder in mother complicating pregnancy (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	97571000119109	Thrombocytopenia co-occurrent and due to alcoholism (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	104851000119103	Postpartum major depression in remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	130121000119104	Dementia due to Rett's syndrome (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	133091000119105	Rapid cycling bipolar I disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	133121000119109	Severe seasonal affective disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	153071000119108	Recurrent manic episodes in partial remission (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	270291000119109	Identity disorder of childhood (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	288271000119103	Childhood onset fluency disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	288421000119100	Hypsomnia co-occurrent and due to psychological disorder (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	288751000119101	Reactive depressive psychosis, single episode (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	288851000119106	Opioid-induced mood disorder due to opioid abuse (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	288861000119108	Opioid-induced mood disorder due to opioid dependence (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	368361000119108	Thyrotoxicosis factitia without thyrotoxic crisis (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1740001000004102	Iatrogenic thyrotoxicosis factitia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	10811121000119102	Major depressive disorder in mother complicating childbirth (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	10811161000119107	Major depressive disorder in mother complicating pregnancy (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	16238741000119105	Bipolar disorder caused by drug (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	16264621000119109	Recurrent mild major depressive disorder co-occurrent with anxiety (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	16264821000119108	Recurrent severe major depressive disorder co-occurrent with anxiety (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	16264901000119109	Recurrent moderate major depressive disorder co-occurrent with anxiety (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	16265061000119105	Recurrent major depressive disorder co-occurrent with anxiety in full remission (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	16265301000119106	Recurrent major depressive disorder in partial remission co-occurrent with anxiety (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	16265951000119109	Mild major depressive disorder co-occurrent with anxiety single episode (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition◆	SNOMED CT US Edition	16266831000119100	Moderate major depressive disorder co-occurrent with anxiety single episode (disorder)
Depression or Other Behavioral Health Condition◆	SNOMED CT US Edition	16266991000119108	Severe major depressive disorder co-occurrent with anxiety single episode (disorder)
Depression Case Management Encounter●	CPT	99366	Medical team conference with interdisciplinary team of health care professionals, face-to-face with patient and/or family, 30 minutes or more, participation by nonphysician qualified health care professional
Depression Case Management Encounter●	CPT	99492	Initial psychiatric collaborative care management, first 70 minutes in the first calendar month of behavioral health care manager activities, in consultation with a psychiatric consultant, and directed by the treating physician or other qualified health care professional, with the following required elements: outreach to and engagement in treatment of a patient directed by the treating physician or other qualified health care professional, initial assessment of the patient, including administration of validated rating scales, with the development of an individualized treatment plan, review by the psychiatric consultant with modifications of the plan if recommended, entering patient in a registry and tracking patient follow-up and progress using the registry, with appropriate documentation, and participation in weekly caseload consultation with the psychiatric consultant, and provision of brief interventions using evidence-based techniques such as behavioral activation, motivational interviewing, and other focused treatment strategies.
Depression Case Management Encounter●	CPT	99493	Subsequent psychiatric collaborative care management, first 60 minutes in a subsequent month of behavioral health care manager activities, in consultation with a psychiatric consultant, and directed by the treating physician or other qualified health care professional, with the following required elements: tracking patient follow-up and progress using the registry, with appropriate documentation, participation in weekly caseload consultation with the psychiatric consultant, ongoing collaboration with and coordination of the patient's mental health care with the treating physician or other qualified health care professional and any other treating mental health providers, additional review of progress and recommendations for changes in treatment, as indicated, including medications, based on recommendations provided by the psychiatric consultant, provision of brief interventions using evidence-based techniques such as behavioral activation, motivational interviewing, and other focused treatment strategies, monitoring of patient outcomes using validated rating scales, and relapse prevention planning with patients as they achieve remission of symptoms and/or other treatment goals and are prepared for discharge from active treatment.
Depression Case Management Encounter●	CPT	99494	Initial or subsequent psychiatric collaborative care management, each additional 30 minutes in a calendar month of behavioral health care manager activities, in consultation with a psychiatric consultant, and directed by the treating physician or other qualified health care professional (List separately in addition to code for primary procedure)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression Case Management Encounter●	HCPCS	G0512	Rural health clinic or federally qualified health center (RHC/FQHC) only, psychiatric collaborative care model (psychiatric COCM), 60 minutes or more of clinical staff time for psychiatric COCM services directed by an RHC or FQHC practitioner (physician, NP, PA, or CNM) and including services furnished by a behavioral health care manager and consultation with a psychiatric consultant, per calendar month
Depression Case Management Encounter●	HCPCS	T1016	Case management, each 15 minutes
Depression Case Management Encounter●	HCPCS	T1017	Targeted case management, each 15 minutes
Depression Case Management Encounter●	HCPCS	T2022	Case management, per month
Depression Case Management Encounter●	HCPCS	T2023	Targeted case management; per month
Depression Case Management Encounter●	SNOMED CT US Edition	182832007	Procedure related to management of drug administration (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	225333008	Behavior management (regime/therapy)
Depression Case Management Encounter●	SNOMED CT US Edition	385828006	Health promotion management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	386230005	Case management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	409022004	Dispensing medication management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	410216003	Communication care management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	410219005	Personal care management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	410328009	Coping skills case management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	410335001	Exercises case management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	410346003	Medication action/side effects case management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	410347007	Medication set-up case management (procedure)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression Case Management Encounter●	SNOMED CT US Edition	410351009	Relaxation/breathing techniques case management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	410352002	Rest/sleep case management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	410353007	Safety case management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	410354001	Screening case management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	410356004	Signs/symptoms-mental/emotional case management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	410360001	Spiritual care case management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	410363004	Support group case management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	410364005	Support system case management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	410366007	Wellness case management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	416341003	Case management started (situation)
Depression Case Management Encounter●	SNOMED CT US Edition	416584001	Case management ended (situation)
Depression Case Management Encounter●	SNOMED CT US Edition	424490002	Medication prescription case management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	425604002	Case management follow up (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	737850002	Day care case management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	621561000124106	Psychiatric case management (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	661051000124109	Education about Department of Veterans Affairs Military2VA Case Management Program (procedure)
Depression Case Management Encounter●	SNOMED CT US Edition	662081000124106	Assistance with application for Department of Veterans Affairs Military2VA Case Management Program (procedure)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression Case Management Encounter●	SNOMED CT US Edition	662541000124107	Evaluation of eligibility for Department of Veterans Affairs Military2VA Case Management Program (procedure)
Symptoms of Depression ■	SNOMED CT US Edition	394924000	Symptoms of depression (finding)
Symptoms of Depression ■	SNOMED CT US Edition	788976000	Lead paralysis (finding)
Behavioral Health Encounter▲	CPT	90791	Psychiatric diagnostic evaluation
Behavioral Health Encounter▲	CPT	90792	Psychiatric diagnostic evaluation with medical services
Behavioral Health Encounter▲	CPT	90832	Psychotherapy, 30 minutes with patient
Behavioral Health Encounter▲	CPT	90833	Psychotherapy, 30 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure)
Behavioral Health Encounter▲	CPT	90834	Psychotherapy, 45 minutes with patient
Behavioral Health Encounter▲	CPT	90836	Psychotherapy, 45 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure)
Behavioral Health Encounter▲	CPT	90837	Psychotherapy, 60 minutes with patient
Behavioral Health Encounter▲	CPT	90838	Psychotherapy, 60 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure)
Behavioral Health Encounter▲	CPT	90839	Psychotherapy for crisis; first 60 minutes
Behavioral Health Encounter▲	CPT	90845	Psychoanalysis
Behavioral Health Encounter▲	CPT	90846	Family psychotherapy (without the patient present), 50 minutes
Behavioral Health Encounter▲	CPT	90847	Family psychotherapy (conjoint psychotherapy) (with patient present), 50 minutes
Behavioral Health Encounter▲	CPT	90849	Multiple-family group psychotherapy
Behavioral Health Encounter▲	CPT	90853	Group psychotherapy (other than of a multiple-family group)
Behavioral Health Encounter▲	CPT	90865	Narcosis for psychiatric diagnostic and therapeutic purposes (eg, sodium amobarbital (Amytal) interview)
Behavioral Health Encounter▲	CPT	90867	Therapeutic repetitive transcranial magnetic stimulation (TMS) treatment; initial, including cortical mapping, motor threshold determination, delivery and management
Behavioral Health Encounter▲	CPT	90868	Therapeutic repetitive transcranial magnetic stimulation (TMS) treatment; subsequent delivery and management, per session
Behavioral Health Encounter▲	CPT	90869	Therapeutic repetitive transcranial magnetic stimulation (TMS) treatment; subsequent motor threshold re-determination with delivery and management
Behavioral Health Encounter▲	CPT	90870	Electroconvulsive therapy (includes necessary monitoring)
Behavioral Health Encounter▲	CPT	90875	Individual psychophysiological therapy incorporating biofeedback training by any modality (face-to-face with the patient), with psychotherapy (eg, insight oriented, behavior modifying or supportive psychotherapy); 30 minutes

Depression Screening and Follow-Up for

Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Behavioral Health Encounter▲	CPT	90876	Individual psychophysiological therapy incorporating biofeedback training by any modality (face-to-face with the patient), with psychotherapy (eg, insight oriented, behavior modifying or supportive psychotherapy); 45 minutes
Behavioral Health Encounter▲	CPT	90880	Hypnotherapy
Behavioral Health Encounter▲	CPT	90887	Interpretation or explanation of results of psychiatric, other medical examinations and procedures, or other accumulated data to family or other responsible persons, or advising them how to assist patient
Behavioral Health Encounter▲	CPT	99484	Care management services for behavioral health conditions, at least 20 minutes of clinical staff time, directed by a physician or other qualified health care professional, per calendar month, with the following required elements: initial assessment or follow-up monitoring, including the use of applicable validated rating scales, behavioral health care planning in relation to behavioral/psychiatric health problems, including revision for patients who are not progressing or whose status changes, facilitating and coordinating treatment such as psychotherapy, pharmacotherapy, counseling and/or psychiatric consultation, and continuity of care with a designated member of the care team.
Behavioral Health Encounter▲	CPT	99492	Initial psychiatric collaborative care management, first 70 minutes in the first calendar month of behavioral health care manager activities, in consultation with a psychiatric consultant, and directed by the treating physician or other qualified health care professional, with the following required elements: outreach to and engagement in treatment of a patient directed by the treating physician or other qualified health care professional, initial assessment of the patient, including administration of validated rating scales, with the development of an individualized treatment plan, review by the psychiatric consultant with modifications of the plan if recommended, entering patient in a registry and tracking patient follow-up and progress using the registry, with appropriate documentation, and participation in weekly caseload consultation with the psychiatric consultant, and provision of brief interventions using evidence-based techniques such as behavioral activation, motivational interviewing, and other focused treatment strategies.

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Behavioral Health Encounter▲	CPT	99493	Subsequent psychiatric collaborative care management, first 60 minutes in a subsequent month of behavioral health care manager activities, in consultation with a psychiatric consultant, and directed by the treating physician or other qualified health care professional, with the following required elements: tracking patient follow-up and progress using the registry, with appropriate documentation, participation in weekly caseload consultation with the psychiatric consultant, ongoing collaboration with and coordination of the patient's mental health care with the treating physician or other qualified health care professional and any other treating mental health providers, additional review of progress and recommendations for changes in treatment, as indicated, including medications, based on recommendations provided by the psychiatric consultant, provision of brief interventions using evidence-based techniques such as behavioral activation, motivational interviewing, and other focused treatment strategies, monitoring of patient outcomes using validated rating scales, and relapse prevention planning with patients as they achieve remission of symptoms and/or other treatment goals and are prepared for discharge from active treatment.
Behavioral Health Encounter▲	HCPCS	G0155	Services of clinical social worker in home health or hospice settings, each 15 minutes
Behavioral Health Encounter▲	HCPCS	G0176	Activity therapy, such as music, dance, art or play therapies not for recreation, related to the care and treatment of patient's disabling mental health problems, per session (45 minutes or more)
Behavioral Health Encounter▲	HCPCS	G0177	Training and educational services related to the care and treatment of patient's disabling mental health problems per session (45 minutes or more)
Behavioral Health Encounter▲	HCPCS	G0409	Social work and psychological services, directly relating to and/or furthering the patient's rehabilitation goals, each 15 minutes, face-to-face; individual (services provided by a CORF qualified social worker or psychologist in a CORF)
Behavioral Health Encounter▲	HCPCS	G0410	Group psychotherapy other than of a multiple-family group, in a partial hospitalization or intensive outpatient setting, approximately 45 to 50 minutes
Behavioral Health Encounter▲	HCPCS	G0411	Interactive group psychotherapy, in a partial hospitalization or intensive outpatient setting, approximately 45 to 50 minutes
Behavioral Health Encounter▲	HCPCS	G0511	Rural health clinic or federally qualified health center (RHC or FQHC) only, general care management, 20 minutes or more of clinical staff time for chronic care management services or behavioral health integration services directed by an RHC or FQHC practitioner (physician, NP, PA, or CNM), per calendar month
Behavioral Health Encounter▲	HCPCS	G0512	Rural health clinic or federally qualified health center (RHC/FQHC) only, psychiatric collaborative care model (psychiatric COCM), 60 minutes or more of clinical staff time for psychiatric COCM services directed by an RHC or FQHC practitioner (physician, NP, PA, or CNM) and including services furnished by a behavioral health care manager and consultation with a psychiatric consultant, per calendar month
Behavioral Health Encounter▲	HCPCS	H0002	Behavioral health screening to determine eligibility for admission to treatment program

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Behavioral Health Encounter▲	HCPCS	H0004	Behavioral health counseling and therapy, per 15 minutes
Behavioral Health Encounter▲	HCPCS	H0031	Mental health assessment, by nonphysician
Behavioral Health Encounter▲	HCPCS	H0034	Medication training and support, per 15 minutes
Behavioral Health Encounter▲	HCPCS	H0035	Mental health partial hospitalization, treatment, less than 24 hours
Behavioral Health Encounter▲	HCPCS	H0036	Community psychiatric supportive treatment, face-to-face, per 15 minutes
Behavioral Health Encounter▲	HCPCS	H0037	Community psychiatric supportive treatment program, per diem
Behavioral Health Encounter▲	HCPCS	H0039	Assertive community treatment, face-to-face, per 15 minutes
Behavioral Health Encounter▲	HCPCS	H0040	Assertive community treatment program, per diem
Behavioral Health Encounter▲	HCPCS	H2000	Comprehensive multidisciplinary evaluation
Behavioral Health Encounter▲	HCPCS	H2001	Rehabilitation program, per 1/2 day
Behavioral Health Encounter▲	HCPCS	H2010	Comprehensive medication services, per 15 minutes
Behavioral Health Encounter▲	HCPCS	H2011	Crisis intervention service, per 15 minutes
Behavioral Health Encounter▲	HCPCS	H2012	Behavioral health day treatment, per hour
Behavioral Health Encounter▲	HCPCS	H2013	Psychiatric health facility service, per diem
Behavioral Health Encounter▲	HCPCS	H2014	Skills training and development, per 15 minutes
Behavioral Health Encounter▲	HCPCS	H2015	Comprehensive community support services, per 15 minutes
Behavioral Health Encounter▲	HCPCS	H2016	Comprehensive community support services, per diem
Behavioral Health Encounter▲	HCPCS	H2017	Psychosocial rehabilitation services, per 15 minutes
Behavioral Health Encounter▲	HCPCS	H2018	Psychosocial rehabilitation services, per diem
Behavioral Health Encounter▲	HCPCS	H2019	Therapeutic behavioral services, per 15 minutes
Behavioral Health Encounter▲	HCPCS	H2020	Therapeutic behavioral services, per diem
Behavioral Health Encounter▲	HCPCS	S0201	Partial hospitalization services, less than 24 hours, per diem
Behavioral Health Encounter▲	HCPCS	S9480	Intensive outpatient psychiatric services, per diem
Behavioral Health Encounter▲	HCPCS	S9484	Crisis intervention mental health services, per hour
Behavioral Health Encounter▲	HCPCS	S9485	Crisis intervention mental health services, per diem
Behavioral Health Encounter▲	SNOMED CT US Edition	5694008	Crisis intervention with follow-up (regime/therapy)
Behavioral Health Encounter▲	SNOMED CT US Edition	10197000	Psychiatric interview and evaluation (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	10997001	Psychiatric evaluation of patient for testamentary capacity with report (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	38756009	Psychiatric evaluation of patient for criminal responsibility with report (procedure)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Behavioral Health Encounter▲	SNOMED CT US Edition	45392008	Psychologic evaluation or test procedure (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	79094001	Initial psychiatric interview with mental status and evaluation (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	88848003	Psychiatric follow-up (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	90407005	Evaluation of psychiatric state of patient (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	91310009	Patient follow-up to return when and if necessary (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	165171009	Initial psychiatric evaluation (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	165190001	Psychiatric evaluation for rehabilitation (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	225337009	Suicide risk assessment (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	370803007	Evaluation of psychosocial impact on plan of care (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	372067001	Implementation of measures to provide psychological support (regime/therapy)
Behavioral Health Encounter▲	SNOMED CT US Edition	385721005	Coping support assessment (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	385724002	Coping support management (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	385725001	Emotional support assessment (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	385726000	Emotional support education (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	385727009	Emotional support management (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	385887004	Mental health history taking assessment (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	385889001	Mental health history taking education (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	385890005	Mental health history taking management (procedure)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Behavioral Health Encounter▲	SNOMED CT US Edition	401277000	Completion of mental health crisis plan (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	410223002	Mental health care assessment (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	410224008	Mental health care education (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	410225009	Mental health care management (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	410226005	Mental health promotion assessment (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	410227001	Mental health promotion education (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	410228006	Mental health promotion management (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	410229003	Mental health screening assessment (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	410230008	Mental health screening education (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	410231007	Mental health screening management (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	410232000	Mental health treatment assessment (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	410233005	Mental health treatment education (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	410234004	Management of mental health treatment (procedure)
Behavioral Health Encounter▲	SNOMED CT US Edition	439141002	Discharge by mental health primary care worker (procedure)
Follow Up Visit★	CPT	98000	
Follow Up Visit★	CPT	98001	
Follow Up Visit★	CPT	98002	
Follow Up Visit★	CPT	98003	
Follow Up Visit★	CPT	98004	
Follow Up Visit★	CPT	98005	
Follow Up Visit★	CPT	98006	
Follow Up Visit★	CPT	98007	

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Follow Up Visit ★	CPT	98008	
Follow Up Visit ★	CPT	98009	
Follow Up Visit ★	CPT	98010	
Follow Up Visit ★	CPT	98011	
Follow Up Visit ★	CPT	98012	
Follow Up Visit ★	CPT	98013	
Follow Up Visit ★	CPT	98014	
Follow Up Visit ★	CPT	98015	
Follow Up Visit ★	CPT	98016	
Depression or Other Behavioral Health Condition ◆	SNOMED CT US Edition	19887002	Claustrophobia (disorder)
Depression or Other Behavioral Health Condition ◆	SNOMED CT US Edition	24109003	Bromhidrosiphobia (disorder)
Depression or Other Behavioral Health Condition ◆	SNOMED CT US Edition	54307006	Zoophobia (disorder)
Depression or Other Behavioral Health Condition ◆	SNOMED CT US Edition	58963008	Acrophobia (disorder)
Depression or Other Behavioral Health Condition ◆	SNOMED CT US Edition	70655008	Caffeine-induced anxiety disorder (disorder)
Depression or Other Behavioral Health Condition ◆	SNOMED CT US Edition	83482000	Body dysmorphic disorder (disorder)
Depression or Other Behavioral Health Condition ◆	SNOMED CT US Edition	102916005	Arachnophobia (disorder)
Depression or Other Behavioral Health Condition ◆	SNOMED CT US Edition	238965007	Venereophobia (disorder)
Depression or Other Behavioral Health Condition ◆	SNOMED CT US Edition	280947008	Examination phobia (disorder)
Depression or Other Behavioral Health Condition ◆	SNOMED CT US Edition	403592009	Acarophobia (disorder)
Depression or Other Behavioral Health Condition ◆	SNOMED CT US Edition	444613000	Adult attention deficit hyperactivity disorder (disorder)
Depression or Other Behavioral Health Condition ◆	SNOMED CT US Edition	723914003	Prolonged grief disorder (disorder)
Depression or Other Behavioral Health Condition ◆	SNOMED CT US Edition	724654009	Anxiety disorder caused by opioid (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724708007	Anxiety disorder caused by methylenedioxymethamphetamine (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724722007	Anxiety disorder caused by dissociative drug (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	724723002	Anxiety disorder caused by ketamine (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	737341006	Anxiety disorder caused by synthetic cannabinoid (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	762331007	Anxiety disorder caused by stimulant (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	762515000	Anxiety disorder caused by synthetic cathinone (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1335862003	Childhood-onset schizophrenia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1343347009	Bipolar I disorder, current episode hypomanic (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1343597009	Bathophobia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1343598004	Entomophobia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1343608003	Erythrophobia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1343614005	Mysophobia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1343615006	Gephyrophobia (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	1344950008	Anxiety disorder in pregnancy (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	22621000119103	Anxiety disorder caused by drug (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	471971000124108	Anxiety disorder due to severe acute respiratory syndrome coronavirus 2 (disorder)
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	10743001000119103	Anxiety disorder in mother complicating childbirth (disorder)

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) : Positive Screen Follow-Up Code List

Numertor Identifier	Code Type	Code	Definition
Depression or Other Behavioral Health Condition ♦	SNOMED CT US Edition	12398201000119102	Anxiety disorder caused by methamphetamine (disorder)
Depression Case Management Encounter ●	SNOMED CT US Edition	1344983001	Medication interaction case management (procedure)
Depression Case Management Encounter ●	SNOMED CT US Edition	1344984007	Medication side effect case management (procedure)
Depression Case Management Encounter ●	SNOMED CT US Edition	1344994002	Case management of signs and symptoms of emotional problem (procedure)
Depression Case Management Encounter ●	SNOMED CT US Edition	1345003009	Case management of signs and symptoms of mental health problem (procedure)
Depression Case Management Encounter ●	SNOMED CT US Edition	1345013001	Caretaking skills case management (procedure)
Depression Case Management Encounter ●	SNOMED CT US Edition	1345014007	Parenting skills case management (procedure)
Depression Case Management Encounter ●	SNOMED CT US Edition	842901000000108	Multidisciplinary case management (procedure)

Antidepressant Medications List			
Numerator Identifier	Description	Prescription	
Antidepressant Medications List ♦	Miscellaneous Antidepressants	•Bupropion	•Vilazodone •Vortioxetine
Antidepressant Medications List ♦	Monoamine Oxidase Inhibitors	•Isocarboxazid •Selegiline	•Phenelzine •Tranlycypromine
Antidepressant Medications List ♦	Phenylpiperazine Antidepressants	•Nefazodone •Trazodone	
Antidepressant Medications List ♦	Psychotherapeutic Combinations	•Amitriptyline-chlordiazepoxide •Amitriptyline-perphenazine	•Fluoxetine-olanzapine
Antidepressant Medications List ♦	SNRI Antidepressants	•Desvenlafaxine •Levomilnacipran	•Duloxetine •Venlafaxine
Antidepressant Medications List ♦	SSRI Antidepressants	•Citalopram •Fluvoxamine	•Escitalopram •Paroxetine •Fluoxetine •Sertraline
Antidepressant Medications List ♦	Tetracyclic Antidepressants	•Maprotiline	•Mirtazapine
Antidepressant Medications List ♦	Tricyclic Antidepressants	•Amitriptyline •Desipramine •Nortriptyline	•Amoxapine •Doxepin (>6 mg) •Protriptyline •Clomipramine •Imipramine •Trimipramine